

TIB-5

PN: 100325
 L1= 87
 L2= 93
 X1= 3175168.421
 Y1=16253803.06
 B= 28.28246631
 L= 94.41049074

PN: 101375.34
 L1= 87
 L2= 93
 X1= 3176518.191
 Y1=16253762.35
 B= 28.2908196
 L= 94.41065886

PN: 102525
 L1= 87
 L2= 93
 X1= 3177667.37
 Y1=16253727.69
 B= 28.29452591
 L= 94.41080212

PN: 103157.6
 L1= 87
 L2= 93
 X1= 3178280.2
 Y1=16253569.84
 B= 28.30053129
 L= 94.41037073

PN: 104075
 L1= 87
 L2= 93
 X1= 3179168.92
 Y1=16253340.94
 B= 28.30343948
 L= 94.40574514

PN: 104696.88
 L1= 87
 L2= 93
 X1= 3179783.22
 Y1=16253439.21
 B= 28.30539651
 L= 94.41024744

PN: 107550
 L1= 87
 L2= 93
 X1= 3182601.57
 Y1=16253890.21
 B= 28.32237493
 L= 94.41255346

PN: 107993.66
 L1= 87
 L2= 93
 X1= 3182991.12
 Y1=16254102.96
 B= 28.32358467
 L= 94.41342026

PN: 108275
 L1= 87
 L2= 93
 X1= 3183238.15
 Y1=16254237.71
 B= 28.3243518
 L= 94.41396996

PN: 108948.32
 L1= 87
 L2= 93
 X1= 3183869.4
 Y1=16254472.73
 B= 28.33033483
 L= 94.41497532

PN: 110425
 L1= 87
 L2= 93
 X1= 3185253.78
 Y1=16254988.19
 B= 28.33468363
 L= 94.42118076

PN: 111233.94
 L1= 87
 L2= 93
 X1= 3186059.02
 Y1=16255068.62
 B= 28.34125877
 L= 94.42166393

PN: 111975
 L1= 87
 L2= 93
 X1= 3186796.69
 Y1=16255142.31
 B= 28.34361778
 L= 94.42210669

PN: 112350
 L1= 87
 L2= 93
 X1= 3187159.75
 Y1=16255047.91
 B= 28.34480605
 L= 94.42184816

PN: 112875
 L1= 87
 L2= 93
 X1= 3187599.17
 Y1=16254760.33
 B= 28.35028035
 L= 94.4209032

PN: 113412.4
 L1= 87
 L2= 93
 X1= 3187957.41
 Y1=16254359.58
 B= 28.3515169
 L= 94.41552632

PN: 115475
 L1= 87
 L2= 93
 X1= 3189332.43
 Y1=16252821.49
 B= 28.36026291
 L= 94.41024101

PN: 116184.05
 L1= 87
 L2= 93
 X1= 3189785.28
 Y1=16252275.68
 B= 28.36183405
 L= 94.40435686

PN: 116675
 L1= 87
 L2= 93
 X1= 3190098.85
 Y1=16251897.77
 B= 28.36292194
 L= 94.40305222

PN: 117065.2
 L1= 87
 L2= 93
 X1= 3190273.12
 Y1=16251548.58
 B= 28.36355543
 L= 94.40181949

PN: 117125
 L1= 87
 L2= 93
 X1= 3190299.83
 Y1=16251495.06
 B= 28.36365252
 L= 94.40163055

装
 订
 线

PN: 117802
L1= 87
L2= 93
X1= 3192773.01
Y1= 16251013.45
B= 28.36527567
L= 94.39598502

PN: 117992.47
L1= 87
L2= 93
X1= 3190939.42
Y1= 16250905.18
B= 28.36583381
L= 94.39562918

PN: 122125
L1= 87
L2= 93
X1= 3194399.47
Y1= 16248654.28
B= 28.3854388
L= 94.38422959

PN: 122850
L1= 87
L2= 93
X1= 3194929.06
Y1= 16248158.87
B= 28.39124627
L= 94.38254598

PN: 123650
L1= 87
L2= 93
X1= 3195409.67
Y1= 16247519.11
B= 28.39292591
L= 94.38032389

PN: 124875
L1= 87
L2= 93
X1= 3195810.35
Y1= 16246361.33
B= 28.39445527
L= 94.3721921

PN: 125300
L1= 87
L2= 93
X1= 3196003.72
Y1= 16245982.79
B= 28.39515601
L= 94.37085571

PN: 125713.99
L1= 87
L2= 93
X1= 3196229.63
Y1= 16245535.78
B= 28.39595497
L= 94.36564198

PN: 126050
L1= 87
L2= 93
X1= 3196413
Y1= 16245354.13
B= 28.40060346
L= 94.36465682

PN: 126700
L1= 87
L2= 93
X1= 3196850.83
Y1= 16244873.5
B= 28.40211222
L= 94.36300481

PN: 127325
L1= 87
L2= 93
X1= 3197271.84
Y1= 16244411.36
B= 28.40356299
L= 94.36141623

PN: 128600
L1= 87
L2= 93
X1= 3198276.15
Y1= 16243625.29
B= 28.41095844
L= 94.35478124

PN: 129550
L1= 87
L2= 93
X1= 3199024.48
Y1= 16243039.61
B= 28.41348841
L= 94.3528177

PN: 130942.71
L1= 87
L2= 93
X1= 3200193.66
Y1= 16242282.09
B= 28.4214087
L= 94.3503247

PN: 131075
L1= 87
L2= 93
X1= 3200334.72
Y1= 16242210.14
B= 28.4217811
L= 94.3500879

PN: 131300
L1= 87
L2= 93
X1= 3200529.51
Y1= 16242198.64
B= 28.42250719
L= 94.3500984

PN: 131550
L1= 87
L2= 93
X1= 3200768.59
Y1= 16242272.04
B= 28.42326182
L= 94.35042229

PN: 132575
L1= 87
L2= 93
X1= 3201682.42
Y1= 16242737.12
B= 28.43010814
L= 94.35233437

PN: 133399.53
L1= 87
L2= 93
X1= 3202374.03
Y1= 16243186.57
B= 28.43224212
L= 94.35413767

PN: 136525
L1= 87
L2= 93
X1= 3204995.58
Y1= 16244890.35
B= 28.44432996
L= 94.36497558

PN: 138125
L1= 87
L2= 93
X1= 3206049.89
Y1= 16246094.5
B= 28.45147465
L= 94.37362225

PN: 139000
L1= 87
L2= 93
X1= 3206826.32
Y1=16246498.65
B= 28.45389031
L= 94.37528151

PN: 140000
L1= 87
L2= 93
X1= 3207692.87
Y1=16246998.46
B= 28.46057612
L= 94.38131175

PN: 140725
L1= 87
L2= 93
X1= 3208321.11
Y1=16247360.83
B= 28.46252322
L= 94.38278389

PN: 140950
L1= 87
L2= 93
X1= 3208538.79
Y1=16247418.09
B= 28.46321206
L= 94.38304447

PN: 141275
L1= 87
L2= 93
X1= 3208856.02
Y1=16247346.92
B= 28.46424806
L= 94.3828593

PN: 141625
L1= 87
L2= 93
X1= 3209097.97
Y1=16247093.89
B= 28.46507955
L= 94.38199185

PN: 142125
L1= 87
L2= 93
X1= 3209514.63
Y1=16246817.23
B= 28.47047835
L= 94.38107923

PN: 142800
L1= 87
L2= 93
X1= 3210178.49
Y1=16246693.73
B= 28.47264111
L= 94.38078456

PN: 143100
L1= 87
L2= 93
X1= 3210466.07
Y1=16246607.95
B= 28.47358471
L= 94.38053895

PN: 144050
L1= 87
L2= 93
X1= 3211303.77
Y1=16246159.25
B= 28.48037468
L= 94.37509678

PN: 144700
L1= 87
L2= 93
X1= 3211876.94
Y1=16245852.25
B= 28.48228363
L= 94.37410995

PN: 145200
L1= 87
L2= 93
X1= 3212376.57
Y1=16245828.71
B= 28.48389694
L= 94.37414178

PN: 145350
L1= 87
L2= 93
X1= 3212526.46
Y1=16245821.65
B= 28.48438094
L= 94.37415134

PN: 145800
L1= 87
L2= 93
X1= 3212959.86
Y1=16245699.97
B= 28.48580144
L= 94.37380883

PN: 146325
L1= 87
L2= 93
X1= 3213482.51
Y1=16245648.28
B= 28.49149471
L= 94.37374321

PN: 146450
L1= 87
L2= 93
X1= 3213589.13
Y1=16245713.61
B= 28.49182436
L= 94.37400719

PN: 146950
L1= 87
L2= 93
X1= 3213911.71
Y1=16246095.83
B= 28.49278335
L= 94.37548056

PN: 147625
L1= 87
L2= 93
X1= 3214436.22
Y1=16246521.06
B= 28.49438336
L= 94.38115896

PN: 147775
L1= 87
L2= 93
X1= 3214582.74
Y1=16246553.45
B= 28.49484829
L= 94.381312

PN: 147900
L1= 87
L2= 93
X1= 3214705.04
Y1=16246527.38
B= 28.49524742
L= 94.38124561

PN: 148250
L1= 87
L2= 93
X1= 3215000.53
Y1=16246339.61
B= 28.50023773
L= 94.380629

装
订
线

PN:148625
L1= 87
L2= 93
X1= 3215365.38
Y1=16246426.49
B= 28.50139416
L= 94.38103288

PN:148750
L1= 87
L2= 93
X1= 3215458.92
Y1=16246509.42
B= 28.50167802
L= 94.38135819

PN:148925
L1= 87
L2= 93
X1= 3215632.94
Y1=16246528.1
B= 28.50223431
L= 94.38146763

PN:149450
L1= 87
L2= 93
X1= 3216133.49
Y1=16246686.55
B= 28.50381265
L= 94.38216534

PN:149850
L1= 87
L2= 93
X1= 3216524.66
Y1=16246770.29
B= 28.50505442
L= 94.38256408

PN:150300
L1= 87
L2= 93
X1= 3216973.92
Y1=16246796.75
B= 28.51049513
L= 94.3827672

PN:150975
L1= 87
L2= 93
X1= 3217641.89
Y1=16246699.22
B= 28.51266572
L= 94.38256867

PN:152225
L1= 87
L2= 93
X1= 3218847.43
Y1=16246368.38
B= 28.52061546
L= 94.38164429

PN:153175
L1= 87
L2= 93
X1= 3219775.87
Y1=16246166.7
B= 28.52364626
L= 94.38112657

PN:153550
L1= 87
L2= 93
X1= 3220139.82
Y1=16246076.19
B= 28.52483673
L= 94.38088174

PN:154050
L1= 87
L2= 93
X1= 3220594.57
Y1=16246284.12
B= 28.53025728
L= 94.38174997

PN:154075
L1= 87
L2= 93
X1= 3220617.8
Y1=16246293.37
B= 28.53033013
L= 94.38178931

PN:154125
L1= 87
L2= 93
X1= 3220666.24
Y1=16246280.98
B= 28.53048864
L= 94.38175547

PN:154375
L1= 87
L2= 93
X1= 3220885.44
Y1=16246160.71
B= 28.53121936
L= 94.3813675

PN:154450
L1= 87
L2= 93
X1= 3220935.46
Y1=16246104.82
B= 28.53139203
L= 94.38117493

PN:155000
L1= 87
L2= 93
X1= 3221246.27
Y1=16245650.98
B= 28.53248719
L= 94.37558851

PN:155550
L1= 87
L2= 93
X1= 3221683.22
Y1=16245316.85
B= 28.53396343
L= 94.37446975

PN:156500
L1= 87
L2= 93
X1= 3222421.75
Y1=16244719.15
B= 28.54046541
L= 94.37245809

PN:156900
L1= 87
L2= 93
X1= 3222662.19
Y1=16244399.42
B= 28.54130602
L= 94.37134529

PN:157900
L1= 87
L2= 93
X1= 3223280.05
Y1=16243612.99
B= 28.54345874
L= 94.36461422

PN:158700
L1= 87
L2= 93
X1= 3223873.26
Y1=16243076.11
B= 28.54548012
L= 94.36279009

装
订
线

5.

经纬仪导线计算

第 页

PN: 159525
 L1= 87
 L2= 93
 X1= 3224313.66
 Y1= 16242378.38
 B= 28.55104295
 L= 94.36034111

PN: 159975
 L1= 87
 L2= 93
 X1= 3224603.518
 Y1= 16242034.1
 B= 28.55204763
 L= 94.35514975

PN: 160025
 L1= 87
 L2= 93
 X1= 3224635.725
 Y1= 16241995.84
 B= 28.55215927
 L= 94.35501735

日 ~ 月 日

H₂ =

观测与记录者	
计 算 者	
原始记录	本 ~ 页
计算线路略图	

装

订 了 线

875号

TIB-5
Survey

100375
X= 3175518.29
Y= 16253792.36
H= 4541.2

100350
X= 3175493.30
Y= 16253793.11
H= 4541.8

100325
X= 3175468.31
Y= 16253793.86
H= 4542.2

100300
X= 3175443.32
Y= 16253794.61
H= 4542.7

100275
X= 3175418.34
Y= 16253795.36
H= 4542.9

100250
X= 3175393.35
Y= 16253796.11
H= 4544.0

100225
X= 3175368.36
Y= 16253796.86
H= 4544.6

100200
X= 3175343.37
Y= 16253797.61
H= 4547.7

100175
X= 3175318.38
Y= 16253798.36
H= 4545.2

100150
X= 3175293.39
Y= 16253799.11
H= 4546.2

100125
X= 3175268.40
Y= 16253799.86
H= 4546.7

100100
X= 3175243.41
Y= 16253800.61
H= 4548.7

100075
X= 3175218.42
Y= 16253801.36
H= 4549.7

100050
X= 3175193.43
Y= 16253802.11
H= 4550.6

100025
X= 3175168.45
Y= 16253802.86
H= 4552.7

100750
X= 3175893.13
Y= 16253781.11
H= 4575.1

100725
X= 3175868.14
Y= 16253781.86
H= 4575.6

100700
X= 3175843.15
Y= 16253782.61
H= 4576.6

100675
X= 3175818.16
Y= 16253783.36
H= 4576.9

100650
X= 3175793.17
Y= 16253784.11
H= 4576.9

100625
X= 3175768.18
Y= 16253784.86
H= 4577.2

100600
X= 3175743.19
Y= 16253785.61
H= 4577.7

100575
X= 3175718.20
Y= 16253786.36
H= 4578.2

100550
X= 3175693.21
Y= 16253787.11
H= 4578.7

100525
X= 3175668.23
Y= 16253787.86
H= 4578.8

100500
X= 3175643.24
Y= 16253788.61
H= 4579.2

100475
X= 3175618.25
Y= 16253789.36
H= 4579.8

100450
X= 3175593.26
Y= 16253790.11
H= 4540.7

100425
X= 3175568.27
Y= 16253790.86
H= 4540.7

100400
X= 3175543.28
Y= 16253791.61
H= 4540.8

101125
X= 3176267.96
Y= 16253769.86
H= 4571.6

101100
X= 3176242.97
Y= 16253770.61
H= 4572.2

101075
X= 3176217.98
Y= 16253771.36
H= 4572.6

101050
X= 3176192.99
Y= 16253772.11
H= 4573.0

101025
X= 3176168.01
Y= 16253772.86
H= 4573.4

101000
X= 3176143.02
Y= 16253773.61
H= 4574.9

100975
X= 3176118.03
Y= 16253774.36
H= 4574.4

100950
X= 3176093.04
Y= 16253775.11
H= 4575.4

100925
X= 3176068.05
Y= 16253775.86
H= 4574.9

100900
X= 3176043.06
Y= 16253776.61
H= 4574.7

100875
X= 3176018.07
Y= 16253777.36
H= 4574.7

100850
X= 3175993.08
Y= 16253778.11
H= 4574.2

100825
X= 3175968.09
Y= 16253778.86
H= 4574.8

100800
X= 3175943.10
Y= 16253779.61
H= 4574.7

100775
X= 3175918.12
Y= 16253780.36
H= 4574.6

30

40

20

10
裝
訂
線

经

线号

102525
 X= 3177667.37
 Y= 16253727.69
 H= 4511.7

102500
 X= 3177642.38
 Y= 16253728.44
 H= 4511.6

102475
 X= 3177617.39
 Y= 16253729.19
 H= 4511.6

102450
 X= 3177592.40
 Y= 16253729.94
 H= 4511.9

102425
 X= 3177567.41
 Y= 16253730.69
 H= 4512.6

102400
 X= 3177542.42
 Y= 16253731.44
 H= 4512.6

102375
 X= 3177517.43
 Y= 16253732.19
 H= 4513.1

102350
 X= 3177492.44
 Y= 16253732.94
 H= 4513.2

102325
 X= 3177467.45
 Y= 16253733.69
 H= 4513.3

102300
 X= 3177442.46
 Y= 16253734.44
 H= 4513.7

102275
 X= 3177417.47
 Y= 16253735.19
 H= 4514.0

Y= 16253721.45
 H= 4511.4

102575
 X= 3177715.81
 Y= 16253715.21
 H= 4511.2

102600
 X= 3177740.03
 Y= 16253708.97
 H= 4511.0

102625
 X= 3177764.24
 Y= 16253702.73
 H= 4510.6

102650
 X= 3177788.46
 Y= 16253696.49
 H= 4510.1

102675
 X= 3177812.68
 Y= 16253690.25
 H= 4510.0

102700
 X= 3177836.90
 Y= 16253684.01
 H= 4509.7

102725
 X= 3177861.12
 Y= 16253677.77
 H= 4509.4

102750
 X= 3177885.33
 Y= 16253671.53
 H= 4509.3

102775
 X= 3177909.55
 Y= 16253665.29
 H= 4509.1

102800
 X= 3177933.77
 Y= 16253659.05
 H= 4509.0

102825
 X= 3177957.99
 Y= 16253652.81
 H= 4509.1

102850
 X= 3177982.21
 Y= 16253646.57
 H= 4509.0

102875
 X= 3178006.42
 Y= 16253640.33
 H= 4508.2

102900
 X= 3178030.64
 Y= 16253634.09
 H= 4508.2

102925
 X= 3178054.86
 Y= 16253627.85
 H= 4508.2

Y= 16253621.61
 H= 4507.7

102975
 X= 3178103.30
 Y= 16253615.37
 H= 4506.8

103000
 X= 3178127.51
 Y= 16253609.13
 H= 4506.3

103025
 X= 3178151.73
 Y= 16253602.89
 H= 4506.1

103050
 X= 3178175.95
 Y= 16253596.65
 H= 4506.0

103075
 X= 3178200.17
 Y= 16253590.41
 H= 4506.0

103100
 X= 3178224.39
 Y= 16253584.17
 H= 4505.1

103125
 X= 3178248.60
 Y= 16253577.93
 H= 4505.1

103150
 X= 3178272.82
 Y= 16253571.69
 H= 4504.3

103175
 X= 3178297.05
 Y= 16253565.50
 H= 4503.7

103200
 X= 3178321.27
 Y= 16253559.26
 H= 4503.3

103225
 X= 3178345.49
 Y= 16253553.02
 H= 4502.9

103250
 X= 3178369.71
 Y= 16253546.78
 H= 4502.7

103275
 X= 3178393.92
 Y= 16253540.54
 H= 4502.5

103300
 X= 3178418.14
 Y= 16253534.30
 H= 4502.3

100
 装
 订
 线

X= 3179613.43
Y= 16253412.04
H= 4490.1
104550
X= 3179638.12
Y= 16253415.99
H= 4489.9
104575
X= 3179662.82
Y= 16253419.94
H= 4489.7
104600
X= 3179687.51
Y= 16253423.89
H= 4489.2
104625
X= 3179712.21
Y= 16253427.84
H= 4488.9
104650
X= 3179736.90
Y= 16253431.79
H= 4488.7
104675
X= 3179761.60
Y= 16253435.74
H= 4488.4
104700
X= 3179786.30
Y= 16253439.70
H= 4488.1
104725
X= 3179811.00
Y= 16253443.65
H= 4487.7
104750
X= 3179835.69
Y= 16253447.60
H= 4487.2
104775
X= 3179860.39
Y= 16253451.55
H= 4488.9
104800
X= 3179885.08
Y= 16253455.50
H= 4488.5
104825
X= 3179909.78
Y= 16253459.45
H= 4488.1
104850
X= 3179934.47
Y= 16253463.40
H= 4487.7
104875
X= 3179959.17
Y= 16253467.35
H= 4487.1
104900
X= 3179983.86
Y= 16253471.30
H= 4486.7

X= 3180008.56
Y= 16253475.25
H= 4484.4
104950
X= 3180033.25
Y= 16253479.20
H= 4484.4
104975
X= 3180057.95
Y= 16253483.15
H= 4484.1
105000
X= 3180082.64
Y= 16253487.10
H= 4483.6
105025
X= 3180107.34
Y= 16253491.05
H= 4483.2
105050
X= 3180132.03
Y= 16253495.00
H= 4482.9
105075
X= 3180156.73
Y= 16253498.95
H= 4482.6
105100
X= 3180181.42
Y= 16253502.90
H= 4482.4
105125
X= 3180206.12
Y= 16253506.85
H= 4482.3
105150
X= 3180230.81
Y= 16253510.80
H= 4482.5
105175
X= 3180255.51
Y= 16253514.75
H= 4482.6
105200
X= 3180280.20
Y= 16253518.70
H= 4482.4
105225
X= 3180304.90
Y= 16253522.65
H= 4482.5
105250
X= 3180329.60
Y= 16253526.63
H= 4482.4
105275
X= 3180354.30
Y= 16253530.58
H= 4482.7
105300
X= 3180378.99
Y= 16253534.53
H= 4482.4

X= 3180403.69
Y= 16253538.48
H= 4482.7
105350
X= 3180428.38
Y= 16253542.43
H= 4482.4
105375
X= 3180453.08
Y= 16253546.38
H= 4482.7
105400
X= 3180477.77
Y= 16253550.33
H= 4482.1
105425
X= 3180502.47
Y= 16253554.28
H= 4481.8
105450
X= 3180527.16
Y= 16253558.23
H= 4481.9
105475
X= 3180551.86
Y= 16253562.18
H= 4481.4
105500
X= 3180576.55
Y= 16253566.13
H= 4480.9
105525
X= 3180601.25
Y= 16253570.08
H= 4480.4
105550
X= 3180625.95
Y= 16253574.04
H= 4480.0
105575
X= 3180650.64
Y= 16253577.99
H= 4478.9
105600
X= 3180675.34
Y= 16253581.94
H= 4478.1
105625
X= 3180700.03
Y= 16253585.89
H= 4477.6
105650
X= 3180724.73
Y= 16253589.84
H= 4477.0
105675
X= 3180749.42
Y= 16253593.79
H= 4476.5
105700
X= 3180774.12
Y= 16253597.74
H= 4476.5

装
订
线

200

220

190

20

X= 3181984.18
Y= 16253791.35
H= 4464.1
106950
X= 3182008.88
Y= 16253795.30
H= 4467.8
106975
X= 3182033.57
Y= 16253799.25
H= 4469.6
107000
X= 3182058.27
Y= 16253803.20
H= 4473.5
107025
X= 3182082.96
Y= 16253807.15
H= 4477.3
107050
X= 3182107.66
Y= 16253811.10
H= 4481.1
107075
X= 3182132.35
Y= 16253815.05
H= 4484.9
107100
X= 3182157.05
Y= 16253819.00
H= 4488.7
107125
X= 3182181.74
Y= 16253822.95
H= 4492.5
107150
X= 3182206.44
Y= 16253826.90
H= 4496.0
107175
X= 3182231.13
Y= 16253830.85
H= 4499.8
107200
X= 3182255.83
Y= 16253834.80
H= 4503.9
107225
X= 3182280.52
Y= 16253838.75
H= 4508.0
107250
X= 3182305.22
Y= 16253842.70
H= 4511.8
107275
X= 3182329.92
Y= 16253846.74
H= 4515.4
107300
X= 3182354.61
Y= 16253850.69
H= 4519.3

X= 3182379.31
Y= 16253854.64
H= 4461.2
107350
X= 3182404.00
Y= 16253858.59
H= 4461.0
107375
X= 3182428.70
Y= 16253862.54
H= 4460.8
107400
X= 3182453.39
Y= 16253866.49
H= 4460.6
107425
X= 3182478.09
Y= 16253870.44
H= 4460.5
107450
X= 3182502.78
Y= 16253874.39
H= 4460.0
107475
X= 3182527.48
Y= 16253878.34
H= 4459.9
107500
X= 3182552.17
Y= 16253882.29
H= 4459.7
107525
X= 3182576.87
Y= 16253886.24
H= 4459.3
107550
X= 3182601.56
Y= 16253890.19
H= 4459.5
107575
X= 3182623.52
Y= 16253902.19
H= 4459.3
107600
X= 3182645.47
Y= 16253914.17
H= 4459.2
107625
X= 3182667.42
Y= 16253926.15
H= 4459.1
107650
X= 3182689.37
Y= 16253938.13
H= 4458.7
107675
X= 3182711.32
Y= 16253950.11
H= 4458.7
107700
X= 3182733.27
Y= 16253962.09
H= 4458.6

X= 3182755.22
Y= 16253974.07
H= 4458.4
107750
X= 3182777.17
Y= 16253986.05
H= 4458.0
107775
X= 3182799.12
Y= 16253998.03
H= 4458.0
107800
X= 3182821.08
Y= 16254010.01
H= 4457.6
107825
X= 3182843.03
Y= 16254021.99
H= 4457.6
107850
X= 3182864.98
Y= 16254033.97
H= 4457.6
107875
X= 3182886.93
Y= 16254045.95
H= 4457.6
107900
X= 3182908.88
Y= 16254057.93
H= 4457.6
107925
X= 3182930.83
Y= 16254069.91
H= 4457.9
107950
X= 3182952.78
Y= 16254081.89
H= 4457.2
107975
X= 3182974.73
Y= 16254093.87
H= 4457.0
108000
X= 3182996.69
Y= 16254105.90
H= 4457.4
108025
X= 3183018.64
Y= 16254117.88
H= 4457.5
108050
X= 3183040.59
Y= 16254129.86
H= 4457.3
108075
X= 3183062.54
Y= 16254141.84
H= 4457.3
108100
X= 3183084.50
Y= 16254153.82
H= 4457.4

280

300

320

290

装
订
线

X= 3184222.33
Y= 16254604.27
H= 4450.6
109350
X= 3184245.96
Y= 16254613.00
H= 4450.4
109375
X= 3184269.40
Y= 16254621.73
H= 4450.4
109400
X= 3184292.84
Y= 16254630.46
H= 4450.4
109425
X= 3184316.27
Y= 16254639.19
H= 4450.3
109450
X= 3184339.71
Y= 16254647.92
H= 4450.6
109475
X= 3184363.15
Y= 16254656.65
H= 4450.7
109500
X= 3184386.58
Y= 16254665.38
H= 4450.7
109525
X= 3184410.03
Y= 16254674.02
H= 4450.1
109550
X= 3184433.47
Y= 16254682.75
H= 4450.0
109575
X= 3184456.91
Y= 16254691.48
H= 4449.9
109600
X= 3184480.34
Y= 16254700.21
H= 4450.0
109625
X= 3184503.78
Y= 16254708.94
H= 4449.9
109650
X= 3184527.22
Y= 16254717.67
H= 4449.9
109675
X= 3184550.65
Y= 16254726.40
H= 4449.8
109700
X= 3184574.09
Y= 16254735.13
H= 4449.6

X= 3184597.53
Y= 16254743.86
H= 4449.6
109750
X= 3184620.97
Y= 16254752.59
H= 4449.4
109775
X= 3184644.40
Y= 16254761.32
H= 4449.3
109800
X= 3184667.84
Y= 16254770.05
H= 4449.2
109825
X= 3184691.28
Y= 16254778.78
H= 4449.4
109850
X= 3184714.71
Y= 16254787.51
H= 4449.5
109875
X= 3184738.15
Y= 16254796.24
H= 4449.4
109900
X= 3184761.59
Y= 16254804.97
H= 4449.4
109925
X= 3184785.02
Y= 16254813.70
H= 4449.7
109950
X= 3184808.46
Y= 16254822.43
H= 4448.8
109975
X= 3184831.90
Y= 16254831.16
H= 4448.5
110000
X= 3184855.34
Y= 16254839.89
H= 4448.7
110025
X= 3184878.77
Y= 16254848.62
H= 4448.5
110050
X= 3184902.21
Y= 16254857.35
H= 4448.4
110075
X= 3184925.65
Y= 16254866.08
H= 4448.7
110100
X= 3184949.08
Y= 16254874.81
H= 4448.2

X= 3184972.52
Y= 16254883.54
H= 4448.2
110150
X= 3184995.96
Y= 16254892.27
H= 4448.0
110175
X= 3185019.39
Y= 16254901.00
H= 4448.0
110200
X= 3185042.83
Y= 16254909.73
H= 4447.7
110225
X= 3185066.27
Y= 16254918.46
H= 4447.7
110250
X= 3185089.71
Y= 16254927.19
H= 4447.7
110275
X= 3185113.14
Y= 16254935.92
H= 4447.4
110300
X= 3185136.58
Y= 16254944.65
H= 4447.4
110325
X= 3185160.03
Y= 16254953.28
H= 4447.1
110350
X= 3185183.46
Y= 16254962.01
H= 4447.1
110375
X= 3185206.90
Y= 16254970.74
H= 4446.9
110400
X= 3185230.34
Y= 16254979.47
H= 4446.7
110425
X= 3185253.78
Y= 16254988.20
H= 4446.7
110450
X= 3185278.66
Y= 16254990.68
H= 4446.7
110475
X= 3185303.55
Y= 16254993.17
H= 4446.4
110500
X= 3185328.43
Y= 16254995.66
H= 4446.4

390

410

380

400

420

裝

线

訂

X= 3186547.84
Y= 16255117.53
H= 4446.7
111750
X= 3186572.72
Y= 16255120.02
H= 4446.9
111775
X= 3186597.61
Y= 16255122.51
H= 4446.7
111800
X= 3186622.50
Y= 16255125.00
H= 4446.5
111825
X= 3186647.38
Y= 16255127.49
H= 4446.5
111850
X= 3186672.27
Y= 16255129.98
H= 4446.5
111875
X= 3186697.15
Y= 16255132.47
H= 4446.7
111900
X= 3186722.04
Y= 16255134.96
H= 4446.8
111925
X= 3186746.93
Y= 16255137.45
H= 4446.4
111950
X= 3186771.81
Y= 16255139.94
H= 4446.6
111975
X= 3186796.70
Y= 16255142.43
H= 4447.2
112000
X= 3186820.89
Y= 16255136.02
H= 4447.2
112025
X= 3186845.09
Y= 16255129.73
H= 4447.1
112050
X= 3186869.30
Y= 16255123.44
H= 4447.0
112075
X= 3186893.50
Y= 16255117.15
H= 4447.1
112100
X= 3186917.71
Y= 16255110.86
H= 4447.3

X= 3186941.91
Y= 16255104.57
H= 4447.3
112150
X= 3186966.11
Y= 16255098.28
H= 4447.7
112175
X= 3186990.32
Y= 16255091.99
H= 4447.7
112200
X= 3187014.52
Y= 16255085.70
H= 4447.4
112225
X= 3187038.73
Y= 16255079.41
H= 4447.2
112250
X= 3187062.93
Y= 16255073.12
H= 4447.2
112275
X= 3187087.13
Y= 16255066.83
H= 4447.2
112300
X= 3187111.34
Y= 16255060.54
H= 4447.3
112325
X= 3187135.54
Y= 16255054.25
H= 4447.4
112350
X= 3187159.75
Y= 16255047.96
H= 4447.4
112375
X= 3187180.67
Y= 16255034.22
H= 4447.2
112400
X= 3187201.60
Y= 16255020.53
H= 4447.4
112425
X= 3187222.52
Y= 16255006.84
H= 4447.1
112450
X= 3187243.45
Y= 16254993.15
H= 4447.6
112475
X= 3187264.37
Y= 16254979.46
H= 4447.6
112500
X= 3187285.30
Y= 16254965.77
H= 4447.6

X= 3187306.22
Y= 16254952.08
H= 4447.6
112550
X= 3187327.15
Y= 16254938.39
H= 4447.8
112575
X= 3187348.07
Y= 16254924.70
H= 4447.8
112600
X= 3187369.00
Y= 16254911.01
H= 4447.8
112625
X= 3187389.92
Y= 16254897.32
H= 4448.0
112650
X= 3187410.85
Y= 16254883.63
H= 4448.0
112675
X= 3187431.77
Y= 16254869.94
H= 4448.0
112700
X= 3187452.70
Y= 16254856.25
H= 4448.0
112725
X= 3187473.62
Y= 16254842.56
H= 4447.9
112750
X= 3187494.55
Y= 16254828.87
H= 4447.9
112775
X= 3187515.47
Y= 16254815.18
H= 4447.8
112800
X= 3187536.40
Y= 16254801.49
H= 4447.7
112825
X= 3187557.32
Y= 16254787.80
H= 4447.8
112850
X= 3187578.25
Y= 16254774.11
H= 4448.0
112875
X= 3187599.17
Y= 16254760.42
H= 4448.3
112900
X= 3187615.83
Y= 16254741.69
H= 4448.4

470

490

510

480

500

裝

訂

线

X= 3188432.46
Y= 16253828.26
H= 4449.0
114150
X= 3188449.13
Y= 16253809.62
H= 4449.4
114175
X= 3188465.79
Y= 16253790.98
H= 4449.9
114200
X= 3188482.46
Y= 16253772.34
H= 4449.9
114225
X= 3188499.12
Y= 16253753.70
H= 4450.0
114250
X= 3188515.79
Y= 16253735.06
H= 4450.0
114275
X= 3188532.46
Y= 16253716.42
H= 4450.1
114300
X= 3188549.12
Y= 16253697.78
H= 4449.7
114325
X= 3188565.79
Y= 16253679.14
H= 4449.6
114350
X= 3188582.45
Y= 16253660.50
H= 4449.4
114375
X= 3188599.12
Y= 16253641.86
H= 4451.7
114400
X= 3188615.78
Y= 16253623.12
H= 4451.1
114425
X= 3188632.45
Y= 16253604.48
H= 4451.2
114450
X= 3188649.11
Y= 16253585.84
H= 4451.7
114475
X= 3188665.78
Y= 16253567.20
H= 4451.8
114500
X= 3188682.44
Y= 16253548.56
H= 4451.9

X= 3188699.11
Y= 16253529.92
H= 4452.3
114550
X= 3188715.78
Y= 16253511.28
H= 4452.5
114575
X= 3188732.44
Y= 16253492.64
H= 4452.5
114600
X= 3188749.11
Y= 16253474.00
H= 4452.5
114625
X= 3188765.77
Y= 16253455.36
H= 4452.9
114650
X= 3188782.44
Y= 16253436.72
H= 4452.8
114675
X= 3188799.11
Y= 16253418.08
H= 4452.7
114700
X= 3188815.77
Y= 16253399.44
H= 4452.7
114725
X= 3188832.44
Y= 16253380.80
H= 4452.8
114750
X= 3188849.10
Y= 16253362.16
H= 4452.9
114775
X= 3188865.77
Y= 16253343.52
H= 4453.7
114800
X= 3188882.44
Y= 16253324.88
H= 4452.7
114825
X= 3188899.10
Y= 16253306.24
H= 4452.9
114850
X= 3188915.77
Y= 16253287.60
H= 4453.1
114875
X= 3188932.43
Y= 16253268.96
H= 4453.1
114900
X= 3188949.10
Y= 16253250.32
H= 4453.6

X= 3188965.77
Y= 16253231.68
H= 4453.6
114950
X= 3188982.43
Y= 16253213.04
H= 4453.5
114975
X= 3188999.10
Y= 16253194.40
H= 4453.4
115000
X= 3189015.76
Y= 16253175.76
H= 4453.8
115025
X= 3189032.43
Y= 16253157.12
H= 4453.9
115050
X= 3189049.10
Y= 16253138.48
H= 4453.9
115075
X= 3189065.76
Y= 16253119.84
H= 4454.1
115100
X= 3189082.43
Y= 16253101.20
H= 4454.0
115125
X= 3189099.09
Y= 16253082.56
H= 4454.1
115150
X= 3189115.76
Y= 16253063.84
H= 4454.3
115175
X= 3189132.43
Y= 16253045.20
H= 4454.2
115200
X= 3189149.10
Y= 16253026.56
H= 4454.3
115225
X= 3189165.76
Y= 16253007.92
H= 4454.3
115250
X= 3189182.43
Y= 16252989.28
H= 4454.6
115275
X= 3189199.09
Y= 16252970.64
H= 4454.7
115300
X= 3189215.76
Y= 16252952.00
H= 4454.6

570

590

600

610

580

线

订

装

X= 3190003.04
Y= 16252013.28
H= 4462.2

116550
X= 3190019.01
Y= 16251994.04
H= 4461.6

116575
X= 3190034.98
Y= 16251974.80
H= 4461.4

116600
X= 3190050.94
Y= 16251955.56
H= 4461.5

116625
X= 3190066.91
Y= 16251936.32
H= 4461.5

116650
X= 3190082.88
Y= 16251917.08
H= 4461.6

116675
X= 3190098.84
Y= 16251897.84
H= 4461.6

116700
X= 3190110.01
Y= 16251875.40
H= 4461.6

116725
X= 3190121.18
Y= 16251853.03
H= 4461.7

116750
X= 3190132.34
Y= 16251830.66
H= 4461.6

116775
X= 3190143.51
Y= 16251808.29
H= 4461.7

116800
X= 3190154.67
Y= 16251785.92
H= 4462.4

116825
X= 3190165.84
Y= 16251763.55
H= 4463.3

116850
X= 3190177.00
Y= 16251741.18
H= 4463.6

116875
X= 3190188.17
Y= 16251718.81
H= 4463.7

116900
X= 3190199.33
Y= 16251696.44
H= 4463.7

X= 3190210.50
Y= 16251674.07
H= 4464.1

116950
X= 3190221.66
Y= 16251651.70
H= 4464.2

116975
X= 3190232.83
Y= 16251629.33
H= 4464.7

117000
X= 3190243.99
Y= 16251606.96
H= 4464.9

117025
X= 3190255.16
Y= 16251584.59
H= 4464.8

117050
X= 3190266.32
Y= 16251562.22
H= 4464.8

117075
X= 3190277.50
Y= 16251539.81
H= 4465.0

117100
X= 3190288.66
Y= 16251517.44
H= 4464.8

117125
X= 3190299.83
Y= 16251495.07
H= 4465.4

117150
X= 3190317.35
Y= 16251477.22
H= 4465.5

117175
X= 3190334.88
Y= 16251459.38
H= 4465.3

117200
X= 3190352.40
Y= 16251441.54
H= 4465.6

117225
X= 3190369.93
Y= 16251423.70
H= 4465.6

117250
X= 3190387.45
Y= 16251405.86
H= 4465.3

117275
X= 3190404.98
Y= 16251388.02
H= 4465.2

117300
X= 3190422.50
Y= 16251370.18
H= 4465.4

X= 3190440.03
Y= 16251352.34
H= 4466.3

117350
X= 3190457.55
Y= 16251334.50
H= 4466.3

117375
X= 3190475.08
Y= 16251316.66
H= 4466.2

117400
X= 3190492.60
Y= 16251298.82
H= 4466.1

117425
X= 3190510.13
Y= 16251280.98
H= 4466.0

117450
X= 3190527.65
Y= 16251263.14
H= 4466.2

117475
X= 3190545.18
Y= 16251245.30
H= 4466.2

117500
X= 3190562.70
Y= 16251227.46
H= 4466.3

117525
X= 3190580.23
Y= 16251209.62
H= 4466.3

117550
X= 3190597.75
Y= 16251191.78
H= 4466.0

117575
X= 3190615.28
Y= 16251173.94
H= 4466.1

117600
X= 3190632.80
Y= 16251156.10
H= 4466.8

117625
X= 3190650.33
Y= 16251138.26
H= 4466.8

117650
X= 3190667.85
Y= 16251120.42
H= 4467.0

117675
X= 3190685.38
Y= 16251102.58
H= 4466.6

117700
X= 3190702.90
Y= 16251084.74
H= 4466.9

装

订

线

670

680

700

690

X= 3191716.29
Y= 16250399.71
H= 4476.0
118950
X= 3191737.25
Y= 16250386.07
H= 4475.9
118975
X= 3191758.21
Y= 16250372.43
H= 4476.1
119000
X= 3191779.17
Y= 16250358.79
H= 4476.2
119025
X= 3191800.13
Y= 16250345.15
H= 4476.4
119050
X= 3191821.10
Y= 16250331.51
H= 4476.5
119075
X= 3191842.06
Y= 16250317.87
H= 4476.5
119100
X= 3191863.02
Y= 16250304.29
H= 4476.9
119125
X= 3191883.98
Y= 16250290.65
H= 4477.0
119150
X= 3191904.94
Y= 16250277.01
H= 4477.1
119175
X= 3191925.90
Y= 16250263.37
H= 4477.5
119200
X= 3191946.86
Y= 16250249.73
H= 4477.5
119225
X= 3191967.83
Y= 16250236.09
H= 4477.8
119250
X= 3191988.79
Y= 16250222.45
H= 4477.8
119275
X= 3192009.75
Y= 16250208.81
H= 4478.0
119300
X= 3192030.71
Y= 16250195.17
H= 4478.1

X= 3192051.67
Y= 16250181.53
H= 4478.3
119350
X= 3192072.64
Y= 16250167.89
H= 4478.2
119375
X= 3192093.60
Y= 16250154.25
H= 4478.4
119400
X= 3192114.56
Y= 16250140.61
H= 4478.5
119425
X= 3192135.52
Y= 16250126.97
H= 4479.1
119450
X= 3192156.48
Y= 16250113.33
H= 4478.6
119475
X= 3192177.45
Y= 16250099.69
H= 4478.7
119500
X= 3192198.41
Y= 16250086.05
H= 4478.8
119525
X= 3192219.37
Y= 16250072.41
H= 4479.0
119550
X= 3192240.33
Y= 16250058.77
H= 4478.8
119575
X= 3192261.29
Y= 16250045.13
H= 4479.0
119600
X= 3192282.26
Y= 16250031.49
H= 4479.1
119625
X= 3192303.22
Y= 16250017.85
H= 4479.1
119650
X= 3192324.18
Y= 16250004.21
H= 4479.2
119675
X= 3192345.14
Y= 16249990.57
H= 4479.5
119700
X= 3192366.10
Y= 16249976.93
H= 4479.7

X= 3192387.07
Y= 16249963.29
H= 4479.6
119750
X= 3192408.03
Y= 16249949.65
H= 4479.2
119775
X= 3192428.99
Y= 16249936.01
H= 4479.7
119800
X= 3192449.95
Y= 16249922.46
H= 4479.7
119825
X= 3192470.92
Y= 16249908.82
H= 4479.6
119850
X= 3192491.88
Y= 16249895.18
H= 4479.8
119875
X= 3192512.84
Y= 16249881.54
H= 4479.6
119900
X= 3192533.80
Y= 16249867.90
H= 4479.5
119925
X= 3192554.76
Y= 16249854.26
H= 4479.0
119950
X= 3192575.73
Y= 16249840.62
H= 4479.9
119975
X= 3192596.69
Y= 16249826.98
H= 4479.8
120000
X= 3192617.65
Y= 16249813.34
H= 4479.8
120025
X= 3192638.61
Y= 16249799.70
H= 4479.8
120050
X= 3192659.57
Y= 16249786.06
H= 4479.6
120075
X= 3192680.54
Y= 16249772.42
H= 4479.5
120100
X= 3192701.50
Y= 16249758.78
H= 4479.9

装
订
线

760

780

800

770

X= 3193728.66
Y= 16249090.59
H= 4472.6
121350
X= 3193749.63
Y= 16249076.95
H= 4472.5
121375
X= 3193770.59
Y= 16249063.31
H= 4472.2
121400
X= 3193791.55
Y= 16249049.67
H= 4472.2
121425
X= 3193812.52
Y= 16249036.03
H= 4471.7
121450
X= 3193833.48
Y= 16249022.39
H= 4471.5
121475
X= 3193854.44
Y= 16249008.75
H= 4471.2
121500
X= 3193875.41
Y= 16248995.11
H= 4470.9
121525
X= 3193896.37
Y= 16248981.47
H= 4470.7
121550
X= 3193917.33
Y= 16248967.83
H= 4470.4
121575
X= 3193938.29
Y= 16248954.19
H= 4470.1
121600
X= 3193959.26
Y= 16248940.55
H= 4469.8
121625
X= 3193980.22
Y= 16248926.91
H= 4469.5
121650
X= 3194001.18
Y= 16248913.27
H= 4469.0
121675
X= 3194022.15
Y= 16248899.63
H= 4468.5
121700
X= 3194043.11
Y= 16248885.99
H= 4468.0

X= 3194064.07
Y= 16248872.35
H= 4468.5
121750
X= 3194085.04
Y= 16248858.71
H= 4468.0
121775
X= 3194106.00
Y= 16248845.07
H= 4467.5
121800
X= 3194126.96
Y= 16248831.43
H= 4467.4
121825
X= 3194147.92
Y= 16248817.79
H= 4467.2
121850
X= 3194168.89
Y= 16248804.15
H= 4467.0
121875
X= 3194189.85
Y= 16248790.51
H= 4466.8
121900
X= 3194210.80
Y= 16248777.00
H= 4466.6
121925
X= 3194231.77
Y= 16248763.36
H= 4466.3
121950
X= 3194252.73
Y= 16248749.72
H= 4466.2
121975
X= 3194273.69
Y= 16248736.08
H= 4466.1
122000
X= 3194294.65
Y= 16248722.44
H= 4466.1
122025
X= 3194315.62
Y= 16248708.80
H= 4465.9
122050
X= 3194336.58
Y= 16248695.16
H= 4465.7
122075
X= 3194357.54
Y= 16248681.52
H= 4465.5
122100
X= 3194378.51
Y= 16248667.88
H= 4465.1

X= 3194399.47
Y= 16248654.24
H= 4464.9
122150
X= 3194417.73
Y= 16248637.20
H= 4464.9
122175
X= 3194435.99
Y= 16248620.12
H= 4464.4
122200
X= 3194454.25
Y= 16248603.04
H= 4464.4
122225
X= 3194472.52
Y= 16248585.96
H= 4464.5
122250
X= 3194490.78
Y= 16248568.88
H= 4464.3
122275
X= 3194509.04
Y= 16248551.80
H= 4464.3
122300
X= 3194527.30
Y= 16248534.72
H= 4464.1
122325
X= 3194545.56
Y= 16248517.64
H= 4464.1
122350
X= 3194563.83
Y= 16248500.56
H= 4464.0
122375
X= 3194582.09
Y= 16248483.48
H= 4463.8
122400
X= 3194600.35
Y= 16248466.40
H= 4463.4
122425
X= 3194618.61
Y= 16248449.32
H= 4463.4
122450
X= 3194636.87
Y= 16248432.24
H= 4463.4
122475
X= 3194655.14
Y= 16248415.16
H= 4463.4
122500
X= 3194673.40
Y= 16248398.08
H= 4463.4

装
订
线

860

870

890

880

900

21.

47

123725
 X= 3195434.20
 Y= 16247448.22
 H= 4465.2

123750
 X= 3195442.38
 Y= 16247424.59
 H= 4465.4

123775
 X= 3195450.56
 Y= 16247400.96
 H= 4465.7

123800
 X= 3195458.73
 Y= 16247377.33
 H= 4465.8

123825
 X= 3195466.91
 Y= 16247353.70
 H= 4465.8

123850
 X= 3195475.09
 Y= 16247330.07
 H= 4465.7

123875
 X= 3195483.26
 Y= 16247306.44
 H= 4465.9

123900
 X= 3195491.44
 Y= 16247282.81
 H= 4466.1

123925
 X= 3195499.62
 Y= 16247259.18
 H= 4466.8

123950
 X= 3195507.79
 Y= 16247235.55
 H= 4466.9

123975
 X= 3195515.97
 Y= 16247211.92
 H= 4467.1

124000
 X= 3195524.15
 Y= 16247188.29
 H= 4467.5

124025
 X= 3195532.33
 Y= 16247164.66
 H= 4468.1

124050
 X= 3195540.50
 Y= 16247141.03
 H= 4468.5

124075
 X= 3195548.68
 Y= 16247117.40
 H= 4467.1

124100
 X= 3195556.86
 Y= 16247093.77
 H= 4468.7

124125
 X= 3195565.03
 Y= 16247070.14
 H= 4468.1

124150
 X= 3195573.21
 Y= 16247046.51
 H= 4468.7

124175
 X= 3195581.39
 Y= 16247022.88
 H= 4468.8

124200
 X= 3195589.56
 Y= 16246999.25
 H= 4468.9

124225
 X= 3195597.74
 Y= 16246975.62
 H= 4469.2

124250
 X= 3195605.92
 Y= 16246951.99
 H= 4468.9

124275
 X= 3195614.10
 Y= 16246928.36
 H= 4469.0

124300
 X= 3195622.27
 Y= 16246904.73
 H= 4469.4

124325
 X= 3195630.45
 Y= 16246881.10
 H= 4470.0

124350
 X= 3195638.63
 Y= 16246857.47
 H= 4470.7

124375
 X= 3195646.80
 Y= 16246833.84
 H= 4471.0

124400
 X= 3195654.98
 Y= 16246810.21
 H= 4471.2

124425
 X= 3195663.16
 Y= 16246786.58
 H= 4471.7

124450
 X= 3195671.33
 Y= 16246762.95
 H= 4471.8

124475
 X= 3195679.51
 Y= 16246739.32
 H= 4472.0

124500
 X= 3195687.69
 Y= 16246715.69
 H= 4472.6

124525
 X= 3195695.87
 Y= 16246692.06
 H= 4473.1

124550
 X= 3195704.04
 Y= 16246668.43
 H= 4473.1

124575
 X= 3195712.22
 Y= 16246644.80
 H= 4473.4

124600
 X= 3195720.40
 Y= 16246621.17
 H= 4474.2

124625
 X= 3195728.57
 Y= 16246597.54
 H= 4474.5

124650
 X= 3195736.75
 Y= 16246573.91
 H= 4474.8

124675
 X= 3195744.93
 Y= 16246550.28
 H= 4475.4

124700
 X= 3195753.10
 Y= 16246526.65
 H= 4476.0

124725
 X= 3195761.28
 Y= 16246503.02
 H= 4476.3

124750
 X= 3195769.46
 Y= 16246479.39
 H= 4476.6

124775
 X= 3195777.64
 Y= 16246455.76
 H= 4477.2

124800
 X= 3195785.81
 Y= 16246432.13
 H= 4477.5

124825
 X= 3195793.99
 Y= 16246408.50
 H= 4478.0

124850
 X= 3195802.17
 Y= 16246384.87
 H= 4478.7

124875
 X= 3195810.34
 Y= 16246361.24
 H= 4479.6

124900
 X= 3195821.73
 Y= 16246339.06
 H= 4479.9

950

970

990

960

980

装

订

线

23

49

126125
 X= 3196463.52
 Y= 16245298.66
 H= 4508.4

126150
 X= 3196480.36
 Y= 16245280.17
 H= 4508.7

126175
 X= 3196497.20
 Y= 16245261.68
 H= 4509.7

126200
 X= 3196514.04
 Y= 16245243.19
 H= 4510.3

126225
 X= 3196530.88
 Y= 16245224.70
 H= 4511.0

126250
 X= 3196547.72
 Y= 16245206.21
 H= 4511.5

126275
 X= 3196564.56
 Y= 16245187.72
 H= 4512.0

126300
 X= 3196581.40
 Y= 16245169.23
 H= 4513.2

126325
 X= 3196598.24
 Y= 16245150.74
 H= 4513.8

126350
 X= 3196615.08
 Y= 16245132.25
 H= 4514.6

126375
 X= 3196631.92
 Y= 16245113.76
 H= 4515.4

126400
 X= 3196648.76
 Y= 16245095.27
 H= 4516.3

126425
 X= 3196665.60
 Y= 16245076.78
 H= 4517.1

126450
 X= 3196682.44
 Y= 16245058.29
 H= 4518.1

126475
 X= 3196699.28
 Y= 16245039.80
 H= 4519.2

126500
 X= 3196716.12
 Y= 16245021.31
 H= 4520.2

126525
 X= 3196732.96
 Y= 16245002.82
 H= 4521.2

126550
 X= 3196749.80
 Y= 16244984.33
 H= 4522.2

126575
 X= 3196766.64
 Y= 16244965.84
 H= 4523.0

126600
 X= 3196783.48
 Y= 16244947.35
 H= 4523.7

126625
 X= 3196800.32
 Y= 16244928.86
 H= 4524.2

126650
 X= 3196817.16
 Y= 16244910.37
 H= 4525.3

126675
 X= 3196834.00
 Y= 16244891.88
 H= 4526.2

126700
 X= 3196850.84
 Y= 16244873.39
 H= 4527.1

126725
 X= 3196867.67
 Y= 16244855.01
 H= 4528.3

126750
 X= 3196884.51
 Y= 16244836.52
 H= 4529.0

126775
 X= 3196901.35
 Y= 16244818.03
 H= 4530.1

126800
 X= 3196918.19
 Y= 16244799.54
 H= 4531.3

126825
 X= 3196935.03
 Y= 16244781.05
 H= 4532.1

126850
 X= 3196951.87
 Y= 16244762.56
 H= 4533.2

126875
 X= 3196968.71
 Y= 16244744.07
 H= 4534.1

126900
 X= 3196985.55
 Y= 16244725.58
 H= 4535.7

126925
 X= 3197002.39
 Y= 16244707.09
 H= 4536.1

126950
 X= 3197019.23
 Y= 16244688.60
 H= 4537.6

126975
 X= 3197036.07
 Y= 16244670.11
 H= 4538.4

127000
 X= 3197052.91
 Y= 16244651.62
 H= 4539.8

127025
 X= 3197069.75
 Y= 16244633.13
 H= 4540.6

127050
 X= 3197086.59
 Y= 16244614.64
 H= 4541.6

127075
 X= 3197103.43
 Y= 16244596.15
 H= 4542.8

127100
 X= 3197120.27
 Y= 16244577.66
 H= 4544.1

127125
 X= 3197137.11
 Y= 16244559.17
 H= 4545.4

127150
 X= 3197153.95
 Y= 16244540.68
 H= 4546.7

127175
 X= 3197170.79
 Y= 16244522.19
 H= 4547.9

127200
 X= 3197187.63
 Y= 16244503.70
 H= 4548.9

127225
 X= 3197204.47
 Y= 16244485.21
 H= 4549.4

127250
 X= 3197221.31
 Y= 16244466.72
 H= 4551.2

127275
 X= 3197238.15
 Y= 16244448.23
 H= 4552.9

127300
 X= 3197254.99
 Y= 16244429.74
 H= 4554.2

1050

1080

1070

1090

1060

装

线

订

128525
 X= 3198217.06
 Y= 16243671.68
 H= 4606.2

128550
 X= 3198236.75
 Y= 16243656.27
 H= 4606.2

128575
 X= 3198256.44
 Y= 16243640.86
 H= 4607.3

128600
 X= 3198276.13
 Y= 16243625.45
 H= 4608.9

128625
 X= 3198295.84
 Y= 16243609.88
 H= 4609.4

128650
 X= 3198315.54
 Y= 16243594.47
 H= 4610.2

128675
 X= 3198335.23
 Y= 16243579.06
 H= 4611.4

128700
 X= 3198354.92
 Y= 16243563.65
 H= 4611.4

128725
 X= 3198374.62
 Y= 16243548.24
 H= 4613.0

128750
 X= 3198394.31
 Y= 16243532.83
 H= 4613.6

128775
 X= 3198414.00
 Y= 16243517.42
 H= 4614.3

128800
 X= 3198433.70
 Y= 16243502.01
 H= 4614.9

128825
 X= 3198453.39
 Y= 16243486.60
 H= 4615.5

128850
 X= 3198473.08
 Y= 16243471.19
 H= 4616.4

128875
 X= 3198492.77
 Y= 16243455.78
 H= 4617.0

128900
 X= 3198512.47
 Y= 16243440.37
 H= 4617.8

128925
 X= 3198532.16
 Y= 16243424.92
 H= 4618.0

128950
 X= 3198551.85
 Y= 16243409.51
 H= 4618.5

128975
 X= 3198571.54
 Y= 16243394.10
 H= 4618.6

129000
 X= 3198591.24
 Y= 16243378.69
 H= 4619.2

129025
 X= 3198610.93
 Y= 16243363.28
 H= 4619.8

129050
 X= 3198630.62
 Y= 16243347.87
 H= 4620.6

129075
 X= 3198650.31
 Y= 16243332.46
 H= 4621.2

129100
 X= 3198670.01
 Y= 16243317.05
 H= 4621.8

129125
 X= 3198689.70
 Y= 16243301.64
 H= 4622.4

129150
 X= 3198709.39
 Y= 16243286.23
 H= 4622.6

129175
 X= 3198729.09
 Y= 16243270.82
 H= 4622.2

129200
 X= 3198748.78
 Y= 16243255.41
 H= 4623.4

129225
 X= 3198768.47
 Y= 16243240.00
 H= 4623.6

129250
 X= 3198788.17
 Y= 16243224.59
 H= 4624.0

129275
 X= 3198807.86
 Y= 16243209.18
 H= 4624.1

129300
 X= 3198827.55
 Y= 16243193.77
 H= 4624.2

129325
 X= 3198847.24
 Y= 16243178.32
 H= 4624.1

129350
 X= 3198866.94
 Y= 16243162.91
 H= 4624.1

129375
 X= 3198886.63
 Y= 16243147.50
 H= 4624.5

129400
 X= 3198906.32
 Y= 16243132.09
 H= 4624.1

129425
 X= 3198926.01
 Y= 16243116.68
 H= 4624.8

129450
 X= 3198945.71
 Y= 16243101.27
 H= 4622.1

129475
 X= 3198965.40
 Y= 16243085.86
 H= 4622.9

129500
 X= 3198985.09
 Y= 16243070.45
 H= 4623.1

129525
 X= 3199004.79
 Y= 16243055.04
 H= 4622.5

129550
 X= 3199024.48
 Y= 16243039.63
 H= 4622.0

129575
 X= 3199045.47
 Y= 16243026.01
 H= 4621.2

129600
 X= 3199066.45
 Y= 16243012.41
 H= 4620.1

129625
 X= 3199087.44
 Y= 16242998.81
 H= 4619.1

129650
 X= 3199108.43
 Y= 16242985.21
 H= 4617.4

129675
 X= 3199129.42
 Y= 16242971.61
 H= 4616.8

129700
 X= 3199150.40
 Y= 16242958.01
 H= 4615.7

25

装

订

线

1150

1160

1180

1170

130925
X= 3200178.77
Y= 16242291.61
H= 4572.1

130950
X= 3200199.78
Y= 16242278.13
H= 4572.5

130975
X= 3200220.77
Y= 16242264.53
H= 4572.8

131000
X= 3200241.76
Y= 16242250.93
H= 4573.0

131025
X= 3200262.74
Y= 16242237.33
H= 4573.3

131050
X= 3200283.73
Y= 16242223.73
H= 4573.6

131075
X= 3200304.72
Y= 16242210.13
H= 4574.7

131100
X= 3200329.70
Y= 16242208.86
H= 4574.6

131125
X= 3200354.67
Y= 16242207.58
H= 4575.0

131150
X= 3200379.65
Y= 16242206.30
H= 4574.6

131175
X= 3200404.63
Y= 16242205.02
H= 4574.5

131200
X= 3200429.60
Y= 16242203.74
H= 4574.6

131225
X= 3200454.58
Y= 16242202.46
H= 4574.5

131250
X= 3200479.56
Y= 16242201.18
H= 4574.5

131275
X= 3200504.54
Y= 16242199.90
H= 4574.2

131300
X= 3200529.51
Y= 16242198.62
H= 4574.0

131325
X= 3200553.42
Y= 16242205.98
H= 4573.8

131350
X= 3200577.33
Y= 16242213.32
H= 4573.7

131375
X= 3200601.23
Y= 16242220.66
H= 4573.7

131400
X= 3200625.14
Y= 16242228.00
H= 4573.7

131425
X= 3200649.05
Y= 16242235.34
H= 4572.5

131450
X= 3200672.96
Y= 16242242.68
H= 4572.1

131475
X= 3200696.87
Y= 16242250.02
H= 4571.8

131500
X= 3200720.77
Y= 16242257.36
H= 4571.7

131525
X= 3200744.68
Y= 16242264.70
H= 4571.4

131550
X= 3200768.59
Y= 16242272.04
H= 4571.8

131575
X= 3200790.88
Y= 16242283.38
H= 4571.4

131600
X= 3200813.17
Y= 16242294.72
H= 4570.7

131625
X= 3200835.46
Y= 16242306.06
H= 4570.4

131650
X= 3200857.75
Y= 16242317.40
H= 4570.1

131675
X= 3200880.03
Y= 16242328.74
H= 4568.6

131700
X= 3200902.32
Y= 16242340.08
H= 4569.9

131725
X= 3200924.61
Y= 16242351.42
H= 4568.6

131750
X= 3200946.90
Y= 16242362.76
H= 4567.8

131775
X= 3200969.19
Y= 16242374.10
H= 4567.6

131800
X= 3200991.48
Y= 16242385.44
H= 4567.6

131825
X= 3201013.77
Y= 16242396.78
H= 4567.5

131850
X= 3201036.06
Y= 16242408.12
H= 4566.9

131875
X= 3201058.35
Y= 16242419.46
H= 4558.2

131900
X= 3201080.64
Y= 16242430.80
H= 4558.0

131925
X= 3201102.92
Y= 16242442.14
H= 4560.2

131950
X= 3201125.21
Y= 16242453.48
H= 4561.1

131975
X= 3201147.50
Y= 16242464.82
H= 4559.3

132000
X= 3201169.79
Y= 16242476.16
H= 4562.0

132025
X= 3201192.08
Y= 16242487.50
H= 4560.3

132050
X= 3201214.37
Y= 16242498.84
H= 4567.8

132075
X= 3201236.66
Y= 16242510.18
H= 4564.4

132100
X= 3201258.95
Y= 16242521.52
H= 4562.1

1270

1260

1280

1240

1250

装

订

线

装

订

线

133325
X= 3202311.52
Y= 16243146.02
H= 4550.0

133350
X= 3202332.49
Y= 16243159.65
H= 4549.7

133375
X= 3202353.46
Y= 16243173.28
H= 4549.4

133400
X= 3202374.42
Y= 16243186.83
H= 4549.1

133425
X= 3202395.39
Y= 16243200.46
H= 4548.4

133450
X= 3202416.36
Y= 16243214.09
H= 4548.0

133475
X= 3202437.33
Y= 16243227.72
H= 4547.7

133500
X= 3202458.30
Y= 16243241.35
H= 4547.5

133525
X= 3202479.27
Y= 16243254.98
H= 4547.4

133550
X= 3202500.24
Y= 16243268.61
H= 4547.0

133575
X= 3202521.21
Y= 16243282.24
H= 4546.6

133600
X= 3202542.18
Y= 16243295.87
H= 4546.2

133625
X= 3202563.15
Y= 16243309.50
H= 4545.8

133650
X= 3202584.12
Y= 16243323.13
H= 4545.7

133675
X= 3202605.09
Y= 16243336.76
H= 4545.7

133700
X= 3202626.06
Y= 16243350.39
H= 4544.9

133725
X= 3202647.03
Y= 16243364.02
H= 4544.7

133750
X= 3202668.00
Y= 16243377.65
H= 4544.7

133775
X= 3202688.97
Y= 16243391.28
H= 4543.8

133800
X= 3202709.94
Y= 16243404.91
H= 4543.7

133825
X= 3202730.91
Y= 16243418.54
H= 4543.0

133850
X= 3202751.88
Y= 16243432.17
H= 4542.4

133875
X= 3202772.85
Y= 16243445.80
H= 4541.8

133900
X= 3202793.82
Y= 16243459.43
H= 4541.3

133925
X= 3202814.79
Y= 16243473.06
H= 4540.9

133950
X= 3202835.76
Y= 16243486.69
H= 4540.7

133975
X= 3202856.73
Y= 16243500.32
H= 4540.9

134000
X= 3202877.70
Y= 16243513.95
H= 4540.7

134025
X= 3202898.67
Y= 16243527.58
H= 4540.4

134050
X= 3202919.64
Y= 16243541.21
H= 4539.7

134075
X= 3202940.61
Y= 16243554.84
H= 4539.7

134100
X= 3202961.58
Y= 16243568.47
H= 4538.9

134125
X= 3202982.55
Y= 16243582.10
H= 4538.1

134150
X= 3203003.52
Y= 16243595.73
H= 4537.7

134175
X= 3203024.49
Y= 16243609.36
H= 4537.3

134200
X= 3203045.46
Y= 16243622.99
H= 4536.7

134225
X= 3203066.43
Y= 16243636.62
H= 4536.1

134250
X= 3203087.40
Y= 16243650.25
H= 4535.8

134275
X= 3203108.37
Y= 16243663.88
H= 4535.4

134300
X= 3203129.34
Y= 16243677.51
H= 4534.6

134325
X= 3203150.31
Y= 16243691.14
H= 4534.4

134350
X= 3203171.28
Y= 16243704.77
H= 4534.4

134375
X= 3203192.25
Y= 16243718.40
H= 4534.0

134400
X= 3203213.22
Y= 16243732.03
H= 4533.4

134425
X= 3203234.19
Y= 16243745.66
H= 4532.8

134450
X= 3203255.15
Y= 16243759.19
H= 4532.4

134475
X= 3203276.12
Y= 16243772.82
H= 4532.2

134500
X= 3203297.09
Y= 16243786.45
H= 4531.7

1340

1360

1370

1380

31

1430

裝

訂

線

1440

135725
 X= 3204324.58
 Y= 16244454.24
 H= 4514.7

135750
 X= 3204345.55
 Y= 16244467.87
 H= 4514.7

135775
 X= 3204366.52
 Y= 16244481.50
 H= 4517.9

135800
 X= 3204387.49
 Y= 16244495.13
 H= 4517.6

135825
 X= 3204408.46
 Y= 16244508.76
 H= 4517.0

135850
 X= 3204429.43
 Y= 16244522.39
 H= 4512.8

135875
 X= 3204450.39
 Y= 16244535.99
 H= 4512.6

135900
 X= 3204471.36
 Y= 16244549.62
 H= 4512.4

135925
 X= 3204492.33
 Y= 16244563.25
 H= 4511.9

135950
 X= 3204513.30
 Y= 16244576.88
 H= 4511.7

135975
 X= 3204534.27
 Y= 16244590.51
 H= 4511.5

136000
 X= 3204555.24
 Y= 16244604.14
 H= 4511.0

136025
 X= 3204576.21
 Y= 16244617.77
 H= 4510.7

136050
 X= 3204597.18
 Y= 16244631.40
 H= 4510.4

136075
 X= 3204618.15
 Y= 16244645.03
 H= 4510.0

136100
 X= 3204639.12
 Y= 16244658.66
 H= 4509.8

136125
 X= 3204660.08
 Y= 16244672.29
 H= 4509.3

136150
 X= 3204681.05
 Y= 16244685.92
 H= 4508.7

136175
 X= 3204702.02
 Y= 16244699.55
 H= 4508.4

136200
 X= 3204722.99
 Y= 16244713.18
 H= 4508.1

136225
 X= 3204743.96
 Y= 16244726.81
 H= 4507.8

136250
 X= 3204764.93
 Y= 16244740.44
 H= 4507.6

136275
 X= 3204785.90
 Y= 16244754.07
 H= 4507.5

136300
 X= 3204806.87
 Y= 16244767.70
 H= 4507.2

136325
 X= 3204827.84
 Y= 16244781.33
 H= 4506.7

136350
 X= 3204848.81
 Y= 16244794.96
 H= 4506.1

136375
 X= 3204869.77
 Y= 16244808.59
 H= 4505.9

136400
 X= 3204890.74
 Y= 16244822.20
 H= 4505.9

136425
 X= 3204911.71
 Y= 16244835.83
 H= 4504.7

136450
 X= 3204932.68
 Y= 16244849.46
 H= 4504.5

136475
 X= 3204953.65
 Y= 16244863.09
 H= 4504.0

136500
 X= 3204974.61
 Y= 16244876.72
 H= 4504.1

136525
 X= 3204995.58
 Y= 16244890.35
 H= 4507.6

136550
 X= 3205012.06
 Y= 16244909.16
 H= 4507.3

136575
 X= 3205028.53
 Y= 16244927.97
 H= 4507.0

136600
 X= 3205045.00
 Y= 16244946.78
 H= 4502.7

136625
 X= 3205061.48
 Y= 16244965.59
 H= 4502.4

136650
 X= 3205077.95
 Y= 16244984.40
 H= 4502.2

136675
 X= 3205094.43
 Y= 16245003.21
 H= 4501.7

136700
 X= 3205110.90
 Y= 16245022.02
 H= 4501.7

136725
 X= 3205127.37
 Y= 16245040.83
 H= 4501.4

136750
 X= 3205143.85
 Y= 16245059.64
 H= 4501.7

136775
 X= 3205160.32
 Y= 16245078.45
 H= 4500.8

136800
 X= 3205176.80
 Y= 16245097.26
 H= 4500.4

136825
 X= 3205193.27
 Y= 16245116.07
 H= 4500.3

136850
 X= 3205209.74
 Y= 16245134.88
 H= 4499.4

136875
 X= 3205226.22
 Y= 16245153.69
 H= 4499.0

136900
 X= 3205242.69
 Y= 16245172.50
 H= 4498.9

37

1470

33.

79

138125

X= 3206049.92
Y= 16246094.19
H= 4487.9

138150

X= 3206072.08
Y= 16246106.05
H= 4487.8

138175

X= 3206094.26
Y= 16246117.60
H= 4487.4

138200

X= 3206116.45
Y= 16246129.15
H= 4487.2

138225

X= 3206138.63
Y= 16246140.70
H= 4487.0

138250

X= 3206160.81
Y= 16246152.25
H= 4482.6

1530

138275

X= 3206183.00
Y= 16246163.80
H= 4482.8

138300

X= 3206205.18
Y= 16246175.35
H= 4482.3

138325

X= 3206227.37
Y= 16246186.90
H= 4481.9

138350

X= 3206249.55
Y= 16246198.45
H= 4481.6

138375

X= 3206271.73
Y= 16246210.00
H= 4481.1

138400

X= 3206293.92
Y= 16246221.55
H= 4480.9

138425

X= 3206316.10
Y= 16246233.10
H= 4480.8

138450

X= 3206338.29
Y= 16246244.65
H= 4480.4

138475

X= 3206360.47
Y= 16246256.20
H= 4480.1

138500

X= 3206382.65
Y= 16246267.75
H= 4479.6

1540

138525

X= 3206404.84
Y= 16246279.30
H= 4479.2

138550

X= 3206427.02
Y= 16246290.85
H= 4479.2

138575

X= 3206449.21
Y= 16246302.40
H= 4478.8

138600

X= 3206471.39
Y= 16246313.95
H= 4478.3

138625

X= 3206493.57
Y= 16246325.50
H= 4478.1

138650

X= 3206515.76
Y= 16246337.05
H= 4477.7

138675

X= 3206537.94
Y= 16246348.60
H= 4477.5

138700

X= 3206560.13
Y= 16246360.15
H= 4477.1

138725

X= 3206582.31
Y= 16246371.70
H= 4476.7

138750

X= 3206604.49
Y= 16246383.25
H= 4476.2

138775

X= 3206626.68
Y= 16246394.80
H= 4476.0

138800

X= 3206648.86
Y= 16246406.35
H= 4475.6

138825

X= 3206671.05
Y= 16246417.90
H= 4475.1

138850

X= 3206693.23
Y= 16246429.45
H= 4474.8

138875

X= 3206715.41
Y= 16246441.00
H= 4474.6

138900

X= 3206737.60
Y= 16246452.55
H= 4474.3

138925

X= 3206759.78
Y= 16246464.10
H= 4474.7

138950

X= 3206781.97
Y= 16246475.65
H= 4474.0

138975

X= 3206804.15
Y= 16246487.20
H= 4473.8

139000

X= 3206826.33
Y= 16246498.75
H= 4473.5

1560

139025

X= 3206847.99
Y= 16246511.15
H= 4473.0

139050

X= 3206869.65
Y= 16246523.65
H= 4472.8

139075

X= 3206891.31
Y= 16246536.15
H= 4472.6

139100

X= 3206912.98
Y= 16246548.65
H= 4472.2

139125

X= 3206934.64
Y= 16246561.15
H= 4471.7

139150

X= 3206956.31
Y= 16246573.65
H= 4471.4

139175

X= 3206977.97
Y= 16246586.15
H= 4471.4

139200

X= 3206999.63
Y= 16246598.65
H= 4471.2

139225

X= 3207021.30
Y= 16246611.15
H= 4471.1

139250

X= 3207042.96
Y= 16246623.65
H= 4470.9

1570

139275

X= 3207064.63
Y= 16246636.15
H= 4470.8

139300

X= 3207086.29
Y= 16246648.65
H= 4470.6

装

线

35

61

140525
 X= 3208147.79
 Y= 16247260.96
 H= 4459.7

140550
 X= 3208169.45
 Y= 16247273.46
 H= 4459.6

140575
 X= 3208191.12
 Y= 16247285.96
 H= 4459.1

140600
 X= 3208212.78
 Y= 16247298.46
 H= 4459.3

140625
 X= 3208234.44
 Y= 16247310.96
 H= 4459.0

140650
 X= 3208256.11
 Y= 16247323.46
 H= 4459.0

140675
 X= 3208277.77
 Y= 16247335.96
 H= 4458.6

140700
 X= 3208299.43
 Y= 16247348.46
 H= 4458.9

140725
 X= 3208321.09
 Y= 16247360.96
 H= 4458.6

140750
 X= 3208345.29
 Y= 16247367.19
 H= 4458.2

140775
 X= 3208369.48
 Y= 16247373.55
 H= 4458.2

140800
 X= 3208393.67
 Y= 16247379.91
 H= 4458.0

140825
 X= 3208417.86
 Y= 16247386.27
 H= 4457.9

140850
 X= 3208442.04
 Y= 16247392.63
 H= 4457.9

140875
 X= 3208466.23
 Y= 16247398.99
 H= 4457.6

140900
 X= 3208490.42
 Y= 16247405.35
 H= 4457.5

1630

140925
 X= 3208514.60
 Y= 16247411.71
 H= 4457.4

140950
 X= 3208538.79
 Y= 16247418.07
 H= 4457.7

140975
 X= 3208563.19
 Y= 16247424.62
 H= 4457.1

141000
 X= 3208587.59
 Y= 16247431.15
 H= 4457.2

141025
 X= 3208611.99
 Y= 16247437.68
 H= 4457.8

141050
 X= 3208636.40
 Y= 16247396.21
 H= 4457.4

141075
 X= 3208660.80
 Y= 16247390.74
 H= 4457.0

141100
 X= 3208685.20
 Y= 16247385.27
 H= 4456.7

141125
 X= 3208709.60
 Y= 16247379.80
 H= 4456.6

141150
 X= 3208734.00
 Y= 16247374.33
 H= 4456.6

141175
 X= 3208758.41
 Y= 16247368.86
 H= 4456.7

141200
 X= 3208782.81
 Y= 16247363.39
 H= 4456.5

141225
 X= 3208807.21
 Y= 16247357.92
 H= 4456.2

141250
 X= 3208831.61
 Y= 16247352.45
 H= 4456.2

141275
 X= 3208856.01
 Y= 16247346.98
 H= 4456.0

141300
 X= 3208880.41
 Y= 16247341.51
 H= 4456.2

1640

1650

141325
 X= 3208890.58
 Y= 16247310.78
 H= 4456.0

141350
 X= 3208907.87
 Y= 16247292.71
 H= 4456.2

141375
 X= 3208925.15
 Y= 16247274.64
 H= 4456.7

141400
 X= 3208942.43
 Y= 16247256.57
 H= 4456.4

141425
 X= 3208959.71
 Y= 16247238.50
 H= 4456.5

141450
 X= 3208976.99
 Y= 16247220.43
 H= 4456.3

141475
 X= 3208994.28
 Y= 16247202.36
 H= 4456.2

141500
 X= 3209011.56
 Y= 16247184.29
 H= 4456.3

141525
 X= 3209028.84
 Y= 16247166.22
 H= 4456.2

141550
 X= 3209046.12
 Y= 16247148.15
 H= 4456.2

141575
 X= 3209063.40
 Y= 16247130.08
 H= 4456.2

141600
 X= 3209080.69
 Y= 16247112.01
 H= 4456.0

141625
 X= 3209097.97
 Y= 16247093.94
 H= 4456.7

141650
 X= 3209118.80
 Y= 16247080.06
 H= 4455.9

141675
 X= 3209139.63
 Y= 16247066.23
 H= 4456.2

141700
 X= 3209160.47
 Y= 16247052.40
 H= 4456.1

1660

裝

线

訂

37.

142925
X= 3210298.31
Y= 16246657.98
H= 4447.9

142950
X= 3210322.28
Y= 16246650.83
H= 4447.7

142975
X= 3210346.24
Y= 16246643.68
H= 4447.5

1720

143000
X= 3210370.21
Y= 16246636.53
H= 4447.3

143025
X= 3210394.17
Y= 16246629.38
H= 4447.1

143050
X= 3210418.14
Y= 16246622.23
H= 4446.9

143075
X= 3210442.10
Y= 16246615.08
H= 4446.7

143100
X= 3210466.07
Y= 16246607.93
H= 4446.5

143125
X= 3210488.12
Y= 16246596.14
H= 4446.4

143150
X= 3210510.16
Y= 16246584.33
H= 4446.4

143175
X= 3210532.21
Y= 16246572.52
H= 4446.6

143200
X= 3210554.25
Y= 16246560.71
H= 4446.7

143225
X= 3210576.30
Y= 16246548.90
H= 4446.0

143250
X= 3210598.34
Y= 16246537.09
H= 4445.9

1730

143275
X= 3210620.39
Y= 16246525.28
H= 4446.1

143300
X= 3210642.43
Y= 16246513.47
H= 4446.1

143325
X= 3210664.48
Y= 16246501.66
H= 4446.0

143350
X= 3210686.52
Y= 16246489.85
H= 4445.8

143375
X= 3210708.57
Y= 16246478.04
H= 4445.9

143400
X= 3210730.61
Y= 16246466.23
H= 4445.8

143425
X= 3210752.66
Y= 16246454.42
H= 4445.4

143450
X= 3210774.70
Y= 16246442.61
H= 4445.6

143475
X= 3210796.75
Y= 16246430.80
H= 4445.5

143500
X= 3210818.79
Y= 16246418.99
H= 4445.3

1740

143525
X= 3210840.84
Y= 16246407.18
H= 4445.4

143550
X= 3210862.88
Y= 16246395.37
H= 4445.4

143575
X= 3210884.93
Y= 16246383.56
H= 4445.9

143600
X= 3210906.97
Y= 16246371.75
H= 4445.9

143625
X= 3210929.02
Y= 16246359.94
H= 4444.5

143650
X= 3210951.06
Y= 16246348.13
H= 4444.4

143675
X= 3210973.11
Y= 16246336.32
H= 4444.1

143700
X= 3210995.15
Y= 16246324.51
H= 4444.0

63

143725
X= 3211017.20
Y= 16246312.70
H= 4444.1

143750
X= 3211039.24
Y= 16246300.89
H= 4444.0

1750

143775
X= 3211061.29
Y= 16246289.08
H= 4443.7

143800
X= 3211083.33
Y= 16246277.27
H= 4443.7

143825
X= 3211105.38
Y= 16246265.46
H= 4443.3

143850
X= 3211127.42
Y= 16246253.65
H= 4443.4

143875
X= 3211149.47
Y= 16246241.84
H= 4443.4

143900
X= 3211171.51
Y= 16246230.03
H= 4443.4

143925
X= 3211193.56
Y= 16246218.22
H= 4443.8

143950
X= 3211215.60
Y= 16246206.41
H= 4444.7

143975
X= 3211237.65
Y= 16246194.60
H= 4444.7

144000
X= 3211259.69
Y= 16246182.79
H= 4445.0

1760

144025
X= 3211281.74
Y= 16246170.98
H= 4445.6

144050
X= 3211303.78
Y= 16246159.17
H= 4446.2

144075
X= 3211325.82
Y= 16246147.44
H= 4445.7

装
订
线

39

65

145300
 X= 3212476.50
 Y= 16245823.99
 H= 4449.9

145325
 X= 3212501.48
 Y= 16245822.81
 H= 4449.4

145350
 X= 3212526.47
 Y= 16245821.63
 H= 4450.5

145375
 X= 3212550.54
 Y= 16245814.89
 H= 4449.2

145400
 X= 3212574.62
 Y= 16245808.13
 H= 4449.6

145425
 X= 3212598.70
 Y= 16245801.37
 H= 4449.3

145450
 X= 3212622.78
 Y= 16245794.61
 H= 4449.4

145475
 X= 3212646.85
 Y= 16245787.85
 H= 4449.1

145500
 X= 3212670.93
 Y= 16245781.09
 H= 4449.0

145525
 X= 3212695.01
 Y= 16245774.33
 H= 4448.4

145550
 X= 3212719.09
 Y= 16245767.57
 H= 4448.1

145575
 X= 3212743.17
 Y= 16245760.81
 H= 4447.5

145600
 X= 3212767.24
 Y= 16245754.05
 H= 4447.1

145625
 X= 3212791.32
 Y= 16245747.29
 H= 4446.6

145650
 X= 3212815.40
 Y= 16245740.53
 H= 4445.9

145675
 X= 3212839.48
 Y= 16245733.77
 H= 4445.6

145700
 X= 3212863.56
 Y= 16245727.01
 H= 4445.6

145725
 X= 3212887.63
 Y= 16245720.25
 H= 4445.1

145750
 X= 3212911.71
 Y= 16245713.49
 H= 4444.8

145775
 X= 3212935.79
 Y= 16245706.73
 H= 4444.7

145800
 X= 3212959.87
 Y= 16245699.97
 H= 4444.7

145825
 X= 3212984.75
 Y= 16245697.51
 H= 4444.6

145850
 X= 3213009.64
 Y= 16245695.05
 H= 4444.5

145875
 X= 3213034.53
 Y= 16245692.59
 H= 4444.1

145900
 X= 3213059.42
 Y= 16245690.13
 H= 4443.5

145925
 X= 3213084.30
 Y= 16245687.67
 H= 4443.4

145950
 X= 3213109.19
 Y= 16245685.21
 H= 4443.3

145975
 X= 3213134.08
 Y= 16245682.75
 H= 4443.1

146000
 X= 3213158.97
 Y= 16245680.29
 H= 4443.3

146025
 X= 3213183.86
 Y= 16245677.83
 H= 4443.4

146050
 X= 3213208.74
 Y= 16245675.37
 H= 4443.7

146075
 X= 3213233.63
 Y= 16245672.91
 H= 4443.7

146100
 X= 3213258.52
 Y= 16245670.45
 H= 4443.3

146125
 X= 3213283.41
 Y= 16245667.99
 H= 4443.4

146150
 X= 3213308.30
 Y= 16245665.53
 H= 4443.4

146175
 X= 3213333.18
 Y= 16245663.07
 H= 4443.5

146200
 X= 3213358.07
 Y= 16245660.61
 H= 4443.5

146225
 X= 3213382.96
 Y= 16245658.15
 H= 4443.6

146250
 X= 3213407.85
 Y= 16245655.69
 H= 4443.6

146275
 X= 3213432.74
 Y= 16245653.23
 H= 4443.7

146300
 X= 3213457.62
 Y= 16245650.77
 H= 4443.7

146325
 X= 3213482.51
 Y= 16245648.31
 H= 4443.8

146350
 X= 3213507.40
 Y= 16245645.85
 H= 4443.8

146375
 X= 3213532.29
 Y= 16245643.39
 H= 4443.7

146400
 X= 3213557.18
 Y= 16245640.93
 H= 4443.7

146425
 X= 3213582.07
 Y= 16245638.47
 H= 4443.7

146450
 X= 3213606.96
 Y= 16245636.01
 H= 4443.7

146475
 X= 3213631.85
 Y= 16245633.55
 H= 4443.6

830

1850

1820

1840

装
订
线

41

147675
 X= 3214485.06
 Y= 16246531.86
 H= 4447.3

147700
 X= 3214509.48
 Y= 16246537.26
 H= 4447.3

147725
 X= 3214533.90
 Y= 16246542.66
 H= 4447.2

147750
 X= 3214558.32
 Y= 16246548.06
 H= 4447.0

147775
 X= 3214582.74
 Y= 16246553.46
 H= 4447.1

147800
 X= 3214607.20
 Y= 16246548.24
 H= 4447.6

147825
 X= 3214631.66
 Y= 16246543.03
 H= 4447.9

147850
 X= 3214656.12
 Y= 16246537.82
 H= 4447.3

147875
 X= 3214680.58
 Y= 16246532.61
 H= 4447.0

147900
 X= 3214705.03
 Y= 16246527.40
 H= 4447.1

147925
 X= 3214726.14
 Y= 16246513.97
 H= 4447.1

147950
 X= 3214747.25
 Y= 16246500.56
 H= 4447.2

147975
 X= 3214768.36
 Y= 16246487.15
 H= 4447.5

148000
 X= 3214789.46
 Y= 16246473.74
 H= 4447.6

148025
 X= 3214810.57
 Y= 16246460.33
 H= 4447.8

148050
 X= 3214831.68
 Y= 16246446.92
 H= 4447.8

1910

148075
 X= 3214852.79
 Y= 16246433.51
 H= 4447.9

148100
 X= 3214873.89
 Y= 16246420.10
 H= 4447.6

148125
 X= 3214895.00
 Y= 16246406.69
 H= 4447.7

148150
 X= 3214916.11
 Y= 16246393.28
 H= 4447.1

148175
 X= 3214937.21
 Y= 16246379.87
 H= 4447.0

148200
 X= 3214958.32
 Y= 16246366.46
 H= 4447.9

148225
 X= 3214979.43
 Y= 16246353.05
 H= 4447.1

148250
 X= 3215000.53
 Y= 16246339.64
 H= 4447.3

148275
 X= 3215024.88
 Y= 16246345.40
 H= 4447.3

148300
 X= 3215049.20
 Y= 16246351.19
 H= 4447.3

148325
 X= 3215073.53
 Y= 16246356.98
 H= 4447.4

148350
 X= 3215097.85
 Y= 16246362.77
 H= 4447.1

148375
 X= 3215122.17
 Y= 16246368.56
 H= 4447.4

148400
 X= 3215146.49
 Y= 16246374.35
 H= 4447.5

148425
 X= 3215170.81
 Y= 16246380.14
 H= 4447.5

148450
 X= 3215195.14
 Y= 16246385.93
 H= 4447.5

1930

148475
 X= 3215219.46
 Y= 16246391.72
 H= 4447.6

148500
 X= 3215243.78
 Y= 16246397.51
 H= 4447.6

148525
 X= 3215268.10
 Y= 16246403.30
 H= 4447.6

148550
 X= 3215292.42
 Y= 16246409.09
 H= 4447.7

148575
 X= 3215316.75
 Y= 16246414.88
 H= 4447.7

148600
 X= 3215341.07
 Y= 16246420.67
 H= 4447.7

148625
 X= 3215365.39
 Y= 16246426.46
 H= 4447.8

148650
 X= 3215384.09
 Y= 16246443.08
 H= 4447.4

148675
 X= 3215402.80
 Y= 16246459.67
 H= 4447.3

148700
 X= 3215421.51
 Y= 16246476.26
 H= 4447.6

148725
 X= 3215440.22
 Y= 16246492.85
 H= 4447.6

148750
 X= 3215458.92
 Y= 16246509.44
 H= 4447.0

148775
 X= 3215483.78
 Y= 16246512.09
 H= 4447.7

148800
 X= 3215508.64
 Y= 16246514.76
 H= 4447.0

148825
 X= 3215533.50
 Y= 16246517.43
 H= 4447.2

148850
 X= 3215558.36
 Y= 16246520.10
 H= 4447.2

1940

1950

67

装
订
线

1920

43

69

150075
 X= 3216749.29
 Y= 16246783.52
 H= 4452.7

150100
 X= 3216774.25
 Y= 16246784.99
 H= 4452.4

150125
 X= 3216799.21
 Y= 16246786.46
 H= 4452.7

150150
 X= 3216824.17
 Y= 16246787.93
 H= 4452.8

150175
 X= 3216849.13
 Y= 16246789.40
 H= 4452.8

150200
 X= 3216874.09
 Y= 16246790.87
 H= 4452.9

150225
 X= 3216899.05
 Y= 16246792.34
 H= 4453.1

150250
 X= 3216924.01
 Y= 16246793.81
 H= 4453.4

150275
 X= 3216948.96
 Y= 16246795.28
 H= 4453.7

150300
 X= 3216973.92
 Y= 16246796.75
 H= 4453.7

150325
 X= 3216998.66
 Y= 16246793.15
 H= 4453.8

150350
 X= 3217023.40
 Y= 16246789.54
 H= 4453.8

150375
 X= 3217048.14
 Y= 16246785.93
 H= 4453.8

150400
 X= 3217072.88
 Y= 16246782.32
 H= 4453.8

150425
 X= 3217097.62
 Y= 16246778.71
 H= 4453.4

150450
 X= 3217122.36
 Y= 16246775.10
 H= 4453.6

150475
 X= 3217147.10
 Y= 16246771.49
 H= 4453.5

150500
 X= 3217171.84
 Y= 16246767.88
 H= 4453.5

150525
 X= 3217196.58
 Y= 16246764.27
 H= 4453.9

150550
 X= 3217221.32
 Y= 16246760.66
 H= 4454.1

150575
 X= 3217246.06
 Y= 16246757.05
 H= 4453.8

150600
 X= 3217270.80
 Y= 16246753.44
 H= 4453.7

150625
 X= 3217295.54
 Y= 16246749.83
 H= 4453.6

150650
 X= 3217320.28
 Y= 16246746.22
 H= 4453.2

150675
 X= 3217345.02
 Y= 16246742.61
 H= 4452.1

150700
 X= 3217369.76
 Y= 16246739.00
 H= 4452.9

150725
 X= 3217394.50
 Y= 16246735.39
 H= 4452.0

150750
 X= 3217419.24
 Y= 16246731.78
 H= 4454.3

150775
 X= 3217443.98
 Y= 16246728.17
 H= 4454.2

150800
 X= 3217468.72
 Y= 16246724.56
 H= 4454.0

150825
 X= 3217493.46
 Y= 16246720.95
 H= 4454.4

150850
 X= 3217518.20
 Y= 16246717.34
 H= 4454.2

150875
 X= 3217542.94
 Y= 16246713.73
 H= 4454.2

150900
 X= 3217567.68
 Y= 16246710.12
 H= 4453.8

150925
 X= 3217592.42
 Y= 16246706.51
 H= 4453.1

150950
 X= 3217617.16
 Y= 16246702.90
 H= 4453.4

150975
 X= 3217641.90
 Y= 16246699.29
 H= 4454.0

151000
 X= 3217666.00
 Y= 16246692.60
 H= 4453.4

151025
 X= 3217690.12
 Y= 16246685.98
 H= 4454.1

151050
 X= 3217714.23
 Y= 16246679.36
 H= 4453.8

151075
 X= 3217738.34
 Y= 16246672.74
 H= 4453.9

151100
 X= 3217762.45
 Y= 16246666.12
 H= 4452.7

151125
 X= 3217786.56
 Y= 16246659.50
 H= 4453.5

151150
 X= 3217810.67
 Y= 16246652.88
 H= 4453.5

151175
 X= 3217834.78
 Y= 16246646.26
 H= 4453.3

151200
 X= 3217858.89
 Y= 16246639.64
 H= 4453.1

151225
 X= 3217883.00
 Y= 16246633.02
 H= 4453.9

151250
 X= 3217907.11
 Y= 16246626.40
 H= 4452.7

2020

2040

2030

2050

装
订
线

45

152475

X= 321909.75
Y= 16246315.28
H= 4445.6

152500

2100

X= 3219116.19
Y= 16246309.97
H= 4445.7

152525

X= 3219140.62
Y= 16246304.66
H= 4444.9

152550

X= 3219165.05
Y= 16246299.35
H= 4444.4

152575

X= 3219189.48
Y= 16246294.04
H= 4444.0

152600

X= 3219213.91
Y= 16246288.73
H= 4443.7

152625

X= 3219238.35
Y= 16246283.42
H= 4443.0

152650

X= 3219262.78
Y= 16246278.11
H= 4442.5

152675

X= 3219287.21
Y= 16246272.80
H= 4442.4

152700

X= 3219311.64
Y= 16246267.49
H= 4442.2

152725

X= 3219336.07
Y= 16246262.18
H= 4442.0

152750

2110

X= 3219360.51
Y= 16246256.87
H= 4441.7

152775

X= 3219384.94
Y= 16246251.56
H= 4441.9

152800

X= 3219409.37
Y= 16246246.25
H= 4441.7

152825

X= 3219433.80
Y= 16246240.94
H= 4441.8

152850

X= 3219458.23
Y= 16246235.63
H= 4442.0

152875

X= 3219482.67
Y= 16246230.32
H= 4442.9

152900

X= 3219507.10
Y= 16246225.01
H= 4442.0

152925

X= 3219531.53
Y= 16246219.70
H= 4442.1

152950

X= 3219555.96
Y= 16246214.39
H= 4442.1

152975

X= 3219580.39
Y= 16246209.08
H= 4442.4

153000

2120

X= 3219604.83
Y= 16246203.77
H= 4442.7

153025

X= 3219629.26
Y= 16246198.46
H= 4442.6

153050

X= 3219653.69
Y= 16246193.15
H= 4442.7

153075

X= 3219678.12
Y= 16246187.84
H= 4443.4

153100

X= 3219702.55
Y= 16246182.53
H= 4443.8

153125

X= 3219726.99
Y= 16246177.22
H= 4444.8

153150

X= 3219751.42
Y= 16246171.91
H= 4445.7

153175

X= 3219775.85
Y= 16246166.60
H= 4446.1

153200

X= 3219800.13
Y= 16246160.67
H= 4447.6

153225

X= 3219824.39
Y= 16246154.64
H= 4449.2

153250

2130

X= 3219848.66
Y= 16246148.61
H= 4449.7

153275

X= 3219872.92
Y= 16246142.58
H= 4449.7

153300

X= 3219897.18
Y= 16246136.55
H= 4449.2

153325

X= 3219921.45
Y= 16246130.52
H= 4449.9

153350

X= 3219945.71
Y= 16246124.49
H= 4449.2

153375

X= 3219969.97
Y= 16246118.46
H= 4449.0

153400

X= 3219994.24
Y= 16246112.43
H= 4449.7

153425

X= 3220018.50
Y= 16246106.40
H= 4449.0

153450

X= 3220042.76
Y= 16246100.37
H= 4449.5

153475

X= 3220067.02
Y= 16246094.34
H= 4449.8

153500

2140

X= 3220091.29
Y= 16246088.31
H= 4450.5

153525

X= 3220115.55
Y= 16246082.28
H= 4451.4

153550

X= 3220139.81
Y= 16246076.25
H= 4451.7

153575

X= 3220162.55
Y= 16246086.59
H= 4450.7

153600

X= 3220185.29
Y= 16246096.99
H= 4450.7

153625

X= 3220208.03
Y= 16246107.39
H= 4450.2

153650

X= 3220230.77
Y= 16246117.79
H= 4450.0

71

装
订
线

47

73

154875
 X= 3221175.64
 Y= 16245754.11
 H= 4440.4

154900
 X= 3221189.77
 Y= 16245733.48
 H= 4440.5

154925
 X= 3221203.90
 Y= 16245712.85
 H= 4440.8

154950
 X= 3221218.02
 Y= 16245692.22
 H= 4440.8

154975
 X= 3221232.15
 Y= 16245671.59
 H= 4440.8

155000
 X= 3221246.28
 Y= 16245650.96
 H= 4441.2

155025
 X= 3221266.13
 Y= 16245635.79
 H= 4441.0

155050
 X= 3221285.99
 Y= 16245620.60
 H= 4440.8

155075
 X= 3221305.86
 Y= 16245605.41
 H= 4440.7

155100
 X= 3221325.72
 Y= 16245590.22
 H= 4440.6

155125
 X= 3221345.58
 Y= 16245575.03
 H= 4440.7

155150
 X= 3221365.44
 Y= 16245559.84
 H= 4440.8

155175
 X= 3221385.30
 Y= 16245544.65
 H= 4440.9

155200
 X= 3221405.16
 Y= 16245529.46
 H= 4440.8

155225
 X= 3221425.02
 Y= 16245514.27
 H= 4440.8

155250
 X= 3221444.88
 Y= 16245499.08
 H= 4440.9

155275
 X= 3221464.74
 Y= 16245483.89
 H= 4440.9

155300
 X= 3221484.60
 Y= 16245468.70
 H= 4440.8

155325
 X= 3221504.47
 Y= 16245453.51
 H= 4440.8

155350
 X= 3221524.33
 Y= 16245438.32
 H= 4440.8

155375
 X= 3221544.19
 Y= 16245423.13
 H= 4440.9

155400
 X= 3221564.05
 Y= 16245407.94
 H= 4441.0

155425
 X= 3221583.91
 Y= 16245392.75
 H= 4441.0

155450
 X= 3221603.77
 Y= 16245377.56
 H= 4441.1

155475
 X= 3221623.63
 Y= 16245362.37
 H= 4441.4

155500
 X= 3221643.49
 Y= 16245347.18
 H= 4441.2

155525
 X= 3221663.35
 Y= 16245331.99
 H= 4441.3

155550
 X= 3221683.21
 Y= 16245316.80
 H= 4441.7

155575
 X= 3221702.65
 Y= 16245301.12
 H= 4441.2

155600
 X= 3221722.09
 Y= 16245285.39
 H= 4441.0

155625
 X= 3221741.52
 Y= 16245269.66
 H= 4441.3

155650
 X= 3221760.96
 Y= 16245253.93
 H= 4441.3

155675
 X= 3221780.39
 Y= 16245238.20
 H= 4440.8

155700
 X= 3221799.83
 Y= 16245222.47
 H= 4441.1

155725
 X= 3221819.26
 Y= 16245206.74
 H= 4441.0

155750
 X= 3221838.70
 Y= 16245191.01
 H= 4441.5

155775
 X= 3221858.13
 Y= 16245175.28
 H= 4441.5

155800
 X= 3221877.57
 Y= 16245159.55
 H= 4441.5

155825
 X= 3221897.00
 Y= 16245143.82
 H= 4441.6

155850
 X= 3221916.44
 Y= 16245128.09
 H= 4441.9

155875
 X= 3221935.87
 Y= 16245112.36
 H= 4441.9

155900
 X= 3221955.31
 Y= 16245096.63
 H= 4442.0

155925
 X= 3221974.74
 Y= 16245080.90
 H= 4442.7

155950
 X= 3221994.18
 Y= 16245065.17
 H= 4443.2

155975
 X= 3222013.61
 Y= 16245049.44
 H= 4442.9

156000
 X= 3222033.05
 Y= 16245033.71
 H= 4442.9

156025
 X= 3222052.48
 Y= 16245017.98
 H= 4443.0

156050
 X= 3222071.92
 Y= 16245002.25
 H= 4443.3

统计

2230

2200

2220

2240

2210

装
订
线

49

75

157275
 X= 3222893.88
 Y= 16244104.52
 H= 4442.0

157300
 X= 3222909.33
 Y= 16244084.86
 H= 4441.2

157325
 X= 3222924.77
 Y= 16244065.20
 H= 4441.4

157350
 X= 3222940.22
 Y= 16244045.54
 H= 4440.8

157375
 X= 3222955.67
 Y= 16244025.88
 H= 4441.0

157400
 X= 3222971.11
 Y= 16244006.22
 H= 4441.8

157425
 X= 3222986.56
 Y= 16243986.56
 H= 4442.2

157450
 X= 3223002.00
 Y= 16243966.90
 H= 4442.3

157475
 X= 3223017.45
 Y= 16243947.24
 H= 4442.3

157500
 X= 3223032.90
 Y= 16243927.58
 H= 4441.7

157525
 X= 3223048.34
 Y= 16243907.92
 H= 4442.2

157550
 X= 3223063.79
 Y= 16243888.26
 H= 4442.0

157575
 X= 3223079.23
 Y= 16243868.60
 H= 4442.2

157600
 X= 3223094.68
 Y= 16243848.94
 H= 4441.8

157625
 X= 3223110.13
 Y= 16243829.28
 H= 4442.4

157650
 X= 3223125.57
 Y= 16243809.62
 H= 4442.3

157675
 X= 3223141.02
 Y= 16243789.96
 H= 4443.8

157700
 X= 3223156.46
 Y= 16243770.30
 H= 4443.0

157725
 X= 3223171.91
 Y= 16243750.64
 H= 4443.0

157750
 X= 3223187.36
 Y= 16243730.98
 H= 4443.3

157775
 X= 3223202.80
 Y= 16243711.32
 H= 4443.3

157800
 X= 3223218.25
 Y= 16243691.66
 H= 4443.6

157825
 X= 3223233.69
 Y= 16243672.00
 H= 4443.8

157850
 X= 3223249.14
 Y= 16243652.34
 H= 4443.9

157875
 X= 3223264.59
 Y= 16243632.68
 H= 4443.9

157900
 X= 3223280.03
 Y= 16243613.02
 H= 4444.8

157925
 X= 3223298.59
 Y= 16243596.21
 H= 4444.6

157950
 X= 3223317.13
 Y= 16243579.43
 H= 4444.6

157975
 X= 3223335.66
 Y= 16243562.65
 H= 4444.6

158000
 X= 3223354.20
 Y= 16243545.87
 H= 4444.2

158025
 X= 3223372.74
 Y= 16243529.09
 H= 4444.0

158050
 X= 3223391.28
 Y= 16243512.31
 H= 4443.4

158075
 X= 3223409.82
 Y= 16243495.53
 H= 4443.5

158100
 X= 3223428.35
 Y= 16243478.75
 H= 4443.5

158125
 X= 3223446.89
 Y= 16243461.97
 H= 4443.6

158150
 X= 3223465.43
 Y= 16243445.19
 H= 4443.4

158175
 X= 3223483.97
 Y= 16243428.41
 H= 4443.5

158200
 X= 3223502.51
 Y= 16243411.63
 H= 4443.1

158225
 X= 3223521.04
 Y= 16243394.85
 H= 4443.2

158250
 X= 3223539.58
 Y= 16243378.07
 H= 4443.5

158275
 X= 3223558.12
 Y= 16243361.29
 H= 4443.3

158300
 X= 3223576.66
 Y= 16243344.51
 H= 4443.2

158325
 X= 3223595.20
 Y= 16243327.73
 H= 4443.5

158350
 X= 3223613.73
 Y= 16243310.95
 H= 4444.2

158375
 X= 3223632.27
 Y= 16243294.17
 H= 4444.5

158400
 X= 3223650.81
 Y= 16243277.39
 H= 4444.0

158425
 X= 3223669.35
 Y= 16243260.61
 H= 4445.1

158450
 X= 3223687.89
 Y= 16243243.83
 H= 4446.3

装
订
线

2300

2310

2330

2320

51

77

经纬仪导线计算

159675
 X= 3224410.28
 Y= 16242263.60
 H= 4447.1

159700
 X= 3224426.38
 Y= 16242244.47
 H= 4447.6

159725
 X= 3224442.48
 Y= 16242225.34
 H= 4447.7

159750
 X= 3224458.59
 Y= 16242206.21
 H= 4447.6

159775
 X= 3224474.69
 Y= 16242187.08
 H= 4447.8

159800
 X= 3224490.79
 Y= 16242167.95
 H= 4447.4

159825
 X= 3224506.90
 Y= 16242148.82
 H= 4447.8

159850
 X= 3224523.00
 Y= 16242129.69
 H= 4447.2

159875
 X= 3224539.10
 Y= 16242110.56
 H= 4447.0

159900
 X= 3224555.21
 Y= 16242091.43
 H= 4447.2

159925
 X= 3224571.31
 Y= 16242072.30
 H= 4447.1

159950
 X= 3224587.41
 Y= 16242053.17
 H= 4447.2

159975
 X= 3224603.51
 Y= 16242034.04
 H= 4447.2

160000
 X= 3224619.62
 Y= 16242014.91
 H= 4447.3

160025
 X= 3224635.72
 Y= 16241995.78
 H= 4447.6

159675
 X= 3224410.28
 Y= 16242263.60
 H= 4447.1

159700
 X= 3224426.38
 Y= 16242244.47
 H= 4447.6

159725
 X= 3224442.48
 Y= 16242225.34
 H= 4447.7

159750
 X= 3224458.51
 Y= 16242034.04
 H= 4447.2

159775
 X= 3224587.41
 Y= 16242053.17
 H= 4447.2

159950
 X= 3224587.41
 Y= 16242053.17
 H= 4447.1

159925
 X= 3224571.31
 Y= 16242072.30
 H= 4447.2

159900
 X= 3224555.21
 Y= 16242091.43
 H= 4447.2

159875
 X= 3224539.10
 Y= 16242129.69
 H= 4447.2

159850
 X= 3224539.10
 Y= 16242110.56
 H= 4447.0

159825
 X= 3224506.90
 Y= 16242148.82
 H= 4447.4

159800
 X= 3224490.79
 Y= 16242167.95
 H= 4447.8

159775
 X= 3224474.69
 Y= 16242187.08
 H= 4447.8

159750
 X= 3224458.51
 Y= 16242206.21
 H= 4447.6

159725
 X= 3224442.48
 Y= 16242225.34
 H= 4447.7

159700
 X= 3224426.38
 Y= 16242244.47
 H= 4447.6

159675
 X= 3224410.28
 Y= 16242263.60
 H= 4447.1

经纬仪导线计算

2390

2400

2390

装订线

装订线

2400

77

51

OB-a																					Wind		Noise? OB notes?	Reflections?		
Tape #	FFID	Acq	Proc	Source StaNum	Chan 1 StaNum	Chan 240 StaNum	Proc	Uphole	Charge	Shot Hole(s) Num X m	Shot Time Watch GPS	CC Pass 1	Mgmt OK	# Bad Chan	CC Pass 2	Archival Files ProMAX	Disk SEGY	Tape SEGY	Scanned Amplitudes MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dri/Air/Wnd	MHT/Moho/Other	
4	38	/			233	472																			Vehicle	11, 15, 17
	39	480			233	472		21.3	50	36	8 19:12	✓													2 vehicles	28 - stray 15
	40	608			249	488		18.6	200	26+36+2x32	8 24:30	✓														8.5
	41	496	SE		249	488		20.6	50	35	8 30:49	✓													Vehicle	8.5, 12
5	42	504			257	496		18.4	50	40	8 41:47	✓														12, 15, 8.5
	43	512	SW		265	504		6.7	50	35	8 51:18	✓														8.5, 12, 15
	44	520	SW		273	512		20.5	50	37	9 0:15	✓														8
	45	528			281	520		6.1	50	36	9 13:15	✓														11
	46	536	SW		289	528		6.1	50	37	9 23:16	✓														13
	47	545			296	535		11.6	50	23	9 38:54	✓														13
	48	552	20W		305	544		15.0	50	35	10 59:16	✓														12-131
	49	568	SE		321	560			50		11 32:30	✓														114-123
	50	560	SE		313	552		11.3	50	17+17	9 12:42	✓														106-115
6	51	576	SE		329	568		17.6	50	28	11 44:15	✓														98-107
	52	584			337	576		9.9	50		11 58:59	✓														90-99
	53	592	SE		345	584		13.7	50	3+	12 15:28	✓														82-91
	54	600	SW		353	592		6.7	50		12 26:50	✓														74-83
	55	/			353	592		/	/	/	/	✓														12
	56	728			369	608		14.4	200		12 57:44	✓														58-67
	57	/			369	608		/	/	/	/	✓														
	58	/			369	608		/	50		8 30:18	✓														
	59	816			369	608		2.2	50	36	8 54:10	✓														58-67
7	60	624	SE		377	616		10.7	50	30	10 36:25	✓														50-59
	61	632	SW		385	624		15.5	50	35	10 42:45	✓														42-51
	62	638	40W		395	634		13.1	50	28	10 55:50	✓														32-41
	63	648	SW		401	640		11.5	50	20+20	12 02:10	✓														26-35
	64	653	40W		412	651		12.2	50	20+20	12 14:25	✓														15-24
	65	664	50E		417	656		8.3	50	20+20	12 30:28	✓														10-19
	66	672	SW		425	664		12.0	50	20	12 55:43	✓														2-11
	67	/			433	672		/	/	/	/	✓														

229
14
229
15

OB-a												Shot Hole(s)			Shot Time		QC	Mgmt	# Bad	QC	Archival Files			Scanned Amplitudes			Wind	Noise? OB notes?	Reflections?
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num X m	Watch	GPS	Pass 1	OK	Chan	Pass 2	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dr/Air/Wnd	MHT/Moho/Other			
10	88	824		577		816		12.9	50	30	9	03:48	✓																
	89	824		577		816		12.9	50	30	9	07:20	✓																
	90	832	SW	585		824		13.2	50	35	9	14:18	✓																
	91	840		593		832		12.6	50	35	9	20:30	✓																
	92	847		610		849		15.1	200	29+30+33+35	9	25:28	✓																
	93	856	SW	609		848		18.6	50	36	9	29:40	✓																
	94	864	SW	617		856		170:3	50	29	9	35:20	✓																
	95	872	SE	625		864		12.4	50	37	9	41:16	✓																
	96	880	10W	633		872		13.2	50	32	9	51:29	✓																
	97	888	10W	641		880		14.3	50	35	10	08:31	✓																
	98	896	13W	649		888		170:0	50	36	10	20:01	✓																
	99	904		657		896		12:1	50	40	10	51:53	✓																
	100	912	SW	665		904		12:0	50	28+10	11	17:37	✓																
	101	920	SW	673		912		14.8	50	39	11	31:53	✓																
	102	928	SW	681		920		18.4	50	39	11	57:48	✓																
	103	936	SW	689		928		123:0	50	50	12	25:48	✓																
	104	944	SW	697		936		19:0	50	33	12	34:58	✓																
	105	952	SW	705		944		11:5	50	37	12	41:38	✓																
	106	960	SW	713		952		11:5	50	33	12	02:48	✓																
	107	968	SW	721		960		11:5	50	33	12	02:48	✓																

OB-a		Source StaNum		Chan 1 StaNum		Chan 240 StaNum		Shot Hole(s)		Shot Time		QC	Mgmt	# Bad	QC	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes?	Reflections?		
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num X m	Watch	GPS	Pass 1	OK	Chan	Pass 2	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dri/Air/Wnd	MHT/Moho/Other	
12	108			729		968					8	07:47	✓													9.5, 23	
	109	1088	SSW	729		968		3	200	27+28+30+30	8	13:41	✓													8.5	
	110	977	4SE	728		967		11.2	50	36	8	18:16	✓													8, 10	
	111	984	SW	737		976		16.1	50	35	8	30:33	✓													10	
	112	992	20W	745		984		11.2	50	36	8	57:30	✓													8, 10	
	113	1000	30W	753		992		23.9	50	43	9	07:18	✓													3.3, 8, 10	
	114	1008	E30	761		1000		16.8	50	28	9	20:00	✓													6.5, 10.7, 13.8	
	115	1016	E25	769		1008		22.3	50	38	9	30:39	✓													7, 9.3	
	116	1027	E55	774		1012		13.6	50	37	9	48:00	✓													6-11	
	117	1032	E25	785		1024		15.6	50	35	10	07:59	✓													5.8, 9.5	
	118	1044	E30	789		1028		13.9	50	28	10	22:30	✓													8, 9.4	
13	119	1048	ES	801		1040		16.9	50	37	10	30:54	✓													6, 9.5	
	120	1056		809		1048		18.6	50	28	10	37:18	✓													8, 9.4	
	121	1064	ES	817		1056		12.3	50	36	11	13:02	✓													9.3	
	122	1072	E30	825		1064		20.3	50	28	11	21:05	✓													7.8, 9.5	
	123	1080	E20	833		1072		15.6	50	30	13	11:10	✓													7.5, 9.2	
	124	1096	W15	849		1088		14.1	50	23	13	18:05	✓													7.5, 9.2	
	125			849		1088							✓														

NICE SHOTS 109, 115


FFID 124 noise source at old hole location
 feet water sloshy around 400m away?

OB-a		Source StaNum			Chan 1 StaNum		Chan 240 StaNum		Shot Hole(s)		Shot Time		QC	Mgmt	# Bad	QC	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes?	Reflections?	
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num X m	Watch	GPS	Pass 1	OK	Chan	Pass 2	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dri/Air/Wnd	MHT/Moho/Other	
14	126	/		857		1096		/	/	/	8	03:20	✓														9
	127	1104		857		1096		16.0	30	30	8	05:53	✓														7, 17
	128	1224		865		1104		22.5	200	25 + ?	8	11:18	✓														Very noisy w/ vehicles
	129	1112	ES	865		1104		12.1	50	23	8	15:23	✓														4.1, 6
	130	1120	WS	873		1112		15.0	50	27	8	20:30	✓														8.7
	131	1136	E10	873		1112		11.7	50	27	8	22:42	✓														Noisy; near source
15	132	1140		885		1124		11.3	50	25	8	23:43	✓														2 vehicles
	133	1144		897		1136		15.9	50	25	8	27:59	✓														7.2
	134	1152	ES	915		1144		11.4	50	27	8	27:37	✓														mostly vehicle at source
	135	1160	E10	913		1152		16.2	50	18 + 18	9	04:40	✓														6.2
	136	1168	E10	921		1160		12.5	50	27	9	15:37	✓														3.6
	137	1176		929		1168		12.4	50	18 + 18	9	26:35	✓														4.3
	138	1184	ES	937		1176		11.4	50	23	10	18:00	✓														7.6
	139	1192	ES	945		1184		11.1	50	26	10	26:21	✓														4.7, 7.5
	140	1200	W10	953		1192		18.3	50	25	10	33:03	✓														7.6
16	141	1208		961		1200		11.5	50	28 + 28	11	16:44	✓														7.3, 10, 11.6, 14.3
	142	1216	E10	969		1208		22.0	50	30	11	23:59	✓														14.10 - strong SH
	143	1232	ES	985		1224		20.3	50	28	12	15:36	✓														9.1
	144	1240		993		1232		22.2	50	35	12	29:30	✗														10.15
	145	1248		1001		1240		20.7	50	28	13	06:39	✗														Very noisy
	146	1260	ES0	1005		1244		15.1	50	25	13	14:54	✓														15.4, 7.6, 10
	147	1328		969		1208		26.1	200	2x27 + 2x25	13	19:56	✓														
	148	/		969		1208		/	/	/	13	24:40	✓														

FFID 144 dead when 39 sec all traces
Spike at 37.3 sec across 1/3 traces

less ground roll today, but also power shots
up in alluvial fan

OB-a		Source StaNum			Chan 1 StaNum		Chan 240 StaNum		Shot Hole(s)		Shot Time		CC	Mgmt	# Bad	CC	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes?	Reflections?		
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num X m	Watch	GPS	Pass 1	OK	Chan	Pass 2	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dr/Air/Wnd	MHT/Moho/Other		
17	149	/	/	1017	/	1256	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	12		
	150	1264	E50	1017	/	1256	/	13.4	50	26	8	04:03	✓													mostly vehicle, end of line	strays 15, 12	
	151	1272	E30	1029	/	1264	/	12.4	50	25	8	19:52	✓														7, 15, 17	
	152	1285	/	1028	/	1267	/	11.4	50	28	8	32:00	✓														7, 11, 15	
	153	1288	W10	1041	/	1280	/	16.3	50	28	8	38:45	✓														13	
	154	1304	W5	1041	/	1280	/	16.6	50	25	8	55:50	✓														7, 10, 15	
	155	1309	/	1052	/	1291	/	12.6	50	26	9	04:14	✓														7, 5, 12, 15	
	156	1313	W5	1065	/	1304	/	11.7	50	30	9	09:38	✓														15	
	157	1320	W5	1073	/	1312	/	18.1	50	35	9	36:19	✓														M.V. through spread M.V. over 3km M.V. starts at 18sec	
	158	1448	/	1089	/	1328	/	20.7	200	30	9	58:56	✓															
18	159	1336	W5	1089	/	1328	/	16.2	50	30	10	04:45	✓														M.V. at bridge near source	7.5
	160	1344	E5	1097	/	1336	/	13.5	50	28	10	15:21	✓														7.2 S.H. dip	
	161	1352	E5	1105	/	1344	/	13.5	50	25	10	25:03	✓														6	
	162	1360	E10	1113	/	1352	/	9.3	50	25	10	31:35	✓															
	163	/	/	1121	/	1360	/	/	/	/	10	47:59	✓															



good records today

FFID 157 M.V. 120 channels = 3km

FFID 162 drilling rigs at source

OB-a												Archival Files			Scanned Amplitudes			Wind		Noise? OB notes?	Reflections?			
Tape #	FFID	Source StaNum	Chan 1 StaNum	Chan 240 StaNum	Uphole	Charge	Shot Hole(s) Num X m	Shot Time Watch	GPS	CC Pass 1	Mgmt OK	# Bad Chan	CC Pass 2	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dri/Air/Wnd	MHT/Moho/Other	
19	164		1121	1360																			7	
	165	1368	W20	1121	1360	22.4	50	35	8 01:30	✓		7											7	
	166	1376		1129	1368	13.4	50	25	8 27:43	✓		7											6.9	
	167	1384	ES	1137	1376	14.2	50	25	8 14:45	✓		7											6.8, 5	
	168	1392	W15	1145	1384	11.6	50	25	8 20:40	✓		7											5.5, 7	
	169	1400	W50	1153	1392	20.0	50	16	8 29:26	✓		7											6	
	170	1408		1161	1400	11.7	50	27	8 35:20	✓		7										2 vehicles	7	
	171	1416	W20	1169	1408	11.1	50	35	8 42:09	✓		7										3 vehicles		
	172	1424	W10	1177	1416	12.2	50	25	8 49:00	✓		7											6	
	173	1432	W10	1185	1424	11.1	50	30	9 24:29	✓		7										1 vehicle at end	9.5	
70	174	1440		1193	1432	23.5	200		9 44:20	✓		7												
	175	1456		1209	1440	9.4	50	22	9 54:40	✓		7												
	176	1464	ES	1217	1456	11.9	50	25	10 05:22	✓		7											7.2	
21	177	1472	ES	1225	1464	15.9	50	28	10 16:21	✓		7										near source vehicle	3.6	
	178	1480	E10	1233	1472	16.0	50	25	10 26:09	✓		7											3.3	
	179	1488	ES	1241	1480	16.8	50	30	10 34:46	✓		7										vehicle in road near source		
	180	1496	W40	1249	1488	20.9	50	30	10 41:28	✓		7										vehicle in road		
	181	1504	W5	1257	1496	16.7	50	27	10 48:21	✓		7										vehicle in end of road		
	182	1512	ES	1265	1504	11.7	50	25	11 38:03	✓		7												
	183	1520	W5	1273	1512	18.1	50	25	11 47:39	✓		7											3.5	
	184	1528	ES	1281	1520	14.0	50	28	11 54:19	✓		7											6.2	
	185	1536	ES	1289	1528	14.1	50	28	12 01:17	✓		7											4	
22	186	1544	E10	1297	1536	11.5	50	30	12 08:17	✓		7										2 vehicles on the		
	187	1552	ES	1305	1544	12.5	50		12 16:30	✓		7											3.5 7.3	
	188	1560	W3	1313	1552	15.6	50	25	13 01:50	✓		7											6.5, 8.5, 10, 11.8	
	189	1568		1321	1560	13.7	200	30+31+35+35	13 11:18	✓		7											6.7 8.5, 3.5, 11	
	190	1576		1329	1568	16.6	50		13 15:29	✓		7												
	191			1329	1568																			

Best shooting conditions
most holes blew out violently

OB-a		Source StaNum		Chan 1 StaNum		Chan 240 StaNum		Shot Hole(s)		Shot Time		QC	Mgmt	# Bad	QC	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes?	Reflections?			
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num X m	Watch	GPS	Pass 1	OK	Chan	Pass 2	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dri/Air/Wnd	MHT/Moho/Other		
26	216	1760	E15	1513		1752		16.4	50	27	8	02:21	✓														7, 10, 13	
	217	1760	E15	1513		1752		16.5	50	25	8	09:22	✓														4.2, 6	
	218	1760	E15	1521		1760		17.1	50	27	8	16:36	✓													vehicle near site	4.2, 6, 9, 10	
	219	1776	W5	1529		1768		17.1	50	35	8	24:20	✓														4.2, 6, 12	
	220	1784	E10	1537		1776		20.8	50	34	8	32:10	✓														4.2, 6, 10, 13	
	221	1792	E15	1545		1784		15.1	50	30	9	02:53	✓														4.7, 10	
	222	1800	W25	1553		1792		20.3	200	3x35 + 40	9	08:06	✓														7, 10, 16	
	223	1728	E10	1569		1808		14.2	50	35	9	18:41	✓														6.7, 17.8, 10	
	224	1817	W10	1568		1807		17.1	50	33	9	25:44	✓														vehicle on line	6.8, 10, 4
	225	1824	W10	1577		1816		10.2	50	32	9	40:42	✓															7, 12, 3
27	226	1829	W60	1588		1827		13.3	50	27	9	44:49	✓															vehicle on line
	227	1840	W200	1513		1832		6.1	50	35	10	19:22	✓															vehicle on line
	228	1853	E5	1596		1835		21.6	50	30	10	28:26	✓															vehicle
	229	1856	E10	1609		1848		16.1	50	30	10	35:18	✓															vehicle
	230	1864	E15	1617		1856		17.3	50	30	10	47:15	✓															6.6
	231	1872	E5	1625		1864		22.1	50	35	10	51:50	✓															5, 6, 2
	232	1880	E30	1633		1872		11.0	50	2x18	11	36:36	✓															4, 6, 5
28	233	1888	E15	1641		1880		6.7	50	35	11	44:49	✓															4.8, 6.4
	234	1896	W5	1649		1889		19.6	50	30	11	54:05	✓															4, 6.4
	235	1898	E5	1663		1902		15.3	50	35	12	02:26	✓															4.5, 6.5
	236	1900		1677		1916		6.1	50	35	12	10:01	✓															6.6, 9.3
	237	1920		1673		1912		200	2x35 + 2x33	30	12	16:50	✓															10, 6.7
	238	2048		1689		1928		18.4	50	37	12	37:14	✓															4.8, 6.6
	239	1936	W30	1689		1928		17.5	50	33	12	48:02	✓															4.8, 7
	240	1944	E30	1697		1936		19.0	50	40	13	07:17	✓															6.5
	241	1952	E60	1705		1944		19.0	50	27	13	17:26	✓															4.7, 6.6
29	242	1960	W20	1713		1952							✓															4.2, 6.5, 7.5
	243	1968	E50	1721		1960							✓															
	244			1729		1968							✓															

FFID 221 6 sec brown
24 507 sec black spot

7/10/97 drill
1,000 kg shot (20 holes)

Date: 7/11/97 Julian: 172

Page: 13

Line: 1-2-6

OB-a		Source StaNum			Chan 1 StaNum		Chan 240 StaNum		Shot Hole(s)		Shot Time		QC	Mgmt	# Bad	QC	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes?	Reflections?
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num X m	Watch	GPS	Pass 1	OK	Chan	Pass 2	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dri/Air/Wnd	MHT/Moho/Other
303	/			2160		2399		/	/																	
304	/			2160		2399		/	/																	
305	/			2160		2399		/	/																	
306	480			2160		2399		?	1,000	20x35	10	00:00														
307	/			2160		2399		/	/																	
308	2052			2161		2400		19.6	200	33+33+33+20	12	51:25														
309	/			2161		2400		/	/																	
310	/							/	/																	

FFID 307 GPS = aux 3 ; degbase IRIG = aux 6 ; by shot IRIG = aux 2

FFID's 303, 304 have 6 channels
FFID's 305, 307 have 24 channels

FFID 310 has GPS aux 3, degbase IRIG = aux 6

FFID's 303 + 310 are to measure drift of degbase IRIG vs, GPS for today, since there was no primary GPS in the hole for 1,000 kg shot