

Transit traverse Survey
经纬仪导线计算

线号

羊八井工区

第 1 页

Yang Ba Jing Work Area

座林换林经纬度

TIB6 TIB7 TIB8
LINEC LINED LINEE

备注:

经纬度单位是大进制制(度分秒)

Note:

The conversion of ^{units} ~~of~~ of the longitude and
latitude is based on the sexagesimal
system

TIB.6

装

订

线

TIB 6 OFF

LIVEC

经纬仪导线计算

①

第 页

线号

XY CHANGE BL
 PN: 100025
 L1= 93
 L2= 0
 X1= 3295318.1
 Y1= 16246377.26
 B= 29.4459298
 L= 90.22425113

PN: 105175
 L1= 93
 L2= 0
 X1= 3300082.65
 Y1= 16244992.76
 B= 29.47328445
 L= 90.21469875

PN: 112375
 L1= 93
 L2= 0
 X1= 3306765.37
 Y1= 16243932.44
 B= 29.51088504
 L= 90.21018306

PN: 11747
 L1= 93
 L2= 0
 X1= 3311
 Y1= 16245
 B= 29.5
 L= 90.2

PN: 100900
 L1= 93
 L2= 0
 X1= 3296180.43
 Y1= 16246228.3
 B= 29.45271638
 L= 90.22362443

PN: 106500
 L1= 93
 L2= 0
 X1= 3301118.64
 Y1= 16244166.52
 B= 29.4805839
 L= 90.2115372

PN: 113250
 L1= 93
 L2= 0
 X1= 3307620.01
 Y1= 16244120.59
 B= 29.51367164
 L= 90.21081005

PN: 11780
 L1= 93
 L2= 0
 X1= 3311
 Y1= 16245
 B= 29.5
 L= 90.2

PN: 101425
 L1= 93
 L2= 0
 X1= 3296700.63
 Y1= 16246156.99
 B= 29.45439876
 L= 90.22331529

PN: 107500
 L1= 93
 L2= 0
 X1= 3302033.51
 Y1= 16243762.51
 B= 29.48352171
 L= 90.20595613

PN: 114350
 L1= 93
 L2= 0
 X1= 3308695.92
 Y1= 16244350.23
 B= 29.52117912
 L= 90.21157259

PN: 11842
 L1= 93
 L2= 0
 X1= 3312
 Y1= 16244
 B= 29.5
 L= 90.21

PN: 101950
 L1= 93
 L2= 0
 X1= 3297208.24
 Y1= 16246291.24
 B= 29.46005545
 L= 90.22377154

PN: 108700
 L1= 93
 L2= 0
 X1= 3303188.18
 Y1= 16243435.3
 B= 29.49124314
 L= 90.20463994

PN: 115525
 L1= 93
 L2= 0
 X1= 3309854.99
 Y1= 16244543.95
 B= 29.52495372
 L= 90.21219442

PN: 122050
 L1= 93
 L2= 0
 X1= 33156
 Y1= 162429
 B= 29.55
 L= 90.20

PN: 102625
 L1= 93
 L2= 0
 X1= 3297883.17
 Y1= 16246276.73
 B= 29.462244
 L= 90.2236605

PN: 109375
 L1= 93
 L2= 0
 X1= 3303854.32
 Y1= 16243325.76
 B= 29.49339596
 L= 90.20417526

PN: 116200
 L1= 93
 L2= 0
 X1= 3310504.01
 Y1= 16244729.75
 B= 29.53107306
 L= 90.21283053

PN: 122525
 L1= 93
 L2= 0
 X1= 33160
 Y1= 162427
 B= 29.56
 L= 90.20

PN: 104200
 L1= 93
 L2= 0
 X1= 3299212.54
 Y1= 16245431.81
 B= 29.47049423
 L= 90.22040566

PN: 110500
 L1= 93
 L2= 0
 X1= 3304974.55
 Y1= 16243430.74
 B= 29.50103794
 L= 90.20446972

PN: 116975
 L1= 93
 L2= 0
 X1= 3311127.78
 Y1= 16245189.82
 B= 29.53313092
 L= 90.21448998

PN: 122850
 L1= 93
 L2= 0
 X1= 33163
 Y1= 162425
 B= 29.56
 L= 90.20

PN: 104775
 L1= 93
 L2= 0
 X1= 3299718.82
 Y1= 16245159.08
 B= 29.47211647
 L= 90.2153483

PN: 111475
 L1= 93
 L2= 0
 X1= 3305938.77
 Y1= 16243576.15
 B= 29.50417684
 L= 90.20492806

PN: 117250
 L1= 93
 L2= 0
 X1= 3311399.56
 Y1= 16245232.03
 B= 29.53401575
 L= 90.2146239

PN: 123450
 L1= 93
 L2= 0
 X1= 33168
 Y1= 162423
 B= 29.56
 L= 90.19

TIB 6

经纬仪导线计算

(2)

37
44
504
306
--

01
59
164
005
--

92
23
912
259
--

99
95
372
442
--

01
75
306
053
--

78
32
092
098
--

56
03
075
09
--

线号

PN: 117475
L1= 93
L2= 0
X1= 3311617.73
Y1= 16245176.91
B= 29.53471941
L= 90.21440003

699

PN: 124075
L1= 93
L2= 0
X1= 3317489.62
Y1= 16242250.46
B= 29.5655486
L= 90.19499596

963

PN: 117800
L1= 93
L2= 0
X1= 3311920.47
Y1= 16245058.59
B= 29.53569271
L= 90.21393361

712

PN: 125025
L1= 93
L2= 0
X1= 3318439.7
Y1= 16242241.36
B= 29.57262996
L= 90.19487967

1001

PN: 118425
L1= 93
L2= 0
X1= 3312474.15
Y1= 16244768.52
B= 29.54146727
L= 90.21280616

737

PN: 125575
L1= 93
L2= 0
X1= 3318984.38
Y1= 16242318.16
B= 29.57440271
L= 90.19511854

1023

PN: 122050
L1= 93
L2= 0
X1= 3315627.33
Y1= 16242979.44
B= 29.55556227
L= 90.20187242

887

PN: 126150
L1= 93
L2= 0
X1= 3319543.47
Y1= 16242452.8
B= 29.58022656
L= 90.19557167

1046

PN: 122525
L1= 93
L2= 0
X1= 3316026.89
Y1= 16242722.49
B= 29.56083911
L= 90.20088086

901

PN: 126975
L1= 93
L2= 0
X1= 3320342.58
Y1= 16242658.28
B= 29.58283436
L= 90.20026798

1079

PN: 122850
L1= 93
L2= 0
X1= 3316304.38
Y1= 16242553.24
B= 29.56172653
L= 90.20022646

914

PN: 127400
L1= 93
L2= 0
X1= 3320749.69
Y1= 16242780.47
B= 29.58416424
L= 90.20068799

1096

PN: 123450
L1= 93
L2= 0
X1= 3316876.57
Y1= 16242372.47
B= 29.56356908
L= 90.19550358

938

经纬仪导线计算

线号 _____

第 _____ 页

	28	
		03
LINEC		
	40	
		23
	18	
		36

装

订

线

1

2

10

12

①

100025 X= 3295318.10
Y= 16246377.26
H= 4549.9

100050 X= 3295342.73
Y= 16246373.00
H= 4549.6

100075 X= 3295367.37
Y= 16246368.74
H= 4549.7

100100 X= 3295392.01
Y= 16246364.48
H= 4549.8

100125 X= 3295416.65
Y= 16246360.22
H= 4549.4

100150 X= 3295441.29
Y= 16246355.96
H= 4549.0

100175 X= 3295465.92
Y= 16246351.70
H= 4549.1

100200 X= 3295490.56
Y= 16246347.44
H= 4549.8

100225 X= 3295515.20
Y= 16246343.18
H= 4550.0

100250 X= 3295539.84
Y= 16246338.92
H= 4549.3

100275 X= 3295564.48
Y= 16246334.66
H= 4549.0

100300 X= 3295589.11
Y= 16246330.40
H= 4548.7

100325 X= 3295613.75
Y= 16246326.14
H= 4548.7

100350 X= 3295638.39
Y= 16246321.88
H= 4549.4

100375 X= 3295663.03
Y= 16246317.62
H= 4549.4

100400 X= 3295687.67
Y= 16246313.36
H= 4549.2

100425 X= 3295712.30
Y= 16246309.10
H= 4548.9

100450 X= 3295736.94
Y= 16246304.84
H= 4548.2

100475 X= 3295761.58
Y= 16246300.58
H= 4548.8

100500 X= 3295786.22
Y= 16246296.32
H= 4550.2

100525 X= 3295810.86
Y= 16246292.06
H= 4551.4

100550 X= 3295835.49
Y= 16246287.80
H= 4551.5

100575 X= 3295860.13
Y= 16246283.54
H= 4551.4

100600 X= 3295884.77
Y= 16246279.28
H= 4550.7

100625 X= 3295909.41
Y= 16246275.02
H= 4551.3

100650 X= 3295934.05
Y= 16246270.76
H= 4550.6

100675 X= 3295958.68
Y= 16246266.50
H= 4549.6

100700 X= 3295983.32
Y= 16246262.24
H= 4549.1

100725 X= 3296007.96
Y= 16246258.09
H= 4548.2

100750 X= 3296032.60
Y= 16246253.83
H= 4548.9

100775 X= 3296057.24
Y= 16246249.57
H= 4547.5

100800 X= 3296081.88
Y= 16246245.31
H= 4546.6

100825 X= 3296106.52
Y= 16246241.05
H= 4546.5

100850 X= 3296131.15
Y= 16246236.79
H= 4546.5

100875 X= 3296155.79
Y= 16246232.53
H= 4546.3

100900 X= 3296180.43
Y= 16246228.27
H= 4546.1

100925 X= 3296205.20
Y= 16246224.90
H= 4544.8

100950 X= 3296229.97
Y= 16246221.50
H= 4546.1

100975 X= 3296254.74
Y= 16246218.10
H= 4536.7

101000 X= 3296279.52
Y= 16246214.70
H= 4530.1

101025 X= 3296304.29
Y= 16246211.30
H= 4529.5

101050 X= 3296329.06
Y= 16246207.90
H= 4518.8

101075 X= 3296353.83
Y= 16246204.50
H= 4514.7

101100 X= 3296378.60
Y= 16246201.10
H= 4512.3

101125 X= 3296403.37
Y= 16246197.70
H= 4509.5

101150 X= 3296428.14
Y= 16246194.30
H= 4507.6

101175 X= 3296452.91
Y= 16246190.90
H= 4507.1

101200 X= 3296477.68
Y= 16246187.50
H= 4506.6

STN
1

5

10

15

20

25

30

35

40

45

2

装

订

线

装

订

线

50

55

60

装
订
线

50
55
60

101225
X= 3296502.45
Y= 16246184.10
H= 4506.2

101250
X= 3296527.23
Y= 16246180.70
H= 4505.7

101275
X= 3296552.00
Y= 16246177.30
H= 4505.3

101300
X= 3296576.77
Y= 16246173.90
H= 4504.8

101325
X= 3296601.54
Y= 16246170.50
H= 4504.4

101350
X= 3296626.31
Y= 16246167.10
H= 4504.4

101375
X= 3296651.08
Y= 16246163.70
H= 4504.0

101400
X= 3296675.85
Y= 16246160.30
H= 4503.7

101425
X= 3296700.62
Y= 16246156.90
H= 4503.5

101450
X= 3296724.80
Y= 16246163.38
H= 4503.0

101475
X= 3296748.97
Y= 16246169.77
H= 4502.7

101500
X= 3296773.15
Y= 16246176.16
H= 4502.6

101525
X= 3296797.32
Y= 16246182.55
H= 4502.4

101550
X= 3296821.49
Y= 16246188.94
H= 4502.5

101575
X= 3296845.66
Y= 16246195.33
H= 4502.4

101600
X= 3296869.83
Y= 16246201.72
H= 4502.3

101625
X= 3296894.01
Y= 16246208.11
H= 4501.8

101650
X= 3296918.18
Y= 16246214.50
H= 4501.8

101675
X= 3296942.35
Y= 16246220.89
H= 4501.4

101700
X= 3296966.52
Y= 16246227.28
H= 4501.2

101725
X= 3296990.69
Y= 16246233.67
H= 4501.2

101750
X= 3297014.87
Y= 16246240.06
H= 4501.2

101775
X= 3297039.04
Y= 16246246.45
H= 4501.3

101800
X= 3297063.21
Y= 16246252.84
H= 4501.0

101825
X= 3297087.38
Y= 16246259.23
H= 4500.6

101850
X= 3297111.55
Y= 16246265.62
H= 4500.7

101875
X= 3297135.73
Y= 16246272.01
H= 4501.4

101900
X= 3297159.90
Y= 16246278.40
H= 4500.8

101925
X= 3297184.07
Y= 16246284.79
H= 4500.6

101950
X= 3297208.24
Y= 16246291.18
H= 4500.0

101975
X= 3297233.24
Y= 16246290.70
H= 4499.9

102000
X= 3297258.24
Y= 16246290.16
H= 4499.7

102025
X= 3297283.24
Y= 16246289.62
H= 4499.4

102050
X= 3297308.23
Y= 16246289.08
H= 4499.2

102075
X= 3297333.23
Y= 16246288.54
H= 4498.7

102100
X= 3297358.23
Y= 16246288.00
H= 4498.5

102125
X= 3297383.22
Y= 16246287.46
H= 4498.4

102150
X= 3297408.22
Y= 16246286.92
H= 4498.1

102175
X= 3297433.22
Y= 16246286.38
H= 4498.1

102200
X= 3297458.21
Y= 16246285.84
H= 4497.9

102225
X= 3297483.21
Y= 16246285.30
H= 4497.9

102250
X= 3297508.21
Y= 16246284.76
H= 4497.6

102275
X= 3297533.21
Y= 16246284.22
H= 4496.9

102300
X= 3297558.20
Y= 16246283.68
H= 4496.7

102325
X= 3297583.20
Y= 16246283.14
H= 4496.5

102350
X= 3297608.20
Y= 16246282.60
H= 4496.2

102375
X= 3297633.19
Y= 16246282.06
H= 4495.6

102400
X= 3297658.19
Y= 16246281.52
H= 4495.7

102425
 X= 3297683.13
 Y= 16246280.98
 H= 4495.2
 102450
 X= 3297708.18
 Y= 16246280.44
 H= 4495.0
 102475
 X= 3297733.18
 Y= 16246279.90
 H= 4494.8
 102500
 X= 3297758.18
 Y= 16246279.36
 H= 4494.4
 102525
 X= 3297783.18
 Y= 16246278.82
 H= 4494.2
 102550
 X= 3297808.17
 Y= 16246278.28
 H= 4493.8
 102575
 X= 3297833.17
 Y= 16246277.74
 H= 4493.5
 102600
 X= 3297858.17
 Y= 16246277.20
 H= 4493.3
 102625
 X= 3297883.16
 Y= 16246276.66
 H= 4493.1
 102650
 X= 3297904.27
 Y= 16246263.32
 H= 4492.6
 102675
 X= 3297925.37
 Y= 16246249.31
 H= 4492.1
 102700
 X= 3297946.48
 Y= 16246236.52
 H= 4492.2
 102725
 X= 3297967.58
 Y= 16246223.09
 H= 4492.3
 102750
 X= 3297988.68
 Y= 16246209.68
 H= 4491.4
 102775
 X= 3298009.78
 Y= 16246196.27
 H= 4491.7
 102800
 X= 3298030.88
 Y= 16246182.86
 H= 4491.1

102825
 X= 3298051.98
 Y= 16246169.45
 H= 4491.1
 102850
 X= 3298073.08
 Y= 16246156.04
 H= 4491.0
 102875
 X= 3298094.18
 Y= 16246142.63
 H= 4490.9
 102900
 X= 3298115.28
 Y= 16246129.27
 H= 4490.8
 102925
 X= 3298136.38
 Y= 16246115.81
 H= 4490.8
 102950
 X= 3298157.49
 Y= 16246102.40
 H= 4490.6
 102975
 X= 3298178.59
 Y= 16246088.99
 H= 4490.6
 103000
 X= 3298199.69
 Y= 16246075.58
 H= 4490.5
 103025
 X= 3298220.79
 Y= 16246062.17
 H= 4490.4
 103050
 X= 3298241.89
 Y= 16246048.76
 H= 4490.1
 103075
 X= 3298262.99
 Y= 16246035.35
 H= 4490.0
 103100
 X= 3298284.09
 Y= 16246021.94
 H= 4489.8
 103125
 X= 3298305.19
 Y= 16246008.53
 H= 4489.7
 103150
 X= 3298326.29
 Y= 16245995.12
 H= 4489.6
 103175
 X= 3298347.39
 Y= 16245981.71
 H= 4489.4
 103200
 X= 3298368.50
 Y= 16245968.30
 H= 4489.3

103225
 X= 3298389.60
 Y= 16245954.89
 H= 4489.2
 103250
 X= 3298410.70
 Y= 16245941.48
 H= 4488.9
 103275
 X= 3298431.80
 Y= 16245928.07
 H= 4488.8
 103300
 X= 3298452.90
 Y= 16245914.66
 H= 4488.4
 103325
 X= 3298474.00
 Y= 16245901.25
 H= 4488.2
 103350
 X= 3298495.10
 Y= 16245887.84
 H= 4487.9
 103375
 X= 3298516.20
 Y= 16245874.43
 H= 4487.8
 103400
 X= 3298537.30
 Y= 16245861.02
 H= 4487.5
 103425
 X= 3298558.40
 Y= 16245847.61
 H= 4487.3
 103450
 X= 3298579.51
 Y= 16245834.20
 H= 4486.7
 103475
 X= 3298600.61
 Y= 16245820.79
 H= 4486.6
 103500
 X= 3298621.71
 Y= 16245807.38
 H= 4486.7
 103525
 X= 3298642.81
 Y= 16245793.97
 H= 4485.8
 103550
 X= 3298663.91
 Y= 16245780.56
 H= 4485.1
 103575
 X= 3298685.01
 Y= 16245767.15
 H= 4484.7
 103600
 X= 3298706.11
 Y= 16245753.74
 H= 4484.8

装
 订
 线
 装
 订
 线
 装
 订
 线
 装
 订
 线

100
 105
 110
 115
 120
 125
 130
 135
 140
 145
 150
 155
 160

103625
 X= 3298727.21
 Y= 16245740.33
 H= 4484.3

103650
 X= 3298748.31
 Y= 16245726.92
 H= 4484.1

103675
 X= 3298769.41
 Y= 16245713.51
 H= 4483.7

103700
 X= 3298790.52
 Y= 16245700.10
 H= 4483.5

103725
 X= 3298811.62
 Y= 16245686.69
 H= 4483.3

103750
 X= 3298832.72
 Y= 16245673.28
 H= 4482.8

103775
 X= 3298853.82
 Y= 16245659.87
 H= 4482.6

103800
 X= 3298874.92
 Y= 16245646.46
 H= 4482.4

103825
 X= 3298896.02
 Y= 16245633.05
 H= 4482.2

103850
 X= 3298917.12
 Y= 16245619.64
 H= 4481.7

103875
 X= 3298938.22
 Y= 16245606.23
 H= 4481.5

103900
 X= 3298959.32
 Y= 16245592.82
 H= 4481.3

103925
 X= 3298980.42
 Y= 16245579.41
 H= 4481.1

103950
 X= 3299001.53
 Y= 16245566.00
 H= 4480.9

103975
 X= 3299022.63
 Y= 16245552.59
 H= 4480.7

104000
 X= 3299043.73
 Y= 16245539.18
 H= 4480.6

104025
 X= 3299064.83
 Y= 16245525.77
 H= 4479.9

104050
 X= 3299085.93
 Y= 16245512.36
 H= 4479.7

104075
 X= 3299107.03
 Y= 16245498.95
 H= 4479.1

104100
 X= 3299128.13
 Y= 16245485.54
 H= 4478.9

104125
 X= 3299149.23
 Y= 16245472.13
 H= 4478.6

104150
 X= 3299170.33
 Y= 16245458.72
 H= 4478.9

104175
 X= 3299191.43
 Y= 16245445.31
 H= 4478.2

104200
 X= 3299212.54
 Y= 16245431.90
 H= 4478.7

104225
 X= 3299234.55
 Y= 16245419.95
 H= 4478.0

104250
 X= 3299256.57
 Y= 16245408.09
 H= 4477.8

104275
 X= 3299278.58
 Y= 16245396.23
 H= 4477.2

104300
 X= 3299300.59
 Y= 16245384.37
 H= 4477.0

104325
 X= 3299322.60
 Y= 16245372.51
 H= 4476.9

104350
 X= 3299344.61
 Y= 16245360.65
 H= 4476.4

104375
 X= 3299366.63
 Y= 16245348.79
 H= 4476.0

104400
 X= 3299388.64
 Y= 16245336.93
 H= 4475.6

104425
 X= 3299410.65
 Y= 16245325.07
 H= 4475.0

104450
 X= 3299432.66
 Y= 16245313.21
 H= 4474.3

104475
 X= 3299454.67
 Y= 16245301.35
 H= 4473.8

104500
 X= 3299476.69
 Y= 16245289.49
 H= 4473.4

104525
 X= 3299498.70
 Y= 16245277.63
 H= 4473.2

104550
 X= 3299520.71
 Y= 16245265.77
 H= 4472.8

104575
 X= 3299542.72
 Y= 16245253.91
 H= 4472.5

104600
 X= 3299564.73
 Y= 16245242.05
 H= 4472.2

104625
 X= 3299586.75
 Y= 16245230.19
 H= 4471.7

104650
 X= 3299608.76
 Y= 16245218.33
 H= 4471.4

104675
 X= 3299630.77
 Y= 16245206.47
 H= 4470.9

104700
 X= 3299652.78
 Y= 16245194.61
 H= 4470.6

104725
 X= 3299674.79
 Y= 16245182.75
 H= 4470.1

104750
 X= 3299696.81
 Y= 16245170.89
 H= 4469.6

104775
 X= 3299718.82
 Y= 16245159.03
 H= 4469.5

104800
 X= 3299741.56
 Y= 16245148.69
 H= 4469.3

装
 订
 线

104825
 X= 3299764.30
 Y= 16245138.30
 H= 4469.0

104850
 X= 3299787.03
 Y= 16245127.91
 H= 4469.0

104875
 X= 3299809.77
 Y= 16245117.52
 H= 4469.3

104900
 X= 3299832.51
 Y= 16245107.13
 H= 4469.6

104925
 X= 3299855.25
 Y= 16245096.74
 H= 4469.7

104950
 X= 3299877.99
 Y= 16245086.35
 H= 4469.7

104975
 X= 3299900.73
 Y= 16245075.96
 H= 4469.0

105000
 X= 3299923.47
 Y= 16245065.57
 H= 4468.8

105025
 X= 3299946.21
 Y= 16245055.18
 H= 4468.8

105050
 X= 3299968.95
 Y= 16245044.79
 H= 4468.5

105075
 X= 3299991.69
 Y= 16245034.40
 H= 4468.5

105100
 X= 3300014.42
 Y= 16245024.01
 H= 4468.4

105125
 X= 3300037.16
 Y= 16245013.62
 H= 4468.3

105150
 X= 3300059.90
 Y= 16245003.23
 H= 4468.4

105175
 X= 3300082.64
 Y= 16244992.84
 H= 4468.4

105200
 X= 3300102.19
 Y= 16244977.17
 H= 4468.2

105225
 X= 3300121.74
 Y= 16244961.58
 H= 4467.7

105250
 X= 3300141.29
 Y= 16244945.99
 H= 4467.8

105275
 X= 3300160.84
 Y= 16244930.40
 H= 4467.0

105300
 X= 3300180.38
 Y= 16244914.81
 H= 4466.8

105325
 X= 3300199.93
 Y= 16244899.22
 H= 4466.0

105350
 X= 3300219.48
 Y= 16244883.63
 H= 4465.9

105375
 X= 3300239.02
 Y= 16244868.04
 H= 4465.7

105400
 X= 3300258.57
 Y= 16244852.45
 H= 4465.5

105425
 X= 3300278.12
 Y= 16244836.86
 H= 4465.3

105450
 X= 3300297.66
 Y= 16244821.27
 H= 4465.1

105475
 X= 3300317.21
 Y= 16244805.68
 H= 4464.7

105500
 X= 3300336.76
 Y= 16244790.09
 H= 4464.4

105525
 X= 3300356.31
 Y= 16244774.50
 H= 4464.5

105550
 X= 3300375.85
 Y= 16244758.91
 H= 4464.1

105575
 X= 3300395.40
 Y= 16244743.32
 H= 4463.8

105600
 X= 3300414.95
 Y= 16244727.73
 H= 4463.6

105625
 X= 3300434.49
 Y= 16244712.14
 H= 4463.4

105650
 X= 3300454.04
 Y= 16244696.55
 H= 4463.0

105675
 X= 3300473.59
 Y= 16244680.96
 H= 4462.8

105700
 X= 3300493.13
 Y= 16244665.37
 H= 4462.5

105725
 X= 3300512.68
 Y= 16244649.78
 H= 4462.3

105750
 X= 3300532.23
 Y= 16244634.19
 H= 4461.9

105775
 X= 3300551.78
 Y= 16244618.60
 H= 4461.7

105800
 X= 3300571.32
 Y= 16244603.01
 H= 4461.5

105825
 X= 3300590.87
 Y= 16244587.42
 H= 4461.0

105850
 X= 3300610.42
 Y= 16244571.83
 H= 4460.8

105875
 X= 3300629.96
 Y= 16244556.24
 H= 4460.4

105900
 X= 3300649.51
 Y= 16244540.65
 H= 4460.2

105925
 X= 3300669.06
 Y= 16244525.06
 H= 4459.7

105950
 X= 3300688.60
 Y= 16244509.47
 H= 4459.5

105975
 X= 3300708.15
 Y= 16244493.88
 H= 4459.2

106000
 X= 3300727.70
 Y= 16244478.29
 H= 4459.0

.....
 装

 订

 线

 线

106025
 X= 3300747.25
 Y= 16244462.70
 H= 4458.7

106050
 X= 3300766.79
 Y= 16244447.11
 H= 4458.5

106075
 X= 3300786.34
 Y= 16244431.52
 H= 4458.0

106100
 X= 3300805.89
 Y= 16244415.93
 H= 4457.8

106125
 X= 3300825.43
 245 Y= 16244400.34
 H= 4457.5

106150
 X= 3300844.98
 Y= 16244384.75
 H= 4457.0

106175
 X= 3300864.53
 Y= 16244369.16
 H= 4457.0

106200
 X= 3300884.07
 Y= 16244353.57
 H= 4456.2

106225
 X= 3300903.62
 Y= 16244337.98
 H= 4456.6

106250
 X= 3300923.17
 250 Y= 16244322.39
 H= 4456.0

106275
 X= 3300942.72
 Y= 16244306.80
 H= 4455.4

106300
 X= 3300962.26
 Y= 16244291.21
 H= 4455.1

106325
 X= 3300981.81
 Y= 16244275.62
 H= 4454.9

106350
 X= 3301001.36
 Y= 16244260.03
 H= 4454.6

106375
 X= 3301020.90
 255 Y= 16244244.44
 H= 4454.3

106400
 X= 3301040.45
 Y= 16244228.85
 H= 4454.1

106425
 X= 3301060.00
 Y= 16244213.26
 H= 4453.8

106450
 X= 3301079.54
 Y= 16244197.67
 H= 4454.6

106475
 X= 3301099.09
 Y= 16244182.08
 H= 4453.3

106500
 X= 3301118.64
 260 Y= 16244166.49
 H= 4453.1

106525
 X= 3301141.51
 Y= 16244156.42
 H= 4452.9

106550
 X= 3301164.38
 Y= 16244146.32
 H= 4452.7

106575
 X= 3301187.25
 Y= 16244136.22
 H= 4451.3

106600
 X= 3301210.12
 Y= 16244126.12
 H= 4451.2

106625
 X= 3301233.00
 265 Y= 16244116.02
 H= 4451.0

106650
 X= 3301255.87
 Y= 16244105.92
 H= 4451.8

106675
 X= 3301278.74
 Y= 16244095.82
 H= 4450.7

106700
 X= 3301301.61
 Y= 16244085.72
 H= 4450.5

106725
 X= 3301324.48
 Y= 16244075.62
 H= 4450.0

106750
 X= 3301347.36
 270 Y= 16244065.52
 H= 4449.6

106775
 X= 3301370.23
 Y= 16244055.42
 H= 4449.8

106800
 X= 3301393.10
 Y= 16244045.32
 H= 4449.0

106825
 X= 3301415.97
 Y= 16244035.22
 H= 4449.0

106850
 X= 3301438.84
 Y= 16244025.12
 H= 4448.6

106875
 X= 3301461.72
 275 Y= 16244015.02
 H= 4448.4

106900
 X= 3301484.59
 Y= 16244004.92
 H= 4448.2

106925
 X= 3301507.46
 Y= 16243994.82
 H= 4447.8

106950
 X= 3301530.33
 Y= 16243984.72
 H= 4447.6

106975
 X= 3301553.20
 Y= 16243974.62
 H= 4447.4

107000
 X= 3301576.08
 280 Y= 16243964.52
 H= 4447.3

107025
 X= 3301598.95
 Y= 16243954.42
 H= 4446.8

107050
 X= 3301621.82
 Y= 16243944.32
 H= 4446.7

107075
 X= 3301644.69
 Y= 16243934.22
 H= 4446.1

107100
 X= 3301667.56
 Y= 16243924.12
 H= 4445.9

107125
 X= 3301690.44
 285 Y= 16243914.02
 H= 4445.8

107150
 X= 3301713.31
 Y= 16243903.92
 H= 4445.2

107175
 X= 3301736.18
 Y= 16243893.82
 H= 4445.4

107200
 X= 3301759.05
 Y= 16243883.72
 H= 4444.7

装
订

线

装
订
线

107225
X= 3301781.92
Y= 16243873.62
H= 4444.7

107250
X= 3301804.80
Y= 16243863.52
H= 4444.0

107275
X= 3301827.67
Y= 16243853.42
H= 4447.5

107300
X= 3301850.54
Y= 16243843.32
H= 4447.3

107325
X= 3301873.41
Y= 16243833.22
H= 4442.8

107350
X= 3301896.28
Y= 16243823.12
H= 4447.0

107375
X= 3301919.16
Y= 16243813.02
H= 4442.7

107400
X= 3301942.03
Y= 16243802.92
H= 4442.2

107425
X= 3301964.90
Y= 16243792.82
H= 4442.0

107450
X= 3301987.77
Y= 16243782.72
H= 4441.4

107475
X= 3302010.64
Y= 16243772.62
H= 4441.2

107500
X= 3302033.52
Y= 16243762.52
H= 4440.8

107525
X= 3302057.57
Y= 16243755.69
H= 4440.5

107550
X= 3302081.62
Y= 16243748.87
H= 4440.1

107575
X= 3302105.68
Y= 16243742.05
H= 4439.4

107600
X= 3302129.74
Y= 16243735.23
H= 4439.1

107625
X= 3302153.79
Y= 16243728.41
H= 4438.8

107650
X= 3302177.85
Y= 16243721.59
H= 4438.4

107675
X= 3302201.90
Y= 16243714.77
H= 4438.2

107700
X= 3302225.96
Y= 16243707.95
H= 4437.6

107725
X= 3302250.02
Y= 16243701.13
H= 4437.6

107750
X= 3302274.07
Y= 16243694.31
H= 4437.2

107775
X= 3302298.13
Y= 16243687.49
H= 4436.7

107800
X= 3302322.18
Y= 16243680.67
H= 4436.8

107825
X= 3302346.24
Y= 16243673.85
H= 4436.3

107850
X= 3302370.30
Y= 16243667.03
H= 4436.2

107875
X= 3302394.35
Y= 16243660.21
H= 4435.7

107900
X= 3302418.41
Y= 16243653.39
H= 4436.0

107925
X= 3302442.46
Y= 16243646.57
H= 4435.2

107950
X= 3302466.52
Y= 16243639.75
H= 4434.8

107975
X= 3302490.58
Y= 16243632.93
H= 4434.4

108000
X= 3302514.63
Y= 16243626.11
H= 4434.3

108025
X= 3302538.69
Y= 16243619.29
H= 4434.0

108050
X= 3302562.74
Y= 16243612.47
H= 4433.6

108075
X= 3302586.80
Y= 16243605.65
H= 4433.5

108100
X= 3302610.86
Y= 16243598.83
H= 4433.1

108125
X= 3302634.91
Y= 16243592.01
H= 4432.6

108150
X= 3302658.97
Y= 16243585.19
H= 4432.6

108175
X= 3302683.02
Y= 16243578.37
H= 4432.7

108200
X= 3302707.08
Y= 16243571.55
H= 4432.0

108225
X= 3302731.14
Y= 16243564.73
H= 4431.6

108250
X= 3302755.19
Y= 16243557.91
H= 4431.5

108275
X= 3302779.25
Y= 16243551.09
H= 4431.0

108300
X= 3302803.30
Y= 16243544.27
H= 4431.0

108325
X= 3302827.36
Y= 16243537.45
H= 4431.2

108350
X= 3302851.42
Y= 16243530.63
H= 4432.0

108375
X= 3302875.47
Y= 16243523.81
H= 4431.5

108400
X= 3302899.53
Y= 16243516.99
H= 4431.0

装

订

线

装

订

线

108425
X= 3302923.58
Y= 16243510.17
H= 4431.0

108450
X= 3302947.64
Y= 16243503.35
H= 441.8

108475
X= 3302971.70
Y= 16243496.53
H= 4429.4

108500
X= 3302995.75
Y= 16243489.71
H= 4429.5

108525
X= 3303019.81
Y= 16243482.89
H= 4429.8

108550
X= 3303043.86
Y= 16243476.07
H= 4429.7

108575
X= 3303067.92
Y= 16243469.25
H= 4429.4

108600
X= 3303091.98
Y= 16243462.43
H= 4428.8

108625
X= 3303116.03
Y= 16243455.61
H= 4429.2

108650
X= 3303140.09
Y= 16243448.79
H= 4429.0

108675
X= 3303164.14
Y= 16243441.97
H= 4428.8

108700
X= 3303188.20
Y= 16243435.15
H= 4428.6

108725
X= 3303212.86
Y= 16243431.24
H= 4427.9

108750
X= 3303237.53
Y= 16243427.18
H= 4427.5

108775
X= 3303262.20
Y= 16243423.12
H= 4427.7

108800
X= 3303286.87
Y= 16243419.06
H= 4426.8

108825
X= 3303311.54
Y= 16243415.00
H= 4426.4

108850
X= 3303336.22
Y= 16243410.94
H= 4425.8

108875
X= 3303360.89
Y= 16243406.88
H= 4425.7

108900
X= 3303385.56
Y= 16243402.82
H= 4426.9

108925
X= 3303410.23
Y= 16243398.76
H= 4424.4

108950
X= 3303434.90
Y= 16243394.70
H= 4423.8

108975
X= 3303459.58
Y= 16243390.64
H= 4423.7

109000
X= 3303484.25
Y= 16243386.58
H= 4423.0

109025
X= 3303508.92
Y= 16243382.52
H= 4422.8

109050
X= 3303533.59
Y= 16243378.46
H= 4422.6

109075
X= 3303558.26
Y= 16243374.40
H= 4422.1

109100
X= 3303582.94
Y= 16243370.34
H= 4421.9

109125
X= 3303607.61
Y= 16243366.28
H= 4421.7

109150
X= 3303632.28
Y= 16243362.22
H= 4421.1

109175
X= 3303656.95
Y= 16243358.16
H= 4420.9

109200
X= 3303681.62
Y= 16243354.10
H= 4420.6

109225
X= 3303706.30
Y= 16243350.04
H= 4420.1

109250
X= 3303730.97
Y= 16243345.98
H= 4420.0

109275
X= 3303755.64
Y= 16243341.92
H= 4419.8

109300
X= 3303780.31
Y= 16243337.86
H= 4419.5

109325
X= 3303804.98
Y= 16243333.80
H= 4419.2

109350
X= 3303829.66
Y= 16243329.74
H= 4419.0

109375
X= 3303854.33
Y= 16243325.68
H= 4419.0

109400
X= 3303879.21
Y= 16243321.62
H= 4418.7

109425
X= 3303904.11
Y= 16243317.56
H= 4418.4

109450
X= 3303929.00
Y= 16243313.50
H= 4417.6

109475
X= 3303953.90
Y= 16243309.44
H= 4417.7

109500
X= 3303978.79
Y= 16243305.38
H= 4417.5

109525
X= 3304003.68
Y= 16243301.32
H= 4417.6

109550
X= 3304028.58
Y= 16243297.26
H= 4417.2

109575
X= 3304053.47
Y= 16243293.20
H= 4416.8

109600
X= 3304078.37
Y= 16243289.14
H= 4416.5

装

订

线

装

订

线

109625
 X= 3304103.26
 Y= 16243349.06
 H= 4416.5

109650
 X= 3304128.15
 Y= 16243351.39
 H= 4416.2

109675
 X= 3304153.05
 Y= 16243353.72
 H= 4415.9

109700
 X= 3304177.94
 Y= 16243356.05
 H= 4415.5

109725
 X= 3304202.84
 Y= 16243358.38
 H= 4415.4

109750
 X= 3304227.73
 Y= 16243360.71
 H= 4415.4

109775
 X= 3304252.62
 Y= 16243363.04
 H= 4415.2

109800
 X= 3304277.52
 Y= 16243365.37
 H= 4415.1

109825
 X= 3304302.41
 Y= 16243367.70
 H= 4415.1

109850
 X= 3304327.31
 Y= 16243370.03
 H= 4414.7

109875
 X= 3304352.20
 Y= 16243372.36
 H= 4414.5

109900
 X= 3304377.09
 Y= 16243374.69
 H= 4414.2

109925
 X= 3304401.99
 Y= 16243377.02
 H= 4413.9

109950
 X= 3304426.88
 Y= 16243379.35
 H= 4413.7

109975
 X= 3304451.78
 Y= 16243381.68
 H= 4413.7

110000
 X= 3304476.67
 Y= 16243384.01
 H= 4413.6

110025
 X= 3304501.56
 Y= 16243386.34
 H= 4413.2

110050
 X= 3304526.46
 Y= 16243388.67
 H= 4413.2

110075
 X= 3304551.35
 Y= 16243391.00
 H= 4413.1

110100
 X= 3304576.25
 Y= 16243393.33
 H= 4412.9

110125
 X= 3304601.14
 Y= 16243395.66
 H= 4412.5

110150
 X= 3304626.03
 Y= 16243397.99
 H= 4412.4

110175
 X= 3304650.93
 Y= 16243400.32
 H= 4412.0

110200
 X= 3304675.82
 Y= 16243402.65
 H= 4412.1

110225
 X= 3304700.72
 Y= 16243404.98
 H= 4412.4

110250
 X= 3304725.61
 Y= 16243407.31
 H= 4412.2

110275
 X= 3304750.50
 Y= 16243409.64
 H= 4412.3

110300
 X= 3304775.40
 Y= 16243411.97
 H= 4412.4

110325
 X= 3304800.29
 Y= 16243414.30
 H= 4412.2

110350
 X= 3304825.19
 Y= 16243416.63
 H= 4411.8

110375
 X= 3304850.08
 Y= 16243418.96
 H= 4409.7

110400
 X= 3304874.97
 Y= 16243421.29
 H= 4411.1

110425
 X= 3304899.87
 Y= 16243423.62
 H= 4409.9

110450
 X= 3304924.76
 Y= 16243425.95
 H= 4410.0

110475
 X= 3304949.66
 Y= 16243428.28
 H= 4410.2

110500
 X= 3304974.55
 Y= 16243430.61
 H= 4410.1

110525
 X= 3304999.28
 Y= 16243434.47
 H= 4409.7

110550
 X= 3305024.00
 Y= 16243438.20
 H= 4409.1

110575
 X= 3305048.73
 Y= 16243441.93
 H= 4408.7

110600
 X= 3305073.45
 Y= 16243445.66
 H= 4408.3

110625
 X= 3305098.17
 Y= 16243449.39
 H= 4408.3

110650
 X= 3305122.90
 Y= 16243453.12
 H= 4408.1

110675
 X= 3305147.62
 Y= 16243456.85
 H= 4407.8

110700
 X= 3305172.35
 Y= 16243460.58
 H= 4408.2

110725
 X= 3305197.07
 Y= 16243464.31
 H= 4407.2

110750
 X= 3305221.79
 Y= 16243468.04
 H= 4407.3

110775
 X= 3305246.52
 Y= 16243471.77
 H= 4407.2

110800
 X= 3305271.24
 Y= 16243475.50
 H= 4407.3

装
 订
 线

装
 订
 线

385

390

395

400

405

410

415

420

425

430

装

订

线

装

订

线

110825
X= 3305295.97
Y= 16243479.23
H= 4406.7

110850
X= 3305320.69
Y= 16243482.96
H= 4406.7

110875
X= 3305345.41
Y= 16243486.69
H= 4406.1

110900
X= 3305370.14
Y= 16243490.42
H= 4407.8

110925
X= 3305394.86
Y= 16243494.15
H= 4406.2

110950
X= 3305419.59
Y= 16243497.88
H= 4407.9

110975
X= 3305444.31
Y= 16243501.61
H= 4407.7

111000
X= 3305469.03
Y= 16243505.34
H= 4407.6

111025
X= 3305493.76
Y= 16243509.07
H= 4407.6

111050
X= 3305518.48
Y= 16243512.80
H= 4407.4

111075
X= 3305543.21
Y= 16243516.53
H= 4407.7

111100
X= 3305567.93
Y= 16243520.26
H= 4407.0

111125
X= 3305592.65
Y= 16243523.99
H= 4406.6

111150
X= 3305617.38
Y= 16243527.72
H= 4404.7

111175
X= 3305642.10
Y= 16243531.45
H= 4404.7

111200
X= 3305666.83
Y= 16243535.18
H= 4404.2

111225
X= 3305691.55
Y= 16243538.91
H= 4406.0

111250
X= 3305716.27
Y= 16243542.64
H= 4407.8

111275
X= 3305741.00
Y= 16243546.37
H= 4407.7

111300
X= 3305765.72
Y= 16243550.10
H= 4407.7

111325
X= 3305790.45
Y= 16243553.83
H= 4407.4

111350
X= 3305815.17
Y= 16243557.56
H= 4407.4

111375
X= 3305839.89
Y= 16243561.29
H= 4407.0

111400
X= 3305864.62
Y= 16243565.02
H= 4402.9

111425
X= 3305889.34
Y= 16243568.75
H= 4402.7

111450
X= 3305914.07
Y= 16243572.48
H= 4402.8

111475
X= 3305938.79
Y= 16243576.21
H= 4402.7

111500
X= 3305961.73
Y= 16243586.05
H= 4402.5

111525
X= 3305984.70
Y= 16243595.95
H= 4402.1

111550
X= 3306007.66
Y= 16243605.85
H= 4402.1

111575
X= 3306030.62
Y= 16243615.75
H= 4401.8

111600
X= 3306053.58
Y= 16243625.65
H= 4401.5

111625
X= 3306076.54
Y= 16243635.55
H= 4401.1

111650
X= 3306099.50
Y= 16243645.45
H= 4400.9

111675
X= 3306122.46
Y= 16243655.35
H= 4400.8

111700
X= 3306145.42
Y= 16243665.25
H= 4400.8

111725
X= 3306168.38
Y= 16243675.15
H= 4400.6

111750
X= 3306191.34
Y= 16243685.05
H= 4400.6

111775
X= 3306214.31
Y= 16243694.95
H= 4400.4

111800
X= 3306237.27
Y= 16243704.85
H= 4400.4

111825
X= 3306260.23
Y= 16243714.75
H= 4400.1

111850
X= 3306283.19
Y= 16243724.65
H= 4400.1

111875
X= 3306306.15
Y= 16243734.55
H= 4400.1

111900
X= 3306329.11
Y= 16243744.45
H= 4399.7

111925
X= 3306352.07
Y= 16243754.35
H= 4399.6

111950
X= 3306375.03
Y= 16243764.25
H= 4399.8

111975
X= 3306397.99
Y= 16243774.15
H= 4399.7

112000
X= 3306420.95
Y= 16243784.05
H= 4399.2

112025
 X= 3306443.92
 Y= 16243793.95
 H= 4799.1

112050
 X= 3306466.88
 Y= 16243803.85
 H= 4798.9

112075
 X= 3306489.84
 Y= 16243813.75
 H= 4799.1

112100
 X= 3306512.80
 Y= 16243823.65
 H= 4798.7

112125
 X= 3306535.76
 Y= 16243833.55
 H= 4798.4

112150
 X= 3306558.72
 Y= 16243843.45
 H= 4798.3

112175
 X= 3306581.68
 Y= 16243853.35
 H= 4798.2

112200
 X= 3306604.64
 Y= 16243863.25
 H= 4798.7

112225
 X= 3306627.60
 Y= 16243873.15
 H= 4797.7

112250
 X= 3306650.56
 Y= 16243883.05
 H= 4797.8

112275
 X= 3306673.53
 Y= 16243892.95
 H= 4798.0

112300
 X= 3306696.49
 Y= 16243902.85
 H= 4797.9

112325
 X= 3306719.45
 Y= 16243912.75
 H= 4797.5

112350
 X= 3306742.41
 Y= 16243922.65
 H= 4797.4

112375
 X= 3306765.37
 Y= 16243932.55
 H= 4797.7

112400
 X= 3306789.79
 Y= 16243937.82
 H= 4796.9

112425
 X= 3306814.21
 Y= 16243943.20
 H= 4796.9

112450
 X= 3306838.62
 Y= 16243948.58
 H= 4797.0

112475
 X= 3306863.04
 Y= 16243953.96
 H= 4796.9

112500
 X= 3306887.46
 Y= 16243959.34
 H= 4796.8

112525
 X= 3306911.88
 Y= 16243964.72
 H= 4796.8

112550
 X= 3306936.30
 Y= 16243970.10
 H= 4796.2

112575
 X= 3306960.71
 Y= 16243975.48
 H= 4796.0

112600
 X= 3306985.13
 Y= 16243980.86
 H= 4796.0

112625
 X= 3307009.55
 Y= 16243986.24
 H= 4795.9

112650
 X= 3307033.97
 Y= 16243991.62
 H= 4795.8

112675
 X= 3307058.39
 Y= 16243997.00
 H= 4795.8

112700
 X= 3307082.80
 Y= 16244002.38
 H= 4795.7

112725
 X= 3307107.22
 Y= 16244007.76
 H= 4795.4

112750
 X= 3307131.64
 Y= 16244013.14
 H= 4795.5

112775
 X= 3307156.06
 Y= 16244018.52
 H= 4795.5

112800
 X= 3307180.48
 Y= 16244023.90
 H= 4795.4

112825
 X= 3307204.89
 Y= 16244029.28
 H= 4795.3

112850
 X= 3307229.31
 Y= 16244034.66
 H= 4795.5

112875
 X= 3307253.73
 Y= 16244040.04
 H= 4795.2

112900
 X= 3307278.15
 Y= 16244045.42
 H= 4795.7

112925
 X= 3307302.57
 Y= 16244050.80
 H= 4794.9

112950
 X= 3307326.98
 Y= 16244056.18
 H= 4794.9

112975
 X= 3307351.40
 Y= 16244061.56
 H= 4794.8

113000
 X= 3307375.82
 Y= 16244066.94
 H= 4794.8

113025
 X= 3307400.24
 Y= 16244072.32
 H= 4794.7

113050
 X= 3307424.66
 Y= 16244077.70
 H= 4794.5

113075
 X= 3307449.07
 Y= 16244083.08
 H= 4794.4

113100
 X= 3307473.49
 Y= 16244088.46
 H= 4794.6

113125
 X= 3307497.91
 Y= 16244093.84
 H= 4794.7

113150
 X= 3307522.33
 Y= 16244099.22
 H= 4794.2

113175
 X= 3307546.75
 Y= 16244104.60
 H= 4794.2

113200
 X= 3307571.16
 Y= 16244109.98
 H= 4794.1

.....装.....订.....线.....

.....

113225
 X= 3307595.58
 Y= 16244115.36
 H= 4794.1

113250
 X= 3307620.00
 Y= 16244120.74
 H= 4794.1

113275
 X= 3307644.47
 Y= 16244125.81
 H= 4794.5

113300
 X= 3307668.92
 Y= 16244131.03
 H= 4794.5

113325
 X= 3307693.37
 Y= 16244136.25
 H= 4794.2

113350
 X= 3307717.82
 Y= 16244141.47
 H= 4794.0

113375
 X= 3307742.27
 Y= 16244146.69
 H= 4794.0

113400
 X= 3307766.73
 Y= 16244151.91
 H= 4794.1

113425
 X= 3307791.18
 Y= 16244157.13
 H= 4794.1

113450
 X= 3307815.63
 Y= 16244162.35
 H= 4794.1

113475
 X= 3307840.08
 Y= 16244167.57
 H= 4794.0

113500
 X= 3307864.53
 Y= 16244172.79
 H= 4794.1

113525
 X= 3307888.99
 Y= 16244178.01
 H= 4792.8

113550
 X= 3307913.44
 Y= 16244183.23
 H= 4792.7

113575
 X= 3307937.89
 Y= 16244188.45
 H= 4792.5

113600
 X= 3307962.34
 Y= 16244193.67
 H= 4792.3

113625
 X= 3307986.79
 Y= 16244198.89
 H= 4792.3

113650
 X= 3308011.25
 Y= 16244204.11
 H= 4792.4

113675
 X= 3308035.70
 Y= 16244209.33
 H= 4792.1

113700
 X= 3308060.15
 Y= 16244214.55
 H= 4792.0

113725
 X= 3308084.60
 Y= 16244219.77
 H= 4792.0

113750
 X= 3308109.05
 Y= 16244224.99
 H= 4791.7

113775
 X= 3308133.51
 Y= 16244230.21
 H= 4791.7

113800
 X= 3308157.96
 Y= 16244235.43
 H= 4791.7

113825
 X= 3308182.41
 Y= 16244240.65
 H= 4791.4

113850
 X= 3308206.86
 Y= 16244245.87
 H= 4791.2

113875
 X= 3308231.31
 Y= 16244251.09
 H= 4791.2

113900
 X= 3308255.77
 Y= 16244256.31
 H= 4791.1

113925
 X= 3308280.22
 Y= 16244261.53
 H= 4791.0

113950
 X= 3308304.67
 Y= 16244266.75
 H= 4790.8

113975
 X= 3308329.12
 Y= 16244271.97
 H= 4790.5

114000
 X= 3308353.57
 Y= 16244277.19
 H= 4790.6

114025
 X= 3308378.03
 Y= 16244282.41
 H= 4790.6

114050
 X= 3308402.48
 Y= 16244287.63
 H= 4790.7

114075
 X= 3308426.93
 Y= 16244292.85
 H= 4790.7

114100
 X= 3308451.38
 Y= 16244298.07
 H= 4790.1

114125
 X= 3308475.83
 Y= 16244303.29
 H= 4790.7

114150
 X= 3308500.29
 Y= 16244308.51
 H= 4790.0

114175
 X= 3308524.74
 Y= 16244313.73
 H= 4789.9

114200
 X= 3308549.19
 Y= 16244318.95
 H= 4789.8

114225
 X= 3308573.64
 Y= 16244324.17
 H= 4789.8

114250
 X= 3308598.09
 Y= 16244329.39
 H= 4790.5

114275
 X= 3308622.55
 Y= 16244334.61
 H= 4789.9

114300
 X= 3308647.00
 Y= 16244339.83
 H= 4789.6

114325
 X= 3308671.45
 Y= 16244345.05
 H= 4789.5

114350
 X= 3308695.90
 Y= 16244350.27
 H= 4789.5

114375
 X= 3308720.58
 Y= 16244354.35
 H= 4789.2

114400
 X= 3308745.24
 Y= 16244358.47
 H= 4789.1

装

订

线

装

订

线

430

535

540

545

550

555

560

465

470

475

114425
 X= 3308769.90
 Y= 16244362.59
 H= 4789.1

114450
 X= 3308794.56
 Y= 16244366.71
 H= 4788.4

114475
 X= 3308819.22
 Y= 16244370.83
 H= 4788.4

114500
 X= 3308843.89
 Y= 16244374.95
 H= 4788.4

114525
 X= 3308868.55
 Y= 16244379.07
 H= 4788.4

114550
 X= 3308893.21
 Y= 16244383.19
 H= 4788.4

114575
 X= 3308917.87
 Y= 16244387.31
 H= 4788.6

114600
 X= 3308942.53
 Y= 16244391.43
 H= 4788.5

114625
 X= 3308967.19
 Y= 16244395.55
 H= 4788.4

114650
 X= 3308991.85
 Y= 16244399.67
 H= 4788.5

114675
 X= 3309016.51
 Y= 16244403.79
 H= 4788.4

114700
 X= 3309041.17
 Y= 16244407.91
 H= 4788.5

114725
 X= 3309065.83
 Y= 16244412.03
 H= 4788.4

114750
 X= 3309090.50
 Y= 16244416.15
 H= 4788.4

114775
 X= 3309115.16
 Y= 16244420.27
 H= 4788.5

114800
 X= 3309139.82
 Y= 16244424.39
 H= 4788.5

114825
 X= 3309164.48
 Y= 16244428.51
 H= 4788.4

114850
 X= 3309189.14
 Y= 16244432.63
 H= 4787.9

114875
 X= 3309213.80
 Y= 16244436.75
 H= 4787.9

114900
 X= 3309238.46
 Y= 16244440.87
 H= 4787.7

114925
 X= 3309263.12
 Y= 16244444.99
 H= 4787.7

114950
 X= 3309287.78
 Y= 16244449.11
 H= 4787.7

114975
 X= 3309312.44
 Y= 16244453.23
 H= 4787.5

115000
 X= 3309337.11
 Y= 16244457.35
 H= 4787.8

115025
 X= 3309361.77
 Y= 16244461.47
 H= 4787.6

115050
 X= 3309386.43
 Y= 16244465.59
 H= 4787.4

115075
 X= 3309411.09
 Y= 16244469.71
 H= 4787.2

115100
 X= 3309435.75
 Y= 16244473.83
 H= 4787.2

115125
 X= 3309460.41
 Y= 16244477.95
 H= 4787.1

115150
 X= 3309485.07
 Y= 16244482.07
 H= 4786.6

115175
 X= 3309509.73
 Y= 16244486.19
 H= 4786.6

115200
 X= 3309534.39
 Y= 16244490.31
 H= 4786.6

115225
 X= 3309559.05
 Y= 16244494.43
 H= 4786.8

115250
 X= 3309583.72
 Y= 16244498.55
 H= 4787.0

115275
 X= 3309608.38
 Y= 16244502.67
 H= 4786.4

115300
 X= 3309633.04
 Y= 16244506.79
 H= 4786.1

115325
 X= 3309657.70
 Y= 16244510.91
 H= 4786.0

115350
 X= 3309682.36
 Y= 16244515.03
 H= 4786.0

115375
 X= 3309707.02
 Y= 16244519.15
 H= 4785.9

115400
 X= 3309731.68
 Y= 16244523.27
 H= 4785.9

115425
 X= 3309756.34
 Y= 16244527.39
 H= 4786.2

115450
 X= 3309781.00
 Y= 16244531.51
 H= 4785.5

115475
 X= 3309805.66
 Y= 16244535.63
 H= 4785.7

115500
 X= 3309830.33
 Y= 16244539.75
 H= 4785.7

115525
 X= 3309854.99
 Y= 16244543.87
 H= 4785.7

115550
 X= 3309879.03
 Y= 16244550.83
 H= 4785.9

115575
 X= 3309903.07
 Y= 16244557.71
 H= 4785.9

115600
 X= 3309927.11
 Y= 16244564.59
 H= 4785.6

.....
 装

 订

 线

 635

580

595

610

615

600

585

620

590

64

115625 X= 3309951.14 625 Y= 16244571.47 H= 4785.4	116025 X= 3310335.75 Y= 16244681.55 H= 4784.7	116425 X= 3310685.10 Y= 16244863.31 H= 4784.6
115650 X= 3309975.18 Y= 16244578.35 H= 4785.2	116050 X= 3310359.79 Y= 16244688.43 H= 4784.7	116450 X= 3310705.23 Y= 16244878.15 H= 4784.8
115675 X= 3309999.22 Y= 16244585.23 H= 4785.1	116075 X= 3310383.83 Y= 16244695.31 H= 4785.1	116475 X= 3310725.35 Y= 16244892.99 H= 4785.7
115700 X= 3310023.26 Y= 16244592.11 H= 4785.1	116100 X= 3310407.87 Y= 16244702.19 H= 4784.4	116500 X= 3310745.47 660 Y= 16244907.83 H= 4785.4
115725 X= 3310047.30 Y= 16244598.99 H= 4785.0	116125 X= 3310431.90 645 Y= 16244709.07 H= 4784.6	116525 X= 3310765.59 Y= 16244922.67 H= 4785.0
115750 X= 3310071.33 630 Y= 16244605.87 H= 4784.9	116150 X= 3310455.94 Y= 16244715.95 H= 4784.4	116550 X= 3310785.71 Y= 16244937.51 H= 4785.7
115775 X= 3310095.37 Y= 16244612.75 H= 4784.8	116175 X= 3310479.98 Y= 16244722.83 H= 4784.5	116575 X= 3310805.84 Y= 16244952.35 H= 4785.6
115800 X= 3310119.41 Y= 16244619.63 H= 4784.7	116200 X= 3310504.02 Y= 16244729.71 H= 4784.4	116600 X= 3310825.96 Y= 16244967.19 H= 4785.5
115825 X= 3310143.45 Y= 16244626.51 H= 4784.8	116225 X= 3310524.13 Y= 16244744.59 H= 4784.9	116625 X= 3310846.08 665 Y= 16244982.03 H= 4785.8
115850 X= 3310167.49 Y= 16244633.39 H= 4784.6	116250 X= 3310544.25 650 Y= 16244759.43 H= 4785.6	116650 X= 3310866.20 Y= 16244996.87 H= 4785.7
115875 X= 3310191.52 635 Y= 16244640.27 H= 4784.7	116275 X= 3310564.37 Y= 16244774.27 H= 4787.9	116675 X= 3310886.32 Y= 16245011.71 H= 4785.5
115900 X= 3310215.56 Y= 16244647.15 H= 4784.6	116300 X= 3310584.49 Y= 16244789.11 H= 4787.9	116700 X= 3310906.45 Y= 16245026.55 H= 4785.4
115925 X= 3310239.60 Y= 16244654.03 H= 4784.8	116325 X= 3310604.62 Y= 16244803.95 H= 4784.0	116725 X= 3310926.57 Y= 16245041.39 H= 4785.2
115950 X= 3310263.64 Y= 16244660.91 H= 4784.5	116350 X= 3310624.74 670 Y= 16244818.79 H= 4784.2	116750 X= 3310946.69 Y= 16245056.23 H= 4785.2
115975 X= 3310287.68 Y= 16244667.79 H= 4784.5	116375 X= 3310644.86 655 Y= 16244833.63 H= 4784.1	116775 X= 3310966.81 Y= 16245071.07 H= 4784.8
116000 X= 3310311.71 640 Y= 16244674.67 H= 4784.6	116400 X= 3310664.98 Y= 16244848.47 H= 4784.5	116800 X= 3310986.93 Y= 16245085.91 H= 4785.2

装

订

线

装

订

线

116825
 X= 3311007.06
 Y= 16245100.75
 H= 4785.7

116850
 X= 3311027.18
 Y= 16245115.59
 H= 4785.4

116875
 X= 3311047.30
 Y= 16245130.43
 H= 4785.7

116900
 X= 3311067.42
 Y= 16245145.27
 H= 4785.4

116925
 X= 3311087.54
 Y= 16245160.11
 H= 4785.6

116950
 X= 3311107.67
 Y= 16245174.95
 H= 4785.7

116975
 X= 3311127.79
 Y= 16245189.79
 H= 4785.7

117000
 X= 3311152.49
 Y= 16245193.66
 H= 4785.3

117025
 X= 3311177.20
 Y= 16245197.50
 H= 4785.1

117050
 X= 3311201.90
 Y= 16245201.34
 H= 4784.7

117075
 X= 3311226.61
 Y= 16245205.18
 H= 4784.6

117100
 X= 3311251.32
 Y= 16245209.02
 H= 4784.5

117125
 X= 3311276.02
 Y= 16245212.86
 H= 4784.2

117150
 X= 3311300.73
 Y= 16245216.70
 H= 4783.9

117175
 X= 3311325.44
 Y= 16245220.54
 H= 4783.6

117200
 X= 3311350.14
 Y= 16245224.38
 H= 4783.1

117225
 X= 3311374.85
 Y= 16245228.22
 H= 4782.6

117250
 X= 3311399.56
 Y= 16245232.06
 H= 4782.2

117275
 X= 3311423.80
 Y= 16245225.91
 H= 4781.7

117300
 X= 3311448.04
 Y= 16245219.79
 H= 4781.6

117325
 X= 3311472.28
 Y= 16245213.67
 H= 4781.5

117350
 X= 3311496.52
 Y= 16245207.55
 H= 4781.5

117375
 X= 3311520.76
 Y= 16245201.43
 H= 4781.5

117400
 X= 3311545.00
 Y= 16245195.31
 H= 4781.4

117425
 X= 3311569.25
 Y= 16245189.19
 H= 4781.4

117450
 X= 3311593.49
 Y= 16245183.07
 H= 4781.4

117475
 X= 3311617.73
 Y= 16245176.95
 H= 4781.4

117500
 X= 3311641.02
 Y= 16245170.81
 H= 4782.0

117525
 X= 3311664.30
 Y= 16245158.71
 H= 4781.6

117550
 X= 3311687.59
 Y= 16245149.61
 H= 4781.3

117575
 X= 3311710.88
 Y= 16245140.51
 H= 4781.6

117600
 X= 3311734.17
 Y= 16245131.41
 H= 4781.7

117625
 X= 3311757.45
 Y= 16245122.31
 H= 4781.7

117650
 X= 3311780.74
 Y= 16245113.21
 H= 4781.7

117675
 X= 3311804.03
 Y= 16245104.11
 H= 4781.6

117700
 X= 3311827.31
 Y= 16245095.01
 H= 4781.7

117725
 X= 3311850.60
 Y= 16245085.91
 H= 4782.0

117750
 X= 3311873.89
 Y= 16245076.81
 H= 4782.0

117775
 X= 3311897.17
 Y= 16245067.71
 H= 4782.3

117800
 X= 3311920.46
 Y= 16245058.61
 H= 4782.5

117825
 X= 3311942.61
 Y= 16245046.99
 H= 4782.3

117850
 X= 3311964.76
 Y= 16245035.39
 H= 4782.2

117875
 X= 3311986.91
 Y= 16245023.79
 H= 4782.7

117900
 X= 3312009.05
 Y= 16245012.19
 H= 4782.9

117925
 X= 3312031.20
 Y= 16245000.59
 H= 4783.2

117950
 X= 3312053.35
 Y= 16244988.99
 H= 4783.4

117975
 X= 3312075.50
 Y= 16244977.39
 H= 4783.4

118000
 X= 3312097.64
 Y= 16244965.79
 H= 4783.4

装
 订
 线

装
订
线

118025
X= 3312119.79
Y= 16244954.19
H= 4787.6

118050
X= 3312141.94
Y= 16244942.59
H= 4787.7

118075
X= 3312164.08
Y= 16244930.99
H= 4787.9

118100
X= 3312186.23
Y= 16244919.39
H= 4788.0

118125
X= 3312208.38
Y= 16244907.79
H= 4788.4

118150
X= 3312230.52
Y= 16244896.19
H= 4788.4

118175
X= 3312252.67
Y= 16244884.59
H= 4788.4

118200
X= 3312274.82
Y= 16244872.99
H= 4788.6

118225
X= 3312296.97
Y= 16244861.39
H= 4788.9

118250
X= 3312319.11
Y= 16244849.79
H= 4789.0

118275
X= 3312341.26
Y= 16244838.19
H= 4789.1

118300
X= 3312363.41
Y= 16244826.59
H= 4789.3

118325
X= 3312385.55
Y= 16244814.99
H= 4789.2

118350
X= 3312407.70
Y= 16244803.39
H= 4789.7

118375
X= 3312429.85
Y= 16244791.79
H= 4789.6

118400
X= 3312451.99
Y= 16244780.19
H= 4789.6

118425
X= 3312474.14
Y= 16244768.59
H= 4789.2

118450
X= 3312495.90
Y= 16244756.18
H= 4789.7

118475
X= 3312517.64
Y= 16244743.84
H= 4789.7

118500
X= 3312539.39
Y= 16244731.50
H= 4789.7

118525
X= 3312561.13
Y= 16244719.16
H= 4789.9

118550
X= 3312582.88
Y= 16244706.82
H= 4789.7

118575
X= 3312604.63
Y= 16244694.48
H= 4789.5

118600
X= 3312626.37
Y= 16244682.14
H= 4789.7

118625
X= 3312648.12
Y= 16244669.80
H= 4789.1

118650
X= 3312669.86
Y= 16244657.46
H= 4789.5

118675
X= 3312691.61
Y= 16244645.12
H= 4789.0

118700
X= 3312713.36
Y= 16244632.78
H= 4789.3

118725
X= 3312735.10
Y= 16244620.44
H= 4789.6

118750
X= 3312756.85
Y= 16244608.10
H= 4789.8

118775
X= 3312778.59
Y= 16244595.76
H= 4789.2

118800
X= 3312800.34
Y= 16244583.42
H= 4789.1

118825
X= 3312822.09
Y= 16244571.08
H= 4789.7

118850
X= 3312843.83
Y= 16244558.74
H= 4789.7

118875
X= 3312865.58
Y= 16244546.40
H= 4789.6

118900
X= 3312887.32
Y= 16244534.06
H= 4789.6

118925
X= 3312909.07
Y= 16244521.72
H= 4789.4

118950
X= 3312930.82
Y= 16244509.38
H= 4789.7

118975
X= 3312952.56
Y= 16244497.04
H= 4790.2

119000
X= 3312974.31
Y= 16244484.70
H= 4790.4

119025
X= 3312996.05
Y= 16244472.36
H= 4790.7

119050
X= 3313017.80
Y= 16244460.02
H= 4791.1

119075
X= 3313039.55
Y= 16244447.73
H= 4791.6

119100
X= 3313061.30
Y= 16244435.39
H= 4792.0

119125
X= 3313083.04
Y= 16244423.05
H= 4792.2

119150
X= 3313104.79
Y= 16244410.71
H= 4792.8

119175
X= 3313126.54
Y= 16244398.37
H= 4793.2

119200
X= 3313148.28
Y= 16244386.03
H= 4793.7

119225
X= 3313170.03
Y= 16244373.69
H= 4393.5

119250
X= 3313191.77
Y= 16244361.35
H= 4394.0

119275
X= 3313213.52
Y= 16244349.01
H= 4394.1

119300
X= 3313235.27
Y= 16244336.67
H= 4394.6

119325
X= 3313257.01
Y= 16244324.33
H= 4395.0

119350
X= 3313278.76
Y= 16244311.99
H= 4395.2

119375
X= 3313300.50
Y= 16244299.65
H= 4395.5

119400
X= 3313322.25
Y= 16244287.31
H= 4395.8

119425
X= 3313344.00
Y= 16244274.97
H= 4396.2

119450
X= 3313365.74
Y= 16244262.63
H= 4396.7

119475
X= 3313387.49
Y= 16244250.29
H= 4397.0

119500
X= 3313409.23
Y= 16244237.95
H= 4397.4

119525
X= 3313430.98
Y= 16244225.61
H= 4397.8

119550
X= 3313452.73
Y= 16244213.27
H= 4398.3

119575
X= 3313474.47
Y= 16244200.93
H= 4398.5

119600
X= 3313496.22
Y= 16244188.59
H= 4398.9

119625
X= 3313517.96
Y= 16244176.25
H= 4399.1

119650
X= 3313539.71
Y= 16244163.91
H= 4399.4

119675
X= 3313561.46
Y= 16244151.57
H= 4400.0

119700
X= 3313583.20
Y= 16244139.23
H= 4400.6

119725
X= 3313604.95
Y= 16244126.89
H= 4401.2

119750
X= 3313626.69
Y= 16244114.55
H= 4401.6

119775
X= 3313648.44
Y= 16244102.21
H= 4402.2

119800
X= 3313670.19
Y= 16244089.92
H= 4402.4

119825
X= 3313691.94
Y= 16244077.58
H= 4407.1

119850
X= 3313713.68
Y= 16244065.24
H= 4407.6

119875
X= 3313735.43
Y= 16244052.90
H= 4404.1

119900
X= 3313757.17
Y= 16244040.56
H= 4404.5

119925
X= 3313778.92
Y= 16244028.22
H= 4404.8

119950
X= 3313800.67
Y= 16244015.88
H= 4405.1

119975
X= 3313822.41
Y= 16244003.54
H= 4405.6

120000
X= 3313844.16
Y= 16243991.20
H= 4406.1

120025
X= 3313865.90
Y= 16243978.86
H= 4406.5

120050
X= 3313887.65
Y= 16243966.52
H= 4406.8

120075
X= 3313909.40
Y= 16243954.18
H= 4407.2

120100
X= 3313931.14
Y= 16243941.84
H= 4407.7

120125
X= 3313952.89
Y= 16243929.50
H= 4408.1

120150
X= 3313974.63
Y= 16243917.16
H= 4408.4

120175
X= 3313996.38
Y= 16243904.82
H= 4408.9

120200
X= 3314018.13
Y= 16243892.48
H= 4409.3

120225
X= 3314039.87
Y= 16243880.14
H= 4409.6

120250
X= 3314061.62
Y= 16243867.80
H= 4410.2

120275
X= 3314083.36
Y= 16243855.46
H= 4410.7

120300
X= 3314105.11
Y= 16243843.12
H= 4411.0

120325
X= 3314126.86
Y= 16243830.78
H= 4411.4

120350
X= 3314148.60
Y= 16243818.44
H= 4413.8

120375
X= 3314170.35
Y= 16243806.10
H= 4412.7

120400
X= 3314192.09
Y= 16243793.76
H= 4412.8

装
订
线

装
订
线

120425
X= 3314213.84
Y= 16243781.42
H= 4417.1

120450
X= 3314235.59
Y= 16243769.08
H= 4417.4

120475
X= 3314257.33
Y= 16243756.74
H= 4417.9

120500
X= 3314279.08
Y= 16243744.40
H= 4414.6

120525
X= 3314300.82
Y= 16243732.06
H= 4414.8

120550
X= 3314322.57
Y= 16243719.72
H= 4417.7

120575
X= 3314344.32
Y= 16243707.38
H= 4416.0

120600
X= 3314366.06
Y= 16243695.04
H= 4416.7

120625
X= 3314387.81
Y= 16243682.70
H= 4416.7

120650
X= 3314409.56
Y= 16243670.41
H= 4417.7

120675
X= 3314431.30
Y= 16243658.07
H= 4417.2

120700
X= 3314453.05
Y= 16243645.73
H= 4417.7

120725
X= 3314474.79
Y= 16243633.39
H= 4417.9

120750
X= 3314496.54
Y= 16243621.05
H= 4418.4

120775
X= 3314518.29
Y= 16243608.71
H= 4418.9

120800
X= 3314540.03
Y= 16243596.37
H= 4419.4

120825
X= 3314561.78
Y= 16243584.03
H= 4420.1

120850
X= 3314583.52
Y= 16243571.69
H= 4419.2

120875
X= 3314605.27
Y= 16243559.35
H= 4419.7

120900
X= 3314627.02
Y= 16243547.01
H= 4419.6

120925
X= 3314648.76
Y= 16243534.67
H= 4419.9

120950
X= 3314670.51
Y= 16243522.33
H= 4420.6

120975
X= 3314692.25
Y= 16243509.99
H= 4421.4

121000
X= 3314714.00
Y= 16243497.65
H= 4422.7

121025
X= 3314735.75
Y= 16243485.31
H= 4422.7

121050
X= 3314757.49
Y= 16243472.97
H= 4423.4

121075
X= 3314779.24
Y= 16243460.63
H= 4424.1

121100
X= 3314800.98
Y= 16243448.29
H= 4424.7

121125
X= 3314822.73
Y= 16243435.95
H= 4424.2

121150
X= 3314844.48
Y= 16243423.61
H= 4424.7

121175
X= 3314866.22
Y= 16243411.27
H= 4425.2

121200
X= 3314887.97
Y= 16243398.93
H= 4426.6

121225
X= 3314909.71
Y= 16243386.59
H= 4428.0

121250
X= 3314931.46
Y= 16243374.25
H= 4428.9

121275
X= 3314953.21
Y= 16243361.91
H= 4429.2

121300
X= 3314974.95
Y= 16243349.57
H= 4430.0

121325
X= 3314996.70
Y= 16243337.23
H= 4431.0

121350
X= 3315018.44
Y= 16243324.89
H= 4431.9

121375
X= 3315040.19
Y= 16243312.55
H= 4433.2

121400
X= 3315061.94
Y= 16243300.21
H= 4433.8

121425
X= 3315083.68
Y= 16243287.87
H= 4434.2

121450
X= 3315105.43
Y= 16243275.53
H= 4434.8

121475
X= 3315127.17
Y= 16243263.19
H= 4435.1

121500
X= 3315148.92
Y= 16243250.85
H= 4435.7

121525
X= 3315170.67
Y= 16243238.51
H= 4436.7

121550
X= 3315192.41
Y= 16243226.17
H= 4436.6

121575
X= 3315214.16
Y= 16243213.83
H= 4437.2

121600
X= 3315235.90
Y= 16243201.49
H= 4438.1

2021

121625
 X= 3315257.65
 865 Y= 16243189.15
 H= 4438.7

121650
 X= 3315279.40
 Y= 16243176.81
 H= 4438.4

121675
 X= 3315301.14
 Y= 16243164.47
 H= 4438.7

121700
 X= 3315322.89
 Y= 16243152.13
 H= 4439.6

121725
 X= 3315344.63
 Y= 16243139.79
 H= 4440.5

121750
 X= 3315366.38
 870 Y= 16243127.45
 H= 4440.7

121775
 X= 3315388.12
 Y= 16243115.17
 H= 4439.2

121800
 X= 3315409.87
 Y= 16243102.83
 H= 4439.8

121825
 X= 3315431.61
 Y= 16243090.49
 H= 4439.6

121850
 X= 3315453.36
 Y= 16243078.15
 H= 4439.9

121875
 X= 3315475.11
 885 Y= 16243065.81
 H= 4440.2

121900
 X= 3315496.85
 Y= 16243053.47
 H= 4440.2

121925
 X= 3315518.60
 Y= 16243041.13
 H= 4440.5

121950
 X= 3315540.34
 Y= 16243028.79
 H= 4440.8

121975
 X= 3315562.09
 Y= 16243016.45
 H= 4441.0

122000
 X= 3315583.84
 890 Y= 16243004.11
 H= 4441.3

122025
 X= 3315605.58
 Y= 16242991.77
 H= 4441.6

122050
 X= 3315627.33
 Y= 16242979.43
 H= 4442.1

122075
 X= 3315648.36
 Y= 16242965.92
 H= 4442.7

122100
 X= 3315669.38
 Y= 16242952.40
 H= 4442.6

122125
 X= 3315690.41
 895 Y= 16242938.88
 H= 4442.1

122150
 X= 3315711.44
 Y= 16242925.36
 H= 4442.6

122175
 X= 3315732.47
 Y= 16242911.84
 H= 4443.8

122200
 X= 3315753.50
 Y= 16242898.32
 H= 4444.2

122225
 X= 3315774.53
 Y= 16242884.80
 H= 4444.1

122250
 X= 3315795.56
 890 Y= 16242871.28
 H= 4444.6

122275
 X= 3315816.59
 Y= 16242857.76
 H= 4445.0

122300
 X= 3315837.62
 Y= 16242844.24
 H= 4445.3

122325
 X= 3315858.65
 Y= 16242830.72
 H= 4445.8

122350
 X= 3315879.67
 Y= 16242817.20
 H= 4446.2

122375
 X= 3315900.70
 895 Y= 16242803.68
 H= 4446.5

122400
 X= 3315921.73
 Y= 16242790.16
 H= 4447.0

122425
 X= 3315942.76
 Y= 16242776.64
 H= 4447.5

122450
 X= 3315963.79
 Y= 16242763.12
 H= 4447.7

122475
 X= 3315984.82
 Y= 16242749.60
 H= 4448.3

122500
 X= 3316005.85
 900 Y= 16242736.08
 H= 4448.6

122525
 X= 3316026.88
 Y= 16242722.56
 H= 4448.6

122550
 X= 3316048.23
 Y= 16242709.47
 H= 4448.2

122575
 X= 3316069.58
 Y= 16242696.45
 H= 4448.6

122600
 X= 3316090.92
 Y= 16242683.43
 H= 4448.2

122625
 X= 3316112.27
 905 Y= 16242670.41
 H= 4450.0

122650
 X= 3316133.61
 Y= 16242657.39
 H= 4450.5

122675
 X= 3316154.96
 Y= 16242644.37
 H= 4451.0

122700
 X= 3316176.30
 Y= 16242631.35
 H= 4451.1

122725
 X= 3316197.65
 Y= 16242618.33
 H= 4451.3

122750
 X= 3316218.99
 910 Y= 16242605.31
 H= 4451.6

122775
 X= 3316240.34
 Y= 16242592.29
 H= 4452.6

122800
 X= 3316261.68
 Y= 16242579.27
 H= 4452.6

.....
 装

 订

 线

 线

 96

20.1

122825
X= 3316283.03
Y= 16242566.25
H= 4457.0

122850
X= 3316304.37
Y= 16242553.23
H= 4457.9

122875
X= 3316328.22
Y= 16242545.71
H= 4457.2

122900
X= 3316352.06
Y= 16242538.18
H= 4457.4

122925
X= 3316375.90
Y= 16242530.65
H= 4457.8

122950
X= 3316399.74
Y= 16242523.12
H= 4457.7

122975
X= 3316423.58
Y= 16242515.59
H= 4457.7

123000
X= 3316447.42
Y= 16242508.06
H= 4457.0

123025
X= 3316471.26
Y= 16242500.53
H= 4457.4

123050
X= 3316495.10
Y= 16242493.00
H= 4457.7

123075
X= 3316518.95
Y= 16242485.47
H= 4457.9

123100
X= 3316542.79
Y= 16242477.94
H= 4457.2

123125
X= 3316566.63
Y= 16242470.41
H= 4457.5

123150
X= 3316590.47
Y= 16242462.88
H= 4457.8

123175
X= 3316614.31
Y= 16242455.35
H= 4457.1

123200
X= 3316638.15
Y= 16242447.82
H= 4457.5

123225
X= 3316661.99
Y= 16242440.29
H= 4457.8

123250
X= 3316685.83
Y= 16242432.76
H= 4457.9

123275
X= 3316709.67
Y= 16242425.23
H= 4458.4

123300
X= 3316733.51
Y= 16242417.70
H= 4458.7

123325
X= 3316757.36
Y= 16242410.17
H= 4458.9

123350
X= 3316781.20
Y= 16242402.64
H= 4459.0

123375
X= 3316805.04
Y= 16242395.11
H= 4459.5

123400
X= 3316828.88
Y= 16242387.58
H= 4459.6

123425
X= 3316852.72
Y= 16242380.05
H= 4460.0

123450
X= 3316876.56
Y= 16242372.52
H= 4461.5

123475
X= 3316901.09
Y= 16242367.59
H= 4461.3

123500
X= 3316925.62
Y= 16242362.71
H= 4461.9

123525
X= 3316950.14
Y= 16242357.83
H= 4460.0

123550
X= 3316974.66
Y= 16242352.95
H= 4459.9

123575
X= 3316999.18
Y= 16242348.07
H= 4459.7

123600
X= 3317023.70
Y= 16242343.19
H= 4460.0

123625
X= 3317048.23
Y= 16242338.31
H= 4460.1

123650
X= 3317072.75
Y= 16242333.43
H= 4460.3

123675
X= 3317097.27
Y= 16242328.55
H= 4461.5

123700
X= 3317121.79
Y= 16242323.67
H= 4462.1

123725
X= 3317146.31
Y= 16242318.79
H= 4462.4

123750
X= 3317170.84
Y= 16242313.91
H= 4462.5

123775
X= 3317195.36
Y= 16242309.03
H= 4462.6

123800
X= 3317219.88
Y= 16242304.15
H= 4462.7

123825
X= 3317244.40
Y= 16242299.27
H= 4463.0

123850
X= 3317268.92
Y= 16242294.39
H= 4463.1

123875
X= 3317293.45
Y= 16242289.51
H= 4463.1

123900
X= 3317317.97
Y= 16242284.63
H= 4463.3

123925
X= 3317342.49
Y= 16242279.75
H= 4463.1

123950
X= 3317367.01
Y= 16242274.87
H= 4463.5

123975
X= 3317391.53
Y= 16242269.99
H= 4463.7

124000
X= 3317416.06
Y= 16242265.11
H= 4464.0

装
订
线

装
订
线

21

2223

124025 X= 3317440.58 Y= 16242260.23 H= 4464.0	124425 X= 3317839.65 Y= 16242247.10 H= 4467.5	124825 X= 3318239.68 Y= 16242243.26 H= 4462.6
124050 X= 3317465.10 Y= 16242255.35 H= 4464.2	124450 X= 3317864.65 Y= 16242246.86 H= 4467.6	124850 X= 3318264.69 Y= 16242243.02 H= 4462.8
124075 X= 3317489.62 Y= 16242250.47 H= 4464.5	124475 X= 3317889.66 Y= 16242246.62 H= 4467.8	124875 X= 3318289.69 Y= 16242242.78 H= 4462.8
124100 X= 3317514.63 Y= 16242250.22 H= 4464.1	124500 X= 3317914.66 Y= 16242246.38 H= 4467.5	124900 X= 3318314.69 Y= 16242242.54 H= 4462.8
124125 X= 3317539.63 Y= 16242249.98 H= 4464.0	124525 X= 3317939.66 Y= 16242246.14 H= 4467.4	124925 X= 3318339.69 Y= 16242242.30 H= 4462.5
124150 X= 3317564.63 Y= 16242249.74 H= 4464.3	124550 X= 3317964.66 Y= 16242245.90 H= 4467.7	124950 X= 3318364.69 Y= 16242242.06 H= 4462.5
124175 X= 3317589.63 Y= 16242249.50 H= 4464.6	124575 X= 3317989.66 Y= 16242245.66 H= 4467.6	124975 X= 3318389.70 Y= 16242241.82 H= 4462.8
124200 X= 3317614.63 Y= 16242249.26 H= 4464.1	124600 X= 3318014.67 Y= 16242245.42 H= 4467.5	125000 X= 3318414.70 Y= 16242241.58 H= 4462.5
124225 X= 3317639.64 Y= 16242249.02 H= 4464.2	124625 X= 3318039.67 Y= 16242245.18 H= 4467.8	125025 X= 3318439.70 Y= 16242241.34 H= 4462.5
124250 X= 3317664.64 Y= 16242248.78 H= 4464.9	124650 X= 3318064.67 Y= 16242244.94 H= 4467.5	125050 X= 3318464.46 Y= 16242244.85 H= 4462.3
124275 X= 3317689.64 Y= 16242248.54 H= 4467.8	124675 X= 3318089.67 Y= 16242244.70 H= 4467.4	125075 X= 3318489.21 Y= 16242248.34 H= 4461.9
124300 X= 3317714.64 Y= 16242248.30 H= 4467.5	124700 X= 3318114.67 Y= 16242244.46 H= 4467.4	125100 X= 3318513.97 Y= 16242251.83 H= 4461.9
124325 X= 3317739.64 Y= 16242248.06 H= 4467.5	124725 X= 3318139.68 Y= 16242244.22 H= 4467.2	125125 X= 3318538.73 Y= 16242255.32 H= 4461.8
124350 X= 3317764.65 Y= 16242247.82 H= 4467.8	124750 X= 3318164.68 Y= 16242243.98 H= 4467.2	125150 X= 3318563.49 Y= 16242258.81 H= 4461.0
124375 X= 3317789.65 Y= 16242247.58 H= 4467.6	124775 X= 3318189.68 Y= 16242243.74 H= 4462.8	125175 X= 3318588.25 Y= 16242262.30 H= 4460.6
124400 X= 3317814.65 Y= 16242247.34 H= 4467.7	124800 X= 3318214.68 Y= 16242243.50 H= 4467.4	125200 X= 3318613.00 Y= 16242265.79 H= 4460.4

装
订
线

装
订
线

22

223

125225
X= 3318637.76
Y= 16242269.28
H= 446.0

1010 125250
X= 3318662.52
Y= 16242272.77
H= 4459.7

125275
X= 3318687.28
Y= 16242276.26
H= 4459.6

125300
X= 3318712.04
Y= 16242279.75
H= 4459.4

125325
X= 3318736.79
Y= 16242283.24
H= 4459.2

125350
X= 3318761.55
Y= 16242286.73
H= 4458.9

1015 125375
X= 3318786.31
Y= 16242290.22
H= 4459.0

125400
X= 3318811.07
Y= 16242293.71
H= 4458.6

125425
X= 3318835.83
Y= 16242297.20
H= 4458.6

125450
X= 3318860.58
Y= 16242300.69
H= 4458.2

125475
X= 3318885.34
Y= 16242304.18
H= 4458.0

1020 125500
X= 3318910.10
Y= 16242307.67
H= 4458.0

125525
X= 3318934.86
Y= 16242311.16
H= 4457.6

125550
X= 3318959.62
Y= 16242314.65
H= 4457.5

125575
X= 3318984.37
Y= 16242318.14
H= 4457.5

125600
X= 3319008.69
Y= 16242324.01
H= 4457.0

1025 125625
X= 3319033.00
Y= 16242329.86
H= 4456.7

125650
X= 3319057.30
Y= 16242335.71
H= 4456.0

125675
X= 3319081.61
Y= 16242341.56
H= 4455.7

125700
X= 3319105.92
Y= 16242347.41
H= 4455.3

125725
X= 3319130.23
Y= 16242353.26
H= 4454.9

1030 125750
X= 3319154.54
Y= 16242359.11
H= 4454.4

125775
X= 3319178.84
Y= 16242364.96
H= 4454.0

125800
X= 3319203.15
Y= 16242370.81
H= 4453.6

125825
X= 3319227.46
Y= 16242376.66
H= 4453.3

125850
X= 3319251.77
Y= 16242382.51
H= 4453.0

1035 125875
X= 3319276.08
Y= 16242388.36
H= 4453.0

125900
X= 3319300.38
Y= 16242394.21
H= 4452.8

125925
X= 3319324.69
Y= 16242400.06
H= 4452.4

125950
X= 3319349.00
Y= 16242405.91
H= 4452.0

125975
X= 3319373.31
Y= 16242411.76
H= 4451.6

1040 126000
X= 3319397.62
Y= 16242417.61
H= 4451.1

126025
X= 3319421.92
Y= 16242423.46
H= 4450.6

126050
X= 3319446.23
Y= 16242429.31
H= 4450.6

126075
X= 3319470.54
Y= 16242435.16
H= 4450.2

126100
X= 3319494.85
Y= 16242441.01
H= 4449.6

1045 126125
X= 3319519.16
Y= 16242446.86
H= 4449.5

126150
X= 3319543.46
Y= 16242452.71
H= 4449.4

126175
X= 3319567.68
Y= 16242459.03
H= 4448.0

126200
X= 3319591.90
Y= 16242465.26
H= 4447.9

126225
X= 3319616.11
Y= 16242471.49
H= 4447.7

1050 126250
X= 3319640.33
Y= 16242477.72
H= 4447.2

126275
X= 3319664.54
Y= 16242483.95
H= 4446.6

126300
X= 3319688.76
Y= 16242490.18
H= 4446.7

126325
X= 3319712.97
Y= 16242496.41
H= 4446.0

126350
X= 3319737.19
Y= 16242502.64
H= 4445.6

1055 126375
X= 3319761.40
Y= 16242508.87
H= 4445.2

126400
X= 3319785.62
Y= 16242515.10
H= 4444.7

装

装

订

订

线

线

126425
 X= 3319809.83
 Y= 16242521.33
 H= 4444.1

126450
 X= 3319834.05
 Y= 16242527.56
 H= 4449.7

126475
 X= 3319858.26
 Y= 16242533.79
 H= 4443.1

126500
 X= 3319882.48
 Y= 16242540.02
 H= 4442.7

126525
 X= 3319906.69
 Y= 16242546.25
 H= 4442.3

126550
 X= 3319930.91
 Y= 16242552.48
 H= 4441.9

126575
 X= 3319955.12
 Y= 16242558.71
 H= 4441.4

126600
 X= 3319979.34
 Y= 16242564.94
 H= 4441.0

126625
 X= 3320003.55
 Y= 16242571.17
 H= 4440.6

126650
 X= 3320027.77
 Y= 16242577.40
 H= 4439.9

126675
 X= 3320051.98
 Y= 16242583.63
 H= 4439.7

126700
 X= 3320076.20
 Y= 16242589.86
 H= 4439.1

126725
 X= 3320100.41
 Y= 16242596.09
 H= 4438.9

126750
 X= 3320124.63
 Y= 16242602.32
 H= 4438.7

126775
 X= 3320148.84
 Y= 16242608.55
 H= 4438.7

126800
 X= 3320173.06
 Y= 16242614.78
 H= 4438.1

126825
 X= 3320197.27
 Y= 16242621.01
 H= 4437.5

126850
 X= 3320221.49
 Y= 16242627.24
 H= 4436.7

126875
 X= 3320245.70
 Y= 16242633.47
 H= 4435.9

126900
 X= 3320269.92
 Y= 16242639.70
 H= 4435.7

126925
 X= 3320294.13
 Y= 16242645.93
 H= 4435.1

126950
 X= 3320318.35
 Y= 16242652.16
 H= 4434.7

126975
 X= 3320342.56
 Y= 16242658.39
 H= 4434.2

127000
 X= 3320366.53
 Y= 16242665.47
 H= 4434.4

127025
 X= 3320390.47
 Y= 16242672.66
 H= 4434.7

127050
 X= 3320414.42
 Y= 16242679.85
 H= 4432.6

127075
 X= 3320438.37
 Y= 16242687.04
 H= 4431.0

127100
 X= 3320462.32
 Y= 16242694.23
 H= 4431.4

127125
 X= 3320486.27
 Y= 16242701.42
 H= 4431.0

127150
 X= 3320510.21
 Y= 16242708.61
 H= 4430.7

127175
 X= 3320534.16
 Y= 16242715.80
 H= 4430.1

127200
 X= 3320558.11
 Y= 16242722.99
 H= 4430.0

127225
 X= 3320582.06
 Y= 16242730.18
 H= 4429.7

127250
 X= 3320606.01
 Y= 16242737.37
 H= 4429.4

127275
 X= 3320629.95
 Y= 16242744.56
 H= 4429.0

127300
 X= 3320653.90
 Y= 16242751.75
 H= 4428.6

127325
 X= 3320677.85
 Y= 16242758.94
 H= 4428.3

127350
 X= 3320701.80
 Y= 16242766.13
 H= 4428.1

127375
 X= 3320725.75
 Y= 16242773.32
 H= 4427.7

127400
 X= 3320749.69
 Y= 16242780.51
 H= 4427.4

1060

1075

1070

1095

1080

1065

装

订

线

LOW STATION NUMBERS, LOW FFIDS = SOUTH END
HI " " " " , HI " = NORTH "

C (LINE 6)

Has PROBLEMS
REGARDING FFID 3

SOURCE
OFFSET
(m)

OK 1A 21 JUL 94

OK 1A 21 JUL 94

Tape #	FFID	Sbource Acq	StaNum Proc	Chan Acq	StaNum Proc	Chan Acq	StaNum Proc	Uphole	Charge	Shot Hole(s) Num X m	Shot Time		CC Pass 1	Mgmt CK	# Bad Chan	CC Pass 2	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes? X-T/Veh/Dri/Air/Wnd	Reflections? MHT/Moho/Other	
											Watch	GPS					ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct			
	1		WIND		240		1	WIND		28	9:28:26																
	2		248		240		1	10.3	50 kg	35	11:31:58																
	3	WZD	256		248		9	11.2	50 kg																		
	4		368		248		9	12.1	200	225 2:30	12:23:32																
	5	WZD	264		256		17	8.5	50	25	12:42:44																
	6	WZD	272		264		25	13.5	50	35	12:53:04																
	7	W50	280		272		33	10.1	50	28	13:12:33																
	8	W50	288		280		41	10.6	50	33	13:18:15																
	9	W5	296		288		49	12.6	50	30	13:29:16																
Z	10	WS	304		296		57	11.9	50	25	13:47:12																
	11	WS	312		304		65	8.1	50	27	13:53:24	12:53:24															
	12		WIND		304		65	WIND																			

Total kg = 13050

C (LINE 6)

Has Problems Reading FFID 15, 17 } DID NOT EXIST

X's SHOT DID NOT GO B/C WIRGS WERE VANDALIZED

D. ALSDORF

NO SHOTS ON 21 JUL 84

Date: 22 JUL 84 Julian: 203

SOURCE OFFSET

240 OR 17A 29 JUL 84 OR 17A 29 JUL 84

OB-a	Tape #	FFID	Source StaNum		Chan StaNum		Uphole	Charge	Shot Hole(s) Num X m	Shot Time		CC Pass 1	Mgmt OK	# Bad Chan	CC Pass 2	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes? X-T/Veh/Dr/Air/Wnd	Reflections? MHT/Moho/Other		
			Acq	Proc	Acq	Proc				Acq	Proc					Watch	GPS	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N			Speed	Direct
	3	13		WIND		73																					
		14	E50	320		312		73	1 x 25	8:18:39																	
		15		328		320		81				X															
		16	W10	336		328		89	1 x 25	8:58:22																	
		17		334		336		97				X															
		18	E60	352		344		105	1 x 25	9:9:52																	
		19	W50	360		352		113	1 x 26	9:16:26																	
		20		487		369		130	25x27x3	9:48:40																	
		21		376		368		129	1 x 27	10:09:04																	
		22	W50	384		376		137	1 x 25	10:10:08																	
		23	W20	392		384		145	1 x 26	10:22:34																	
		24	W15	400		392		153	1 x 32	10:33:49																	
	4	25	E30	408		400		161	1 x 25	10:44:20																	
		26	E10	416		408		169	1 x 25	11:01:01																	
		27	W15	424		416		177	1 x 28	11:13:29																	
		28	W15	432		424		185	1 x 28	11:30:42																	
		29	W15	440		432		193	27	11:41:40																	
		30	W15	448		440		201	1 x 25	11:52:10																	
		31		456		448		209	1 x 30	12:12:57																	
		32	E20	464		456		217	1 x 30	12:18:42																	
	5	33		472		464		225	1 x 27	13:3:45																	
		34	E40	480		472		233	1 x 35	13:18:16																	
		35		607		489		250	4 x 35	13:37:30																	
		36	E15	496		480		245	1 x 30	13:42:59																	
		37	E15	504		496		257	1 x 27	13:55:36																	
		38		WIND		496		257	WIND																		

TRUCK MOVING ON LINE TOWARD NEAR OFFSETS AT CH 40 ; MOVING EAST

TRUCK IDLING ON LINE ; CH. 50

TRUCK MOVING ON LINE TOWARD FAR OFFSETS ; CH 36 ; MOVING EAST

SEEP MOVING ON LINE TOWARD NEAR OFFSETS ; CH 21 ; MOVING EAST

Total kg = 28 @ 50'

C (LINE 6)
SOURCE OFFSET FROM LINE (M)

OB-a											Archival Files				Scanned Amplitudes			Wind		Noise? OB notes?	Reflections?		
	Source StaNum	Chan 1 StaNum	Chan 240 StaNum					Shot Hole(s)	Shot Time	CC	Mgmt	# Bad	CC	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dri/Air/Wnd	MHT/Moho/Other
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num X m	Watch	GPS	Pass 1	OK	Chan	Pass 2							
6	39		WIND		265		504		WIND														
	40	S12	E13		265		504	11.0	50	1x28	8:7:10												
7	41	520	E20		273		512	10.3	50	1x26	8:15:23												
	42	528	E15		281		520	12.2	50	1x30	8:27:28												
	43	536			289		528	6.1	50	1x25	8:33:48												
	44	544	E20		297		536	11.2	50	1x35	8:40:28												
	45	552			305		544	10.1	50	1x29	8:47:44												
	46	560			313		552	8.3	50	1x25	8:53:28												
8	47	576	E5		329		568	10.5	50	1x35	9:40:35												
	48	584	E5		337		576		50	1x27	9:51:28												
	49	592			345		584	8.2	50	1x30	10:00:32												
9	50	600	W60		353		592	7.1	50	1x27	10:42:11												
	51	608			369		608	11.7	200	22,23,24,24	12:11:26												
	52	624	E55		361		600	7.3	50	1x30	12:17:39												
	53	628	E50		373		612	8.1	50	1x27	12:24:29												
	54	629	E55		388		627	10.5	50	28	12:38:53												
10	55	640			393		632	9.1	50	1x38	12:49:40												
	56	648	W5		401		640	6.2	50	1x26	12:56:54												
	57	656	W10		407		648		50	1x30	13:12:18												
	58	WAS ON CHINESE OR SHEET BUT NOT ON TAPE. ON CHINESE OR SHEET 58 WAS A WIND STRIP.																					

TRUCK ON LINE MOVING TOWARD NEGATIVE OFFSETS; CN 1

SPINNING AT 373, ACROSS CHANS 60-240 INTERMITTENTLY

21 @ 50 kg

SOURCE OFFSET FROM LINE (M)

(LINE 6)

Date: 29 JUL 94 Julian: 205

Line #	FFID	Acq	Source StaNum	Chan 1 StaNum	Chan 240 StaNum	Uphole	Charge	Shot Hole(s) Num X m	Shot Time Watch GPS	CC Pass 1	Mgmt OK	# Bad Chan	CC Pass 2	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes? X-T/Veh/Dri/Air/Wnd	Reflections? MHT/Moho/Other	
														ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct			
11	58		WIND	415	654		WIND	1x27	9:12:45															
	59		666	415	654	9.8	50	1x30	9:22:52															
	60	E30	672	425	664	12.0	50	1x26	9:40:09															
	61		684	429	668	12.1	50	1x28	9:47:29															
	62		620	432	678	12.0	50	1x28			X	NOT ON TAPE, NOT RECORDED												
	63		626	443	688		50	1x28																
	64		704	457	696	12.5	50	1x30	10:18:57															
	65		712	465	704	11.0	50	1x25	10:28:14															
	66		720	473	712	11.1	50	1x30	10:38:14															
	67		736	482	728	11.2	50	22	11:27:44															
	68	E5	747	494	733	12.9	50	23	11:38:46															
12	69	E15	752	505	744	15.4	50	22	12:27:24															
	70	E10	760	513	752		50	22	12:35:40															
	71		WIND	521	760																			

11@50kg

D. ALSDOERF

NO SHOOTING ON
25 JUL 29

Date: 26
JUL
29 Julian: 207

- 1) REPEATED FFID 81 ON TAPES 13 AND 14: WILL LIST HERE AS ON CHINSGG OR SNGST ON TAPE #14
- 2) FFID B3 ON SEG-D READ: FAILED ON TRACE 2, WAS READ W/ VARIABLE BLOCK SIZE

Page: 5 of 7 Line: 1-2-01

C (LINE 6)

SOURCE OFFSET FROM
LINE IN #1

OB-a		Source StaNum		Chan 1 StaNum		Chan 240 StaNum		Shot Hole(s)		Shot Time		CC	Mgmt	# Bad	CC	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes?	Reflections?		
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num X m	Watch	GPS	Pass 1	OK	Chan	Pass 2	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dir/Air/Wnd	MHT/Moho/Other	
13	72		WIND		489		728		WIND	F 28, 3-22																	
	73		848		487		728	14.3	200	? XZZ	8:29:46																
	74	ES	768		521		760	15.7	50	1XZZ	9:24:29																
	75		776		527		768	13.8	50	1XZA	9:32:55																
	76		78A		537		776	14.8	50	1XZZ	9:57:27																
	77	WS	792		545		78A	9.5	50	1XZ1	10:02:37																
	78	ES	800		553		792	13.1	50	1XZZ	10:22:36																
	79		808		561		800	12.8	80	1XZ1	10:34:37																
	80		816		569		808	9.2	50	1XZZ	10:43:54																
14	81		82A		577		816	11.1	50	1XZZ	11:13:40																
	82		83Z		585		82A	7.8	50	1XZZ	11:22:48																
	83		840		593		83Z		10	1X15	12:45:07																
	84		WIND		525		83Z		WIND																		

- IN FIELD THOUGHT ONLY 50 OF 200 kg FIRESD : COUNTED AS 50 kg

TRUCK ON LINE; CHAN 68 56 ; IDLING

41, 91 ; "

32, 73 ; "

17, MOVING TOWARD NEAR OFFSETS

85, 60 ; IDLING

COULD BE DRILLING
INDISE; SOMETHING?

- THIS WAS TERMED A) "TEST" SHOT. FIRST 10 kg SHOT

Total kg
10.2 @ 50 kg

C (LINE 6)

SOURCE OFFSET FROM LINE B

D. ALSDORF

No SHOOTING ON 29 JUL 29

Date: 28 JUL 04 Julian: 209

OB-a		Source StaNum		Chan 1 StaNum		Chan 240 StaNum		Shot Hole(s)		Shot Time		CC	Mgmt	# Bad	CC	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes?		Reflections?	
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num X m	Watch	GPS	Pass 1	CK	Chan	Pass 2	ProMAX	Disk SEG Y	Tape SEG Y	Max Amp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dril/Air/Wnd	MHT/Moho/Other	
15	85		WIND			609		848		WIND																	
	86	E 15	856			609		848	2.6	50																	
	87	E 15	864			617		856	9.5	10																	
	88	W 15	872			625		864	14.2	10																	
	89	W 20	880			633		872	8.5	10																	
	90	-	888			641		880	8.9	10																	
	91	E 10	896			649		888	10.2	10																	
	92	-	904			657		896	11.9	10																	
16	93	W 15	912			665		904	7.2	10																	
	94	-	926			673		912	13.2	10																	
	95	-	928			681		920	-	-																	
	96	-	936			689		928	11.3	10																	
	97	-	944			697		936	-	-																	
	98	-	WIND			705		944	-	WIND																	

TRUCK ON LINE MOVING TOWARD FAR OFFSETS; CHAN 180 = COULD BE WAVE 3 NOISE

TRUCK ON LINE; MOVING TOWARD NEAR OFFSETS; CHAN 180; OFF AT 305. FAR " " " " " " " " ALL TIMES

LISTED ON OB SHEET, NOT RECORDED B/C DYNAMITE WIRES WERE PULLED

LISTED ON CHARGE OB SHEET, NOT RECORDED B/C DYNAMITE WIRE WAS PULLED

$$\begin{aligned}
 \text{TOTAL Kg} &= 140 \text{ Kg} \\
 &\div 30 \\
 &= 2.8
 \end{aligned}$$

C (LINE 6)
SOURCE OFFSET FROM LINE

Date: 29 JUL 94
Julian: 210

DB-a		Source StaNum		Chan 1 StaNum		Chan 240 StaNum		Shot Hole(s)		Shot Time		CC	Mgmt	# Bad	CC	Archival Files			Scanned Amplitudes		Wind		Noise? OB notes?	Reflections?				
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num	X m	Watch	GFS	Pass 1	OK	Chan	Pass 2	ProMAX	Disk SEGY	Tape SEGY	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dri/Air/Wnd	MHT/Moho/Other	
17	99	-	WIND		705		944		WIND																			
	100	-	952		705		944	10.3	10	15		9:14:16																
	101	E10	960		713		952	9.8	10	1x15		9:19:34																
	102	-	968		721		960	11.5	40	4x15		9:26:49																
	103	E5	976		729		968	6.1	10	1x15		9:32:37																
	104	E5	984		737		976	11.4	10	1x15		9:41:6																
	105	-	992		745		984																					
	106	E10	1000		753		992	11.7	10	1x15		10:30:14																
	107	E30	1008		761		1000	9.5	10	1x15		10:36:32																
	108	E5	1016		769		1008	6.1	10	1x15		10:52:15																
	109	E10	1024		777		1016	8.1	10	1x15		11:02:39																
18	110	-	1032		785		1024	6.1	10	1x15		11:14:49																
	111	-	1040		793		1032	-	-	-		-																
	112	-	1048		801		1040	-	-	-		-																
	113	-	1056		809		1048	11.3	10	1x15		12:11:30																
	114	-	1064		817		1056	-	WIND	-		-																

NASTY AIR WAVE
STRANGE REFLECTING AT 33%, 47%

LISTED ON CHINSEE DS SNGST NOT RECORDED B/C DYNAMITE WIRES WERE PULLED
TRUCK ON LINE CHAN 101; OFF AT 23.3.

NASTY AIR WAVE; TRUCK ON LINE CHAN 156
LISTED ON CHINSEE DS SNGST, NOT RECORDED B/C DYNAMITE WIRES WERE PULLED

TOTAL kg = 140
÷ 50
2.8