

Transit traverse Survey
经纬仪导线计算

线号

第 1 页

羊八井工区

Yang Ba Jing Work Area

座林授林经纬度

TIB 6 TIB 7 TIB 8

LIN EC, LIN ED, LIN EDc,

备注:

经纬度单位是大进制制(度分秒)

Note:

The conversion of ~~the~~ ^{units} of the longitude and
latitude is based on the sexagesimal
system

TIB 8

装

订

线

经纬仪导线计算

第 页

线号 _____

第 5 页

LINED_c

TIB 8

OK

①

经纬仪导线计算

线号 _____

XY CHANGE BL
 PN: 112600
 L1= 93
 L2= 0
 X1= 3323020.36
 Y1= 16256192.6
 B= 30.00051661
 L= 90.28248077

504

PN: 108075
 L1= 93
 L2= 0
 X1= 3325964.97
 Y1= 16252794.78
 B= 30.01382472
 L= 90.26157009

323

PN: 113075
 L1= 93
 L2= 0
 X1= 3322644.01
 Y1= 16256482.44
 B= 29.59531634
 L= 90.28359204

523

PN: 111950
 L1= 93
 L2= 0
 X1= 3323535.04
 Y1= 16255795.65
 B= 30.00215796
 L= 90.28095876

478

PN: 107225
 L1= 93
 L2= 0
 X1= 3326733.29
 Y1= 16252431.34
 B= 30.0202909
 L= 90.26015082

289

PN: 111100
 L1= 93
 L2= 0
 X1= 3324118.45
 Y1= 16255177.49
 B= 30.00400635
 L= 90.27460631

444

PN: 106575
 L1= 93
 L2= 0
 X1= 3327354.64
 Y1= 16252240.7
 B= 30.02229281
 L= 90.25538799

263

T1B 8

PN: 110650
 L1= 93
 L2= 0
 X1= 3324410.52
 Y1= 16254835.15
 B= 30.00492926
 L= 90.27330598

426

PN: 105400
 L1= 93
 L2= 0
 X1= 3328424.65
 Y1= 16251755.45
 B= 30.02572874
 L= 90.25348883

216

PN: 109975
 L1= 93
 L2= 0
 X1= 3324828.86
 Y1= 16254305.41
 B= 30.01024829
 L= 90.27129649

399

PN: 104250
 L1= 93
 L2= 0
 X1= 3329492.48
 Y1= 16251328.81
 B= 30.03316179
 L= 90.25180804

170

PN: 109550
 L1= 93
 L2= 0
 X1= 3325080.34
 Y1= 16253962.79
 B= 30.01103941
 L= 90.26599832

382

PN: 103825
 L1= 93
 L2= 0
 X1= 3329871.25
 Y1= 16251135.99
 B= 30.03437647
 L= 90.25105704

BEGINNING
153

PN: 108850
 L1= 93
 L2= 0
 X1= 3325432.29
 Y1= 16253357.68
 B= 30.01213744
 L= 90.26371313

354

PN: 113700
 L1= 93
 L2= 0
 X1= 3322100.23
 Y1= 16256790.61
 B= 29.59357414
 L= 90.2847853

548 END

经

算

线号

第 页



104175	X= 3329559.32
	Y= 16251294.79
	H= 4401.5
104150	X= 3329581.60
	Y= 16251283.45
	H= 4402.7
104125	X= 3329603.89
	Y= 16251272.11
	H= 4404.2
104100	X= 3329626.17
	Y= 16251260.77
	H= 4405.6
104075	X= 3329648.45
	Y= 16251249.43
	H= 4407.0
104050	X= 3329670.73
	Y= 16251238.09
	H= 4408.7
104025	X= 3329693.01
	Y= 16251226.75
	H= 4410.3
104000	X= 3329715.29
	Y= 16251215.41
	H= 4411.9
103975	X= 3329737.57
	Y= 16251204.07
	H= 4413.3
103950	X= 3329759.85
	Y= 16251192.73
	H= 4415.2
103925	X= 3329782.13
	Y= 16251181.39
	H= 4416.8
103900	X= 3329804.41
	Y= 16251170.05
	H= 4418.8
103875	X= 3329826.70
	Y= 16251158.71
	H= 4420.3
103850	X= 3329848.98
	Y= 16251147.37
	H= 4422.0
103825	X= 3329871.26
	Y= 16251136.03
	H= 4423.9

104225	X= 3329514.76
	Y= 16251317.47
	H= 4399.0
104200	X= 3329537.04
	Y= 16251306.13
	H= 4400.6

165

160

155

153

25

25

84

104600
X= 3329167.50
Y= 16251458.81
H= 4379.7

104575
X= 3329190.72
Y= 16251449.54
H= 4381.1

104550
X= 3329213.93
Y= 16251440.27
H= 4382.4

104525
X= 3329237.14
Y= 16251431.00
H= 4383.5

104500
X= 3329260.36
Y= 16251421.73
H= 4384.4

104475
X= 3329283.57
Y= 16251412.46
H= 4385.2

104450
X= 3329306.79
Y= 16251403.19
H= 4386.5

104425
X= 3329330.00
Y= 16251393.92
H= 4388.2

104400
X= 3329353.21
Y= 16251384.65
H= 4389.8

104375
X= 3329376.43
Y= 16251375.38
H= 4391.3

104350
X= 3329399.64
Y= 16251366.11
H= 4392.6

104325
X= 3329422.86
Y= 16251356.84
H= 4393.7

104300
X= 3329446.07
Y= 16251347.57
H= 4395.0

104275
X= 3329469.28
Y= 16251338.30
H= 4396.2

104250
X= 3329492.50
Y= 16251329.03
H= 4397.7

180

175

170

105000
X= 3328796.08
Y= 16251607.13
H= 4362.3

104975
X= 3328819.29
Y= 16251597.86
H= 4363.4

104950
X= 3328842.51
Y= 16251588.59
H= 4364.2

104925
X= 3328865.72
Y= 16251579.32
H= 4364.9

104900
X= 3328888.93
Y= 16251570.05
H= 4366.4

104875
X= 3328912.15
Y= 16251560.78
H= 4367.0

104850
X= 3328935.36
Y= 16251551.51
H= 4367.7

104825
X= 3328958.58
Y= 16251542.24
H= 4368.9

104800
X= 3328981.79
Y= 16251532.97
H= 4369.9

104775
X= 3329005.00
Y= 16251523.70
H= 4371.0

104750
X= 3329028.22
Y= 16251514.43
H= 4372.7

104725
X= 3329051.43
Y= 16251505.16
H= 4373.5

104700
X= 3329074.65
Y= 16251495.89
H= 4375.0

104675
X= 3329097.86
Y= 16251486.62
H= 4376.2

104650
X= 3329121.07
Y= 16251477.35
H= 4377.4

104625
X= 3329144.29
Y= 16251468.08
H= 4378.4

200

196

190

186

105000
X= 3328724.65
Y= 16251755.45
H= 4347.4

105375
X= 3328447.87
Y= 16251746.18
H= 4347.9

105350
X= 3328471.08
Y= 16251736.91
H= 4349.6

105325
X= 3328494.30
Y= 16251727.64
H= 4350.0

105300
X= 3328517.51
Y= 16251718.37
H= 4351.0

105275
X= 3328540.72
Y= 16251709.10
H= 4351.9

105250
X= 3328563.94
Y= 16251699.83
H= 4352.7

105225
X= 3328587.15
Y= 16251690.56
H= 4353.5

105200
X= 3328610.37
Y= 16251681.29
H= 4354.6

105175
X= 3328633.58
Y= 16251672.02
H= 4355.4

105150
X= 3328656.79
Y= 16251662.75
H= 4356.5

105125
X= 3328680.01
Y= 16251653.48
H= 4357.6

105100
X= 3328703.22
Y= 16251644.21
H= 4358.7

105075
X= 3328726.44
Y= 16251634.94
H= 4359.8

105050
X= 3328749.65
Y= 16251625.67
H= 4360.5

105025
X= 3328772.86
Y= 16251616.40
H= 4361.6

215

210

206

.....装.....装.....订.....订.....线.....线.....

2

2

22

25

1

1

220

11

11

2

853

105800
 X= 3328060.38
 Y= 16251920.78
 H= 4775.4

105775
 X= 3328083.15
 Y= 16251910.46
 H= 4775.9

105750
 X= 3328105.91
 230 Y= 16251900.14
 H= 4776.6

105725
 X= 3328128.68
 Y= 16251889.82
 H= 4776.8

1 X= 3328151.45
 Y= 16251879.50
 H= 4777.6

105675
 X= 3328174.21
 Y= 16251869.18
 H= 4778.2

105650
 X= 3328196.98
 Y= 16251858.86
 H= 4778.9

105625
 X= 3328219.74
 225 Y= 16251848.54
 H= 4779.0

105600
 X= 3328242.51
 Y= 16251838.22
 H= 4779.9

105575
 X= 3328265.28
 Y= 16251827.90
 H= 4779.8

105550
 X= 3328288.04
 220 Y= 16251817.58
 H= 4779.7

105525
 X= 3328310.81
 Y= 16251807.26
 H= 4779.6

105500
 X= 3328333.57
 220 Y= 16251796.94
 H= 4779.4

105475
 X= 3328356.34
 Y= 16251786.62
 H= 4779.1

105450
 X= 3328379.11
 Y= 16251776.30
 H= 4778.9

105425
 X= 3328401.87
 Y= 16251765.98
 H= 4778.7

106200
 X= 3327696.13
 Y= 16252085.90
 H= 4776.2

106175
 X= 3327718.89
 Y= 16252075.58
 H= 4776.7

106150
 X= 3327741.66
 Y= 16252065.26
 H= 4776.8

106125
 X= 3327764.42
 249 Y= 16252054.94
 H= 4776.7

106100
 X= 3327787.19
 Y= 16252044.62
 H= 4776.0

106075
 X= 3327809.96
 Y= 16252034.30
 H= 4776.7

106050
 X= 3327832.72
 Y= 16252023.98
 H= 4776.5

106025
 X= 3327855.49
 Y= 16252013.66
 H= 4776.3

106000
 X= 3327878.25
 240 Y= 16252003.34
 H= 4776.6

105975
 X= 3327901.02
 Y= 16251993.02
 H= 4776.8

105950
 X= 3327923.79
 Y= 16251982.70
 H= 4776.8

105925
 X= 3327946.55
 Y= 16251972.38
 H= 4776.5

105900
 X= 3327969.32
 Y= 16251962.06
 H= 4776.1

105875
 X= 3327992.08
 235 Y= 16251951.74
 H= 4776.5

105850
 X= 3328014.85
 Y= 16251941.42
 H= 4776.0

105825
 X= 3328037.62
 Y= 16251931.10
 H= 4776.6

106600
 X= 3327330.74
 Y= 16252248.09
 H= 4725.2

106575
 X= 3327354.64
 Y= 16252240.70
 H= 4726.2

106550
 X= 3327377.40
 Y= 16252230.38
 H= 4726.7

106525
 X= 3327400.17
 Y= 16252220.06
 H= 4726.4

106500
 X= 3327422.93
 260 Y= 16252209.74
 H= 4726.2

106475
 X= 3327445.70
 Y= 16252199.42
 H= 4726.0

106450
 X= 3327468.47
 Y= 16252189.10
 H= 4726.8

106425
 X= 3327491.23
 Y= 16252178.78
 H= 4726.7

106400
 X= 3327514.00
 Y= 16252168.46
 H= 4726.9

106375
 X= 3327536.76
 255 Y= 16252158.14
 H= 4727.7

106350
 X= 3327559.53
 Y= 16252147.82
 H= 4727.7

106325
 X= 3327582.30
 Y= 16252137.50
 H= 4727.5

106300
 X= 3327605.06
 Y= 16252127.18
 H= 4727.7

106275
 X= 3327627.83
 Y= 16252116.86
 H= 4727.7

106250
 X= 3327650.59
 250 Y= 16252106.54
 H= 4727.8

106225
 X= 3327673.36
 Y= 16252096.22
 H= 4727.0

装

装

订

订

线

线

25

4

86

107000
 X= 3326948.37
 Y= 16252365.37
 H= 43184

106975
 X= 3326972.27
 Y= 16252358.04
 H= 43186

106950
 X= 3326996.16
 Y= 16252350.71
 H= 43189

106925
 X= 3327020.06
 Y= 16252343.38
 H= 43197

106900
 X= 3327043.96
 Y= 16252336.05
 H= 43195

106875
 X= 3327067.86
 Y= 16252328.72
 H= 4321.1

106850
 X= 3327091.76
 Y= 16252321.39
 H= 4321.2

106825
 X= 3327115.65
 Y= 16252314.06
 H= 4320.9

106800
 X= 3327139.55
 Y= 16252306.73
 H= 4320.0

106775
 X= 3327163.45
 Y= 16252299.40
 H= 4320.9

106750
 X= 3327187.35
 Y= 16252292.07
 H= 4321.0

106725
 X= 3327211.25
 Y= 16252284.74
 H= 4322.0

106700
 X= 3327235.14
 Y= 16252277.41
 H= 4322.0

106675
 X= 3327259.04
 Y= 16252270.08
 H= 4322.1

106650
 X= 3327282.94
 Y= 16252262.75
 H= 4322.8

106625
 X= 3327306.84
 Y= 16252255.42
 H= 4323.4

107400
 X= 3326575.09
 Y= 16252506.15
 H= 4313.1

107375
 X= 3326597.69
 Y= 16252495.46
 H= 4313.4

107350
 X= 3326620.29
 Y= 16252484.77
 H= 4313.9

107325
 X= 3326642.88
 Y= 16252474.08
 H= 4314.7

107300
 X= 3326665.48
 Y= 16252463.39
 H= 4314.7

107275
 X= 3326688.08
 Y= 16252452.70
 H= 4315.2

107250
 X= 3326710.67
 Y= 16252442.01
 H= 4315.4

107225
 X= 3326733.29
 Y= 16252431.34
 H= 4316.0

107200
 X= 3326757.18
 Y= 16252424.01
 H= 4316.4

107175
 X= 3326781.08
 Y= 16252416.68
 H= 4316.6

107150
 X= 3326804.98
 Y= 16252409.35
 H= 4316.6

107125
 X= 3326828.88
 Y= 16252402.02
 H= 4317.2

107100
 X= 3326852.78
 Y= 16252394.69
 H= 4317.4

107075
 X= 3326876.67
 Y= 16252387.36
 H= 4318.4

107050
 X= 3326900.57
 Y= 16252380.03
 H= 4318.4

107025
 X= 3326924.47
 Y= 16252372.70
 H= 4318.2

107800
 X= 3326213.54
 Y= 16252677.19
 H= 4308.9

107775
 X= 3326236.14
 Y= 16252666.50
 H= 4310.0

107750
 X= 3326258.73
 Y= 16252655.81
 H= 4310.2

107725
 X= 3326281.33
 Y= 16252645.12
 H= 4310.4

107700
 X= 3326303.93
 Y= 16252634.43
 H= 4309.9

107675
 X= 3326326.53
 Y= 16252623.74
 H= 4310.0

107650
 X= 3326349.12
 Y= 16252613.05
 H= 4310.4

107625
 X= 3326371.72
 Y= 16252602.36
 H= 4310.8

107600
 X= 3326394.32
 Y= 16252591.67
 H= 4310.9

107575
 X= 3326416.91
 Y= 16252580.98
 H= 4311.1

107550
 X= 3326439.51
 Y= 16252570.29
 H= 4311.4

107525
 X= 3326462.11
 Y= 16252559.60
 H= 4311.7

107500
 X= 3326484.70
 Y= 16252548.91
 H= 4312.1

107475
 X= 3326507.30
 Y= 16252538.22
 H= 4312.5

107450
 X= 3326529.90
 Y= 16252527.53
 H= 4312.5

107425
 X= 3326552.50
 Y= 16252516.84
 H= 4312.9

装

装

订

订

线

线

32

1

1

316

11

10

200

275

270

265

295

210

285

310

305

300

108200
 X= 3325879.05
 Y= 16252885.52
 H= 43065

108175
 X= 3325896.23
 Y= 16252867.36
 H= 43067

108150
 X= 3325913.42
 Y= 16252849.20
 H= 43068

108125
 X= 3325930.60
 Y= 16252831.04
 H= 43072

108100
 X= 3325947.78
 Y= 16252812.88
 H= 43077

108075
 X= 3325964.97
 Y= 16252794.78
 H= 43082

108050
 X= 3325987.57
 Y= 16252784.09
 H= 43084

108025
 X= 3326010.17
 Y= 16252773.40
 H= 43086

108000
 X= 3326032.76
 Y= 16252762.71
 H= 43074

107975
 X= 3326055.36
 Y= 16252752.02
 H= 43087

107950
 X= 3326077.96
 Y= 16252741.33
 H= 43085

107925
 X= 3326100.56
 Y= 16252730.64
 H= 43087

107900
 X= 3326123.15
 Y= 16252719.95
 H= 43089

107875
 X= 3326145.75
 Y= 16252709.26
 H= 43078

107850
 X= 3326168.35
 Y= 16252698.57
 H= 43081

107825
 X= 3326190.94
 Y= 16252687.88
 H= 43083

108600
 X= 3325604.12
 Y= 16253176.08
 H= 43040

108575
 X= 3325621.31
 Y= 16253157.92
 H= 43049

108550
 X= 3325638.49
 Y= 16253139.76
 H= 43051

108525
 X= 3325655.67
 Y= 16253121.60
 H= 43047

108500
 X= 3325672.86
 Y= 16253103.44
 H= 43050

108475
 X= 3325690.04
 Y= 16253085.28
 H= 43051

108450
 X= 3325707.22
 Y= 16253067.12
 H= 43056

108425
 X= 3325724.40
 Y= 16253048.96
 H= 43056

108400
 X= 3325741.59
 Y= 16253030.80
 H= 43056

108375
 X= 3325758.77
 Y= 16253012.64
 H= 43059

108350
 X= 3325775.95
 Y= 16252994.48
 H= 43064

108325
 X= 3325793.14
 Y= 16252976.32
 H= 43061

108300
 X= 3325810.32
 Y= 16252958.16
 H= 43064

108275
 X= 3325827.50
 Y= 16252940.00
 H= 43066

108250
 X= 3325844.69
 Y= 16252921.84
 H= 43066

108225
 X= 3325861.87
 Y= 16252903.68
 H= 43066

109000
 X= 3325356.88
 Y= 16253487.37
 H= 43076

108975
 X= 3325369.45
 Y= 16253465.76
 H= 43078

108950
 X= 3325382.02
 Y= 16253444.15
 H= 43076

108925
 X= 3325394.59
 Y= 16253422.54
 H= 43078

108900
 X= 3325407.16
 Y= 16253400.93
 H= 43078

108875
 X= 3325419.73
 Y= 16253379.32
 H= 43078

108850
 X= 3325432.29
 Y= 16253357.68
 H= 43074

108825
 X= 3325449.48
 Y= 16253339.52
 H= 43079

108800
 X= 3325466.66
 Y= 16253321.36
 H= 43076

108775
 X= 3325483.84
 Y= 16253303.20
 H= 43077

108750
 X= 3325501.03
 Y= 16253285.04
 H= 43079

108725
 X= 3325518.21
 Y= 16253266.88
 H= 43079

108700
 X= 3325535.39
 Y= 16253248.72
 H= 43078

108675
 X= 3325552.57
 Y= 16253230.56
 H= 43079

108650
 X= 3325569.76
 Y= 16253212.40
 H= 43078

108625
 X= 3325586.94
 Y= 16253194.24
 H= 43078

装

订

线

装

订

线

325

340

365

320

335

350

315

330

345

6

88

109400
 X= 3325155.76
 Y= 16253833.13
 H= 4307.2

109375
 X= 3325168.33
 Y= 16253811.52
 H= 4307.4

109350
 X= 3325180.90
 Y= 16253789.91
 H= 4307.3

109325
 X= 3325193.47
 Y= 16253768.30
 H= 4307.7

109300
 X= 3325206.04
 Y= 16253746.69
 H= 4307.4

109275
 X= 3325218.61
 Y= 16253725.08
 H= 4307.4

109250
 X= 3325231.18
 Y= 16253703.47
 H= 4307.4

109225
 X= 3325243.75
 Y= 16253681.86
 H= 4307.7

109200
 X= 3325256.32
 Y= 16253660.25
 H= 4307.8

109175
 X= 3325268.89
 Y= 16253638.64
 H= 4307.1

109150
 X= 3325281.46
 Y= 16253617.03
 H= 4307.1

109125
 X= 3325294.03
 Y= 16253595.42
 H= 4307.2

109100
 X= 3325306.60
 Y= 16253573.81
 H= 4307.3

109075
 X= 3325319.17
 Y= 16253552.20
 H= 4307.3

109050
 X= 3325331.74
 Y= 16253530.59
 H= 4307.7

109025
 X= 3325344.31
 Y= 16253508.98
 H= 4307.7

109800
 X= 3324932.41
 Y= 16254164.36
 H= 4307.3

109775
 X= 3324947.20
 Y= 16254144.21
 H= 4307.7

109750
 X= 3324962.00
 Y= 16254124.06
 H= 4307.7

109725
 X= 3324976.79
 Y= 16254103.91
 H= 4307.9

109700
 X= 3324991.58
 Y= 16254083.76
 H= 4307.1

109675
 X= 3325006.38
 Y= 16254063.61
 H= 4307.4

109650
 X= 3325021.17
 Y= 16254043.46
 H= 4307.3

109625
 X= 3325035.96
 Y= 16254023.31
 H= 4307.2

109600
 X= 3325050.75
 Y= 16254003.16
 H= 4307.6

109575
 X= 3325065.55
 Y= 16253983.01
 H= 4307.6

109550
 X= 3325080.34
 Y= 16253962.79
 H= 4307.9

109525
 X= 3325092.91
 Y= 16253941.18
 H= 4307.7

109500
 X= 3325105.48
 Y= 16253919.57
 H= 4307.1

109475
 X= 3325118.05
 Y= 16253897.96
 H= 4307.3

109450
 X= 3325130.62
 Y= 16253876.35
 H= 4307.1

109425
 X= 3325143.19
 Y= 16253854.74
 H= 4307.1

110200
 X= 3324689.41
 Y= 16254481.99
 H= 4300.1

110175
 X= 3324704.91
 Y= 16254462.37
 H= 4300.1

110150
 X= 3324720.40
 Y= 16254442.75
 H= 4300.1

110125
 X= 3324735.89
 Y= 16254423.13
 H= 4300.3

110100
 X= 3324751.39
 Y= 16254403.51
 H= 4300.4

110075
 X= 3324766.88
 Y= 16254383.89
 H= 4300.6

110050
 X= 3324782.38
 Y= 16254364.27
 H= 4299.8

110025
 X= 3324797.87
 Y= 16254344.65
 H= 4300.4

110000
 X= 3324813.36
 Y= 16254325.03
 H= 4300.4

109975
 X= 3324828.86
 Y= 16254305.41
 H= 4301.2

109950
 X= 3324843.65
 Y= 16254285.26
 H= 4301.0

109925
 X= 3324858.45
 Y= 16254265.11
 H= 4301.1

109900
 X= 3324873.24
 Y= 16254244.96
 H= 4300.8

109875
 X= 3324888.03
 Y= 16254224.81
 H= 4300.9

109850
 X= 3324902.82
 Y= 16254204.66
 H= 4301.2

109825
 X= 3324917.62
 Y= 16254184.51
 H= 4301.3

6

装 订 线

6

装
订
线

110600 X= 3324441.51 Y= 16254795.91 H= 4299.8	110975 X= 3324199.58 Y= 16255082.39 H= 4297.6	111400 X= 3323912.54 Y= 16255395.69 H= 4299.1
110575 X= 3324457.00 Y= 16254776.29 H= 4299.4	110975 X= 3324199.58 Y= 16255082.39 H= 4297.6	111375 X= 3323929.70 Y= 16255377.51 H= 4298.8
110550 X= 3324472.50 Y= 16254756.67 H= 4299.6	110950 X= 3324215.81 Y= 16255063.37 H= 4297.8	111350 X= 3323946.86 Y= 16255359.33 H= 4298.9
110525 X= 3324487.99 Y= 16254737.05 H= 4299.8	110925 X= 3324232.03 Y= 16255044.35 H= 4298.0	111325 X= 3323964.02 Y= 16255341.15 H= 4298.6
110500 X= 3324503.48 Y= 16254717.43 H= 4299.1	110900 X= 3324248.26 Y= 16255025.33 H= 4298.2	111300 X= 3323981.18 Y= 16255322.97 H= 4298.8
110475 X= 3324518.98 Y= 16254697.81 H= 4299.8	110875 X= 3324264.49 Y= 16255006.31 H= 4298.4	111275 X= 3323998.34 Y= 16255304.79 H= 4298.7
110450 X= 3324534.47 Y= 16254678.19 H= 4299.8	110850 X= 3324280.71 Y= 16254987.29 H= 4298.6	111250 X= 3324015.50 Y= 16255286.61 H= 4298.8
110425 X= 3324549.97 Y= 16254658.57 H= 4299.8	110825 X= 3324296.94 Y= 16254968.27 H= 4298.8	111225 X= 3324032.66 Y= 16255268.43 H= 4299.1
110400 X= 3324565.46 Y= 16254638.95 H= 4299.4	110800 X= 3324313.16 Y= 16254949.25 H= 4299.6	111200 X= 3324049.81 Y= 16255250.25 H= 4299.2
110375 X= 3324580.95 Y= 16254619.33 H= 4299.7	110775 X= 3324329.39 Y= 16254930.23 H= 4299.5	111175 X= 3324066.97 Y= 16255232.07 H= 4299.1
110350 X= 3324596.45 Y= 16254599.71 H= 4299.0	110750 X= 3324345.62 Y= 16254911.21 H= 4299.4	111150 X= 3324084.13 Y= 16255213.89 H= 4299.2
110325 X= 3324611.94 Y= 16254580.09 H= 4299.6	110725 X= 3324361.84 Y= 16254892.19 H= 4299.7	111125 X= 3324101.29 Y= 16255195.71 H= 4299.7
110300 X= 3324627.44 Y= 16254560.47 H= 4299.8	110700 X= 3324378.07 Y= 16254873.17 H= 4299.4	111100 X= 3324118.45 Y= 16255177.49 H= 4298.6
110275 X= 3324642.93 Y= 16254540.85 H= 4299.9	110675 X= 3324394.29 Y= 16254854.15 H= 4299.7	111075 X= 3324134.68 Y= 16255158.47 H= 4297.9
110250 X= 3324658.42 Y= 16254521.23 H= 4299.9	110650 X= 3324410.52 Y= 16254835.15 H= 4299.4	111050 X= 3324150.90 Y= 16255139.45 H= 4298.0
110225 X= 3324673.92 Y= 16254501.61 H= 4299.1	110625 X= 3324426.01 Y= 16254815.53 H= 4299.8	111025 X= 3324167.13 Y= 16255120.43 H= 4297.7

440

450

420

435

450

415

430

445

410

425

8

112625
 X= 3323000.00
 Y= 16256207.85
 H= 4297.6

112650
 X= 3322980.74
 Y= 16256223.10
 H= 4296.1

112675
 X= 3322960.94
 Y= 16256238.35
 H= 4296.1

112700
 X= 3322941.13
 Y= 16256253.60
 H= 4296.4

112725
 X= 3322921.32
 Y= 16256268.85
 H= 4297.2

112750
 X= 3322901.51
 Y= 16256284.10
 H= 4298.5

112775
 X= 3322881.70
 Y= 16256299.35
 H= 4297.9

112800
 X= 3322861.90
 Y= 16256314.60
 H= 4298.0

112825
 X= 3322842.09
 Y= 16256329.85
 H= 4298.7

112850
 X= 3322822.28
 Y= 16256345.10
 H= 4299.0

112875
 X= 3322802.47
 Y= 16256360.35
 H= 4299.6

112900
 X= 3322782.66
 Y= 16256375.60
 H= 4300.0

112925
 X= 3322762.86
 Y= 16256390.85
 H= 4300.5

112950
 X= 3322743.05
 Y= 16256406.10
 H= 4301.4

112975
 X= 3322723.24
 Y= 16256421.35
 H= 4302.0

113000
 X= 3322703.43
 Y= 16256436.60
 H= 4301.8

113025
 X= 3322683.62
 Y= 16256451.85
 H= 4302.2

113050
 X= 3322663.82
 Y= 16256467.10
 H= 4302.6

113075
 X= 3322644.01
 Y= 16256482.35
 H= 4303.6

113100
 X= 3322622.26
 Y= 16256494.77
 H= 4303.9

113125
 X= 3322600.51
 Y= 16256507.10
 H= 4302.7

113150
 X= 3322578.76
 Y= 16256519.43
 H= 4303.0

113175
 X= 3322557.01
 Y= 16256531.76
 H= 4303.6

113200
 X= 3322535.25
 Y= 16256544.09
 H= 4304.1

113225
 X= 3322513.50
 Y= 16256556.42
 H= 4304.9

113250
 X= 3322491.75
 Y= 16256568.75
 H= 4305.4

113275
 X= 3322470.00
 Y= 16256581.08
 H= 4305.8

113300
 X= 3322448.25
 Y= 16256593.41
 H= 4307.0

113325
 X= 3322426.50
 Y= 16256605.74
 H= 4307.7

113350
 X= 3322404.75
 Y= 16256618.07
 H= 4308.4

113375
 X= 3322383.00
 Y= 16256630.40
 H= 4309.4

113400
 X= 3322361.25
 Y= 16256642.73
 H= 4310.5

113425
 X= 3322339.50
 Y= 16256655.06
 H= 4310.8

113450
 X= 3322317.74
 Y= 16256667.39
 H= 4312.0

113475
 X= 3322295.99
 Y= 16256679.72
 H= 4312.8

113500
 X= 3322274.24
 Y= 16256692.05
 H= 4313.6

113525
 X= 3322252.49
 Y= 16256704.38
 H= 4314.4

113550
 X= 3322230.74
 Y= 16256716.71
 H= 4315.5

113575
 X= 3322208.99
 Y= 16256729.04
 H= 4316.4

113600
 X= 3322187.24
 Y= 16256741.37
 H= 4317.5

113625
 X= 3322165.49
 Y= 16256753.70
 H= 4318.6

113650
 X= 3322143.74
 Y= 16256766.03
 H= 4319.1

113675
 X= 3322121.99
 Y= 16256778.36
 H= 4320.0

113700
 X= 3322100.23
 Y= 16256790.69
 H= 4322.0

505
 507
 510
 515
 520

525
 530
 535

540
 545
 548

548
 25/113700
 125
 120
 100
 200

装
 订
 线

EAST ~~LINE 8~~ END IS HIGH STATION NUMBERS, HIGH FFIDS
 WEST ~~LINE 8~~ " " LOW " " LOW "

Page: 1 of 3

Line: 1-2- dc

(CROSS LINE INTERSECTING
 LINE d)

(LINE 8)

↳ SOURCE OFFSET FROM LINE (A)

Date: 7 AUG 94
 Julian: 219

OB-a		Source StaNum		Chan 1 StaNum		Chan 240 StaNum		Shot Hole(s)		Shot Time		CC	Mgmt	# Bad	CC	Archival Files			Scanned Amplitudes			Wind		Noise? OB notes?	Reflections?		
Tape #	FFID	Acq	Proc	Acq	Proc	Acq	Proc	Uphole	Charge	Num X m	Watch	GPS	Pass 1	CK	Chan	Pass 2	ProMAX	Disk SEG Y	Tape SEG Y	MaxAmp	Ambient	Shot S/N	Speed	Direct	X-T/Veh/Dri/Air/Wnd	MHT/Moho/Other	
1			WIND		153		322		WIND																		
2	N30	Z30		153		322	16.5	50	27	13:30:30																	
3	N30	Z31		153		322	11.9	50	15, 18	13:50:12																	
4	N10	Z40		153		322	14.5	50	18, 18	13:54:30																	
5		Z51		153		322	15.1	50	26	13:59:17																	
6		WIND		153		322			WIND																		

TRUCK MOVING ON LINE ; CH 220 ; TOWARD SHOT

Tot. kg 4 @ 50 kg

