
Texas Seismic Network (TexNet)


A. Savvaidis

PI Seismology and Manager of the Texas Seismological Network



Seismic Activity in Texas








Cumulative Seismicity in Texas

USGS Earthquake History ≥M2.7 in Three Texas Regions







Texas' Response to Public Concerns about Increasing Rates of Seismicity

March 2014 – Railroad Commission of Texas (RRC) hires a seismologist to provide technical support on earthquake issues

November 2014 – RRC issues new regulations designed to address disposal well operations in areas of historical or future seismic activity. Components include†:


- Applicants are required to search USGS seismic database for historical earthquakes within a circular area of 100 square miles around a proposed, new disposal well (~5.6 mile radius);
- Clarifying RRC's authority to modify, suspend or terminate a disposal well permit, or modify operations, if scientific data indicates a disposal well could be contributing to seismic activity;
- Increased disclosure of reported volumes and pressures, at RRC's discretion
- RRC may require applicant to provide additional technical information to demonstrate disposal fluid confinement.



Texas' Response to Public Concerns about Increasing Rates of Seismicity




SECTION 16. THE UNIVERSITY OF TEXAS AT AUSTIN: BUREAU FOR ECONOMIC GEOLOGY. (a) In addition to amounts previously appropriated for the state fiscal biennium ending August 31, 2015, \$4,471,800 is appropriated out of the general revenue fund to The University of Texas at Austin for the two-year period beginning on the effective date of this Act for the purchase and deployment of seismic equipment, maintenance of seismic networks, modeling of reservoir behavior for systems of wells in the vicinity of faults, and establishment of a technical advisory committee.



http://www.beg.utexas.edu/files/content/texnet/docs/TexNet-Report-2016.pdf



Timeline of Significant Events and Bureau Involvement



TexNet-CISR Organization

Governor – Legislature

Technical Advisory Committee

Robie Vaughn (Chair) **Chris Hillman**

Dana Jurick Hal Macartney

Dan Hill **Brian Stump**

Scott Tinker

Kris Nygaard Aaron Velasco

Bureau Directorate Scott Tinker, Michael Young

TexNet-CISR Program Leadership

Peter Hennings, PI Subsurface Integration and Industry Liaison Ellen Rathje, PI Earthquake Hazard and Risk Alexandros Savvaidis, PI Seismology and TexNet Manager

CISR Science Advisory Committee

SAC Representative	Organization	
Peter Hennings	UT-BEG	
Ellen Rathje	UT-CAEE	
Alexandros Savvaidis	UT-BEG	
Cody Comiskey	Anadarko	
Cal Cooper	Apache	
Rongmao Zhou	BHP	
Jeff Nunn	Chevron	
Doug Klepacki	Cimarex	
Seth Busetti	ConocoPhillips	
Rod Gertson	Devon	
Beatriz Garcia-Fresca	Equinor	
Robert Kidney	EOG	
Tim Tyrell	ExxonMobil/XTO	
Cory Christie	QEP Resources	
Pete Christianson	Marathon	
Klaas Koster	Occidental	
Kevin Woller	Pioneer	
Ulrich Zimmer	Shell	
Tony Lupo	SM-Energy	

TexNet Network

Alexandros Savvaidis^B

Caroline Breton^B Poe Chen^B

Clay Templeton^B

- ^B Bureau of Economic Geology UT Institute for Geophysics
- PUT Petroleum Geosystems and Eng
- ^CUT Civil, Arch, and Envir Engineering
- ^AUT Aerospace Engineering
- Texas A&M Petroleum Engineering ^S SMU Geosciences
- H University of Houston Seismology ^D University of Texas at Dallas Seismology EUniversity of Texas at El Paso Seismology ¹Post Doc ²PhD student ³MS student gray = transitioning out of TexNet-CISR underlined = ~full-time TexNet-CISR

Seismology

Alexandros Savvaidis^B

Dino Huang^B

Dmitrii Merzlikin^B

Ibinabo Bestmann^B

Cliff Frohlich

Ellen Rathje^c Heather DeShon^S

Louis Quinones^{S,2}

Paul Ogwari^{S,1}

Oner Sufri^{S,1}

Chris Hayward^S Aibing Li^H Hejun Zhu^D Marianne Karplus^E Stephen Veitch^E Diane Doser^E

Jenna Faith^{E,2}

Geologic Characterization

> Peter Hennings^B Casee Lemons^B

> > Katie Smye^B

Robin Dommisse^B Reinaldo Sabbagh^B

Lily Horne^B

Chris Zahm^B

JP Nicot^B

Rebecca Gao^B

Hydrogeologist RA TBD^B Guin McDaid^B



SOUTHWEST RESEARCH INSTITUTE Ronald McGinnis, Alan Morris



Stanford

SCHOOL OF EARTH, ENERGY Stanford Center for Induced and Triggered Seismicity Jens Lund-Snee, Mark Zoback

Modeling Reservoir Eng RS TBD^B Jon Olson^P

Geomechanics

and Reservoir

Mohsen Babazadeh^{P,2}

Peter Eichhubl^B Mahdi Haddad^{B,1}

Sevved Hosseini^B

Zhiqiang Fan^{B,1}

Akhil Datta-Gupta^T Michael King^T Jihoon Kim^T

Ronggiang Chen^{T,2} Xu Xue^{T,2}

Jaeyoung Park^T **Hyun Yoon**^T

Seismic Hazard and Risk **Assessment** Ellen Rathje^C

Iason Grigoratos^{C,2} Brady Cox^C Michael Yust^{C,2}

Patricia Clayton^C


Jennifer Kurkowski^{C,3}

Surface Deformation and Geodetics

Zhong Lu^S Jin Woo Kim^S Jingyi (Ann) Chen^A Scott Staniewicz^{A,2}

> Qian Yang^B John Hupp^B


Program Coordinator Margo Grace^B Communications and Land Management Mark Blount B





Texas Seismological Network Plan (SSA meeting Reno, April 2016)

- Fill in the gaps
- Add 22 additional stations, providing a backbone of 40 station
- Consider auxiliary sites





Factors to Assess Possible Station Locations


- Seismicity
- Existing broadband real-time stations
- Existing information from TA Seismological Stations
 - Noise level (Power Density Function)
 - Soil amplification (Noise and Earthquake Data)
 - Shear wave velocity (Vsz)
- Site Geology Topography
- Tectonics
- Location of oil & gas wells
- Cell coverage



Example of Factor: Site Geology & Topography

Higher elevation areas are prioritized


- Stiff material
- Isolated
- Cell coverage







TexNet 24h Noise Tests and High Noise Limits






New Low Noise Model

Existing Broad Band Station Metadata

Station Name	Owner	Operating Since	Latest Sensor Update	Instrument	Operating by
EP.KIDD	UTEP Seismic Network	10/8/09	10/8/09	CMG-3T, 120 s, 1500 V/m/s-RT130, gain 1, 40 sps	UTEP
IM.TX31	International Miscellaneous Stations	1/3/72	11/18/13	KS54000=TX31=AIM24S_KS54K=TX31	TXAR Array, Lajitas, TX
IM.TX32	International Miscellaneous Stations	1/24/70	4/11/06	KS5400	TXAR Array, Lajitas, TX
IU.HKT	Global Seismograph Network (GSN - IRIS/USGS)	7/21/95	2/3/16	Streckeisen STS-1VBB w/E300	Albuquerque Seismological Laboratory (ASL)/USGS
N4.237B	Central and EAstern US Network	2/6/14	2/5/14	Streckeisen STS-2.5/Quanterra 330 Linear Phase Com	UC San Diego
N4.735B	Central and EAstern US Network	2/27/14	2/27/14	Streckeisen STS-2 G3/Quanterra 330 Linear Phase Co	UC San Diego
N4.Z35B	Central and EAstern US Network	2/10/14	2/10/14	Streckeisen STS-2 G3/Quanterra 330 Linear Phase Co	UC San Diego
N4.Z38B	Central and EAstern US Network	2/12/14	2/12/14	Nanometrics Trillium 240 Sec Response sn 0-399/Qua 330	UC San Diego
TA.435B	USArray Transportable Array (NSF EarthScope Project)	1/15/10	1/26/16	Guralp CMG3T/Quanterra 330 Linear Phase Composite	IRIS Transportable Array (IRIS_TA)
TA.833A	USArray Transportable Array (NSF EarthScope Project)	12/4/09	10/16/15	Streckeisen STS-2 G3/Quanterra 330 Linear Phase Co	IRIS Transportable Array (IRIS_TA)
TA.ABTX	USArray Transportable Array (NSF EarthScope Project)	2/12/09	10/16/15	Streckeisen STS-2 G3/Quanterra 330 Linear Phase Co	IRIS Transportable Array (IRIS_TA)
TA.MSTX	USArray Transportable Array (NSF EarthScope Project)	4/23/08	11/23/15	Streckeisen STS-2 G3/Quanterra 330 Linear Phase Co	IRIS Transportable Array (IRIS_TA)
TA.WHTX	USArray Transportable Array (NSF EarthScope Project)	2/11/09	10/16/15	Streckeisen STS-2 G3/Quanterra 330 Linear Phase Co	IRIS Transportable Array (IRIS_TA)
US.AMTX	United States National Seismic Network	9/29/02	5/2/11	STS2-I=80630=Gen=Q330SR=3521	Albuquerque Seismological Laboratory (ASL)/USGS
US.JCT	United States National Seismic Network	2/3/00	6/21/11	STS2-I=80219=Gen=Q330SR=0884	Albuquerque Seismological Laboratory (ASL)/USGS
US.KVTX	United States National Seismic Network	6/16/06	5/2/11	STS2-I=80434=Gen=Q330SR=1261	Albuquerque Seismological Laboratory (ASL)/USGS
US.MNTX	United States National Seismic Network	5/29/03	5/2/11	STS2-I=10440=Gen=Q330SR=3716	Albuquerque Seismological Laboratory (ASL)/USGS
US.NATX	United States National Seismic Network (USNSN)	5/12/04	7/8/15	Streckheisen STS2-I=80406=Gen=Q330SR=3522	Albuquerque Seismological Laboratory (ASL)/USGS



Noise Level of Existing Broad Band Stations






Noisy Existing Stations

Stations with high noise level


Reasoning:

- Soil Conditions
- Human Activity





TexNet Permanent Station Setup



Permanent Stations:

- pole-mounted hardware
- 6 Channel Datalogger
- Wireless Modem
- 200Ah Battery
- 150W Solar Panel, and
- 120sec 3 Component Post-Hole Seismometer

Hardware:

- 22 Trillium PH with centaur DL
- 1 PH Radian with minimus DL
- 1 BH Radian with minimus DL (TBD)





TexNet Portable Station Plan

Permian Basin 2016-2017


- 7 stations near Pecos
- 7 near Snyder (Cogdell Field) **2018**
- 9 near Pecos and elsewhere

UT-BEG - rapid deployment reserve 2016-2017

- 3 stations

2018

 - 3 stations
 (other deployed portable stations can be repositioned to augment the rapid deployment reserve)



Ft Worth Basin

- 12 stations to be adjusted

depending on seismicity trends and availability of

2016-2018

other sensors

2016-2017 - 0 stations **2018** - 3 stations

Eagle Ford

- 4 near Fashing

- 6 near Fashing and

2016-2017

elsewhere

2018

Northeast Texas





Portable Station Setup

Portable Stations:

- direct burial installations
- pole-mounted hardware
- 6 Channel Datalogger
- Wireless Modem
- 200Ah Battery
- 150W Solar Panel,
- 3-component, 20 sec seismometer
- 3-component accelerometer

Hardware:

- 36 trillium compact and titan PH with centaur DL
- 1 CMG40T with minimus DL
- 5 CMG40T with minimus+ DL (TBD)
- ♦ 8 CMG3T (TBD) UH
- 25 MBB-2 with minimus DL (TBD) UTIG
- 18 CMG5T/CMG5TC UAF/AEC (TBD)







Texas Seismological Network

23 New Permanent Stations

17 Existing Stations

3 New Auxiliary Stations

43 Station Backbone for Texas

33 Portable Stations deployed


- 15 (14) deployed in the DFW area
- 7 are deployed in the Snyder area
- 8 (7) deployed in Permian Basin area
- 3 (2) deployed in the Eagle Ford area

1 Station deployed in NM

2 Portable Stations currently available

6 Portable Stations soon to be delivered





Reported Seismicity Through Time


Earthquakes in December 2016, before TexNet deployment

Earthquakes in January
2017, after 4 TexNet Station
deployments

Earthquakes from 02/10/17 to 04/13/2017* after 12 TexNet Station deployments

*Earthquake Catalog does not include events of March 16-31





TexNet HUB

FIELD INSTALLATION 1

(Permanent or portable station)

NMX centaur data logger

FIELD INSTALLATION 2

(Permanent or portable station)
Guralp data logger (seedlink or scream)

EXISTING DATA (IRIS)
Seismic station data from
Texas and neighboring states

Legend

NMX: Nanometrics

IRIS: Incorporated Research Institutions for Seismology

EMS: Earthquake Management System


TDEM: Texas Division of Emergency Management

FDSN: International Federation of Digital Seismograph

Networks


NEIC: National Earthquake Information Center






(BACKUP 2)


Noise Analysis (Urban/Industrial Site)








Day versus night detectability in a noisy site











Detectability of low noise sites

TX.VHRN.00.HHZ.M


2017-03-28T16:00:00 - 2017-11-29T23:59:59







http://www.beg.utexas.edu/texnet/catalog







Questions?

